

Tropical Blinds Ltd

Unit 6 and 7 Five Arches Business Est
off Maidstone Road
Sidcup
Kent DA14 5AE
T: 020 8269 6400
F: 020 8269 6401



Order Acknowledgement

Cust Order No : SO16847 GIRARD
Order Date : 24/06/2025
Order No : 984577
Account Ref : CPS007
Despatch method : DHL Economy
Delivery Date : 29/07/2025
Carriage Type : DHL Economy Select

Order to :

C.P Interiors
Rue Des Pres Trading Estate
St. Saviour
Jersey
Channel Islands
JE2 7QN

Deliver to :

C.P Interiors 3
Rue Des Pres Trading Estate
St Saviour
Jersey
Channel Islands
JE2 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
Roller - Sonesse 28 RTS/Zigbee LI-ION Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels	Uniview 3000 DO FR Alabaster R/Fab	1000	2000	1	119.17	51.92	152.85
Sonesse 28 RTS Li-ion, Not Required, No Hub Required					79.00		
Measurement:Blind Size Spec. Ins:							
Install Height: Not Specified Location: Living Room							
Roller - Sonesse 28 RTS/Zigbee LI-ION Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels	Uniview 3000 DO FR Alabaster R/Fab	1670	2000	1	202.08	51.92	205.96
Sonesse 28 RTS Li-ion, Not Required, No Hub Required					79.00		
Measurement:Blind Size Spec. Ins:							
Install Height: Not Specified Location: Living Room							
Roller - Sonesse 28 RTS/Zigbee LI-ION Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels	Uniview 3000 DO FR Alabaster R/Fab	950	1580	1	109.75	51.92	148.32
Sonesse 28 RTS Li-ion, Not Required, No Hub Required					79.00		
Measurement:Blind Size Spec. Ins:							
Install Height: Not Specified Location: Kitchen							
Roller - Sonesse 28 Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels	Uniview 3000 DO FR Alabaster R/Fab	690	1580	1	104.53	51.92	142.52
Sonesse 28 RTS Li-ion, Not Required, No Hub Required					79.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Kitchen

Roller - Sonesse Ultra 30	Uniview 3000 DO FR Alabaster R/Fab	2740	1580	1	278.78	51.92	281.49
RTS/Zigbee LI-ION							
Not Required, 45mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard					96.46		
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels							
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					101.07		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Kitchen

Roller - Sonesse 28	Uniview 3000 DO FR Alabaster R/Fab	680	1580	1	104.53	51.92	142.52
RTS/Zigbee LI-ION							
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard					27.58		
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels							
Sonesse 28 RTS Li-ion, Not Required, No Hub Required					79.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Kitchen

Roller - Sonesse 28	Uniview 3000 DO FR Alabaster R/Fab	630	1580	1	104.53	51.92	142.52
RTS/Zigbee LI-ION							
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard					27.58		
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels							
Sonesse 28 RTS Li-ion, Not Required, No Hub Required					79.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Kitchen

Roller - Sonesse 28	Uniview 3000 DO FR Alabaster R/Fab	2000	1580	1	203.62	51.92	210.00
RTS/Zigbee LI-ION							
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard					68.85		
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels							
Sonesse 28 RTS Li-ion, Not Required, No Hub Required					79.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: kitchen

Roller - Sonesse 28	Uniview 3000 DO FR Alabaster R/Fab	2300	1580	1	241.24	51.92	234.73
RTS/Zigbee LI-ION							
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard					82.66		
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels							
Sonesse 28 RTS Li-ion, Not Required, No Hub Required					79.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: kitchen

Roller - Sonesse 28 RTS/Zigbee LI-ION	Uniview 3000 DO FR Alabaster R/Fab	1010	2000	1	119.17	51.92	152.85
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					34.42		
Sonesse 28 RTS Li-ion, Not Required, No Hub Required					79.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: LIVING ROOM

If a Premium carriage service is requested (Pre Noon, Pre 10.30, Saturday or Saturday Pre Noon) the relevant charge will be applied to your invoice. Goods delivered to the following areas: Cornwall, Dyfed, Powys, Anglesey, Gwynedd, Scotland, Isle of Wight, Isle of Man, Isle of Scilly, Channel Isles, Northern Ireland and Republic of Ireland will be subject to a carriage charge as detailed on Page 2 of our trade price list. These carriage charges may not appear on your Proforma invoice or Order acknowledgement but will be applied to your invoice

Net Price :	£1813.76
VAT :	£0.00
Total :	£1813.76

Staff Name: Adrian

Work Diary

Order No: SO16821
 Surveyor: Measurer

Contact Address: Mrs. Girard Etoile Filante, Les Chemin Des Maitieres, Grouville, JE3 9EB, 851958,
 07797723471, pgirard8151@yahoo.com

Customer Ref

Date: 28-05-2025

Time: 11:00 AM

Notes: To measure for awning, discuss options for electrical blind and insect screens (suitable for pets)

R70

Location	Supplier	Blind Type /Description	Colour	Qty	Width	Drop	Fitting Height	B or R	Controls	Brackets	Surface	Unit Price
Balcony	SO16821	upm design	TISA	1	6000	2500			UHM			
Living	SO16847	roller + up	Screen	1	1000	2000		B	plus Sunpoule Brackets			£780
		70mm Fascia		1	1670	2000						493
		MS Vision		1	1510	2000						667
		Dutch door SO16849		1	1670	2000		B				493
		TRIGI Screen		1	62950	1600		A	B/S		bottom	286
		roller + up		1	25090	1600						354
		Fascia		1	2210	1600	1580					646
				1	680	1600						384
				1	650	1600						354


Comments: Find out which blinds are together because of the 812es being different for X

Surface Fitting:
 C=Concrete
 W=Wood
 M=Metal
 B=Brick
 P=Plastic
 T=Tile


Order: Quote

Customer Signature: X
 I have checked and agree with the above choices
 Target Fitting Date:

2P
S016821



RAL9010



600

S016847



Shrp curtain Mesh
FASCEP Screen

395.00

930 x 2030
B/S

S016849

roller 2000 x 1600 328
 roller 2300 x 1600 389
 B/S ✓
 523/584

~~63~~
~~1580~~
 1580



Tropical Blinds Ltd

Unit 6 and 7 Five Arches Business Est
off Maidstone Road
Sidcup
Kent
DA14 5AE
Tel: 020 8269 6400 Fax: 020 8269 6401

Vat No: 324 0532 02
Cust Order No: SO16847 GIRARD
Order Date: 24/06/2025
Order No: 5292402
Cust Ref:
Account Ref: CPS007
Despatch Method: DHL Economy

Order To:
C.P Interiors 3
Rue Des Pres Trading Estate
St Saviour
Jersey
Channel Islands
JE2 7QN



Deliver To:
C.P Interiors 3
Rue Des Pres Trading Estate
St Saviour
Jersey
Channel Islands
JE2 7QN

Type	Colour	Width	Drop
1. Roller - Sonesse 28 RTS/Zigbee LI-ION Sonesse 28 RTS Li-ion, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: Living Room	Uniview 3000 DO FR Alabaster R/Fab 1.83m (D) Spec. ins: Fitting ins:	1000 ✓	2000 ✓
2. Roller - Sonesse 28 RTS/Zigbee LI-ION Sonesse 28 RTS Li-ion, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: Living Room	Uniview 3000 DO FR Alabaster R/Fab 1.83m (D) Spec. ins: Fitting ins:	1670 ✓	2000 ✓
3. Roller - Sonesse 28 RTS/Zigbee LI-ION Sonesse 28 RTS Li-ion, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: Kitchen	Uniview 3000 DO FR Alabaster R/Fab 1.83m (D) Spec. ins: Fitting ins:	950 ✓	1580 ✓
4. Roller - Sonesse 28 RTS/Zigbee LI-ION Sonesse 28 RTS Li-ion, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: Kitchen	Uniview 3000 DO FR Alabaster R/Fab 1.83m (D) Spec. ins: Fitting ins:	690 ✓	1580 ✓
5. Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: Kitchen	Uniview 3000 DO FR Alabaster R/Fab 3.0m (D) Spec. ins: If this requires a heavier tube, all kitchen blinds are in the same row so please change all. Fitting ins:	2740 ✓	1580 ✓
6. Roller - Sonesse 28 RTS/Zigbee LI-ION Sonesse 28 RTS Li-ion, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: Kitchen	Uniview 3000 DO FR Alabaster R/Fab 1.83m (D) Spec. ins: Fitting ins:	680 ✓	1580 ✓
7. Roller - Sonesse 28 RTS/Zigbee LI-ION Sonesse 28 RTS Li-ion, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: Kitchen	Uniview 3000 DO FR Alabaster R/Fab 1.83m (D) Spec. ins: Please make blind and fascia at 630mm wide 'blind size' (portal won't allow it, but motor will fit at that size, we have tested here). Fitting ins:	630 ✓	1580 ✓
8. Roller - Sonesse 28 RTS/Zigbee LI-ION Sonesse 28 RTS Li-ion, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: kitchen	Uniview 3000 DO FR Alabaster R/Fab 2.5m (D) Spec. ins: Fitting ins:	2000 ✓	1580 ✓
9. Roller - Sonesse 28 RTS/Zigbee LI-ION Sonesse 28 RTS Li-ion, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: kitchen	Uniview 3000 DO FR Alabaster R/Fab 2.5m (D) Spec. ins: Fitting ins:	2300 ✓	1580 ✓
10. Roller - Sonesse 28 RTS/Zigbee LI-ION Sonesse 28 RTS Li-ion, Not Required, No Handset Required, Not Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Yes, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Finial, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels Measurement: Blind Size Location: LIVING ROOM	Uniview 3000 DO FR Alabaster R/Fab 1.83m (D) Spec. ins: Fitting ins:	1010 ✓	2000 ✓

Print Close