

weinor Ltd 73 Cornhill EC3V 3QQ London

## C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

### delivery address

DSV Road Ltd  
(NO UPS)  
10 Brunel Way, Segensworth Industrial Estate  
GB-PO15 5TX Hampshire, Fareham  
NO UPS

## ORDER CONFIRMATION (release 2)

sales order no.: 202915741 of 30.06.2025  
customer: 165708  
reference: Display 5  
Your order no.:  
contact person: William Abbott  
E-Mail: WAbbott@weinor.de  
phone number: +49-221-59709-472  
representat. 654 Chris Spickett  
tel (representat.): 0044 ( 0) 7894443907

pos	quantity	article code
-----	----------	--------------

Order confirmation version 2 of 01.08.2025:

- We have changed length of 30X2 flat alu trims to 800mm and we have added in a separate position 4no. 30X2 mm Flat trims @1420mm
- all door handle heights changed to standard height-1050mm
- 40x40x2mm Angle added as last position and have done 2x 4000mm lengths as you pay to the next metre anyway.

\*\*\*\*\*

Please note:

- Please check front door handle heights of 1200mm, Side door handles are @1050mm.

\*\*\*\*\*

Dear Customer,

We herewith confirm your order based on the dimensions specified by you.

**IMPORTANT:** With immediate effect, you can technically release your orders from the weinor E-shop yourself and will be provided with a delivery date immediately. Moreover, it is possible to stop orders in the weinor E-shop independently up to a specific production point.

Trust in fast and safe in the future: Orders possible via the weinor E-shop are processed faster.

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

Additionally, errors are virtually ruled out. The system instantly checks and confirms your configuration for technical feasibility.

Please observe that we can only name a likely delivery date after your final release. Each change requires re-engineering, thus extending the delivery period.

Please also take into account that changes to an order after release cause costs which we may have to pass on to you.

Please send the release to our telefax no.: +49 221 59709-83602 or by E-mail: freigabe@weinor.de

Many thanks!

Your APPROVAL: .....  
(Signature) (Date)

1	1,00	2740	Terrazza Pure
---	------	------	---------------

. : **ATTENTION! Element is supplied without glass!**

**Lastannahmen zur Dachauslegung Quick & Easy**

Lastsystem nach Typenstatik	:	Terrazza Typ 1	
Lastfall Norddeutsche Tiefebene	:	No	
Windzone	:	1 und 2 Binnenland	
Gebäudehöhe	:	< 10m	
Product use	:	private house	
Sample	:	1	large sample
Permissible snow-bearing load	:	750 N/m <sup>2</sup>	
abrutschende Schneelast	:	No	
Schneeanwehung	:	No	

**basic data**

External dimensions	:	6280mm x 2000mm	Depth: wall connection profile up to INSIDE edge of post	6.591,00
Bottom edge gutter (mm)	:	2345,5	mm	

pos	quantity	article code
-----	----------	--------------

Bottom edge connection to wall (mm)	: 2440	mm	
Top edge connection to wall (mm)	: 2668	mm	
Basic colour	: WT029/71289	Approx. RAL 7016	
Covering	: 10mm	prepared for 10mm LSG	
Seals	: silicone-containing seals		
Connection to wall left?	: Partial wall connection on left		
Connection to wall right?	: No wall connection on right		
Spacing between roof and wall left	: 5 mm side wall bracket		576,00

**In the case of a one-sided lateral wall, the drainage of the wall connection profile to the free side must take place during installation. Seal the drainage channel in the niche corner.**

**Depending on the structural conditions and the selection of sealants between the roof and the side wall, the specialist partner must determine whether the rafter must be supported on the side. This must be done in such a way that the sealant is not damaged when the rafters are loaded. The rafter can be supported with additional parts such as rectangular pipes or angle brackets.**

**Please note that the necessary cover panel for the roof rafter will add 2 mm to the wall of the house. This makes the roof 2 mm wider than the order width.**

### roof girder

Number of roof rafter	: 8	Piece
rafter 205 open	: 2	Piece
rafter 205 closed	: 4	Piece
Axial dimension rafter	: 887,9	mm

### Transom

### gutter

Max. distance between posts	: 4750	mm with no steel in gutter
-----------------------------	--------	----------------------------

### Pillar(s)

Number of posts	: 3
Post type left	: External post
Left post version	: With 115 clip profile with integration of colour LED strip

pos	quantity	article code
-----	----------	--------------

RGB strip lighting in left-hand post?	:	Colour LED strip in post (400 mm)	
Post position on the left	:	57,5	mm
Post type right	:	External post	
Right post version	:	With 115 clip profile with integration of colour LED strip	
RGB strip lighting in right-hand post?	:	Colour LED strip in post (400 mm)	
Post position on the right	:	57,5	mm
Total posts with colour LED strip	:	2	Piece
position of centre post from left	:	1808,3	1st centre post from outer left-hand edge!
Length of post	:	2600	mm
<b>Please note that the standard length for square posts is 2600mm!</b>			
Drain on left side?	:	Drain through the left post	
Drain on right side?	:	Drain through the right post	
Number of post base plates 116x196	:	1	Piece 55,00
Number of post base plates 196x196	:	2	Piece 126,00
Number of caps for post plate	:	2	Piece 78,00
Number of caps for post plate	:	1	Piece 39,00
No. Complete drainage through square outside post	:	2	incl. downspout and 87° elbow 292,00
Distance 'Pa - centre of drilled drain hole to bottom edge of gutter	:	2562	mm
Distance 'Pa - centre of drilled drain hole to bottom edge of gutter	:	2562	mm

**Side elements**

Doubling under left side roof support (locking bar)?	:	yes	
Left locking bar version	:	115x50 locking bar option without a rectangular pipe up to the wall	
Doubling under right side roof support (locking bar)?	:	yes	266,00
Right locking bar version	:	163x50 locking bar option under side rafter up until wall connection profile	

pos	quantity	article code
-----	----------	--------------

**alignment products**

projection of WGM TOP	: 0	mm	
Right-hand wall	: 50x50 rectangular pipe		86,00

**accessorie**

Preparation for mains connection (connection products, inside)	: 1	x in wall bracket and guttering, centred	108,00
Preparation for mains connection in wall bracket	: 1 x power cord		
Power cord in guttering	: 1 x power cord		
Operation type	: Remote control Somfy IO		
Side mains connection (230 V)	: right		
Terrazza Pure lighting	: Atmospheric (coloured)		
LED strip in roof supports	: 2	x colour LED strip	958,00
Outer post with 400 mm colour LED strip (V2)	: 2	Piece	762,00
Control unit Somfy RGBW including power supply pack 24 V 240W	: 1	Piece	614,00
Steuerung Somfy RGBW inkl. Netzteil 24 V 100W	: 1	Piece	614,00
control	: hand transmitter Situo 5 io Variation A/M II by weinor		128,00
With remote control BiConnect	: No		
Number of leaf filters (length 2 m)	: 4		56,00
Flat aluminium 20 x 2 mm	: 4	Piece	
Length of 20 x 2 mm flat aluminium	: 2000	mm	176,00
30 x 2 mm flat aluminium	: 2	Piece	
Length of 30 x 2 mm flat aluminium	: 4100	mm	80,00

**miscellaneous**

Glass area [m2]	: 11,19	m <sup>2</sup>	
Note glass area	: The glass surface concern only the roof.		

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 6 of 30

pos	quantity	article code
-----	----------	--------------

**Weinor GmbH & Co. KG makes construction products according to DIN 1090 EXC1, with welding tolerances per DIN EN 13920 B/B/F, seam types per DIN EN ISO 5817-C, and aluminum welding per DIN EN ISO 10042-C.**

Weight [kg]	: 207	kg
-------------	-------	----

value of goods	discount amount / %	net
11.605,00	6.034,60 / 52,00	5.570,40

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 7 of 30

pos	quantity	article code
-----	----------	--------------

2	1,00	2851	w17 easy - the full glass sliding door
			outside RHS seen from outside



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

**Please note:**

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

**Your weinor team**

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: <b>ATTENTION! Element is supplied with glass!</b>	
	:	
Sample	: large sample	
Product use	: private house	
Width of element [mm]	: 1940 X 2346	1.691,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

CleanCase right (from inside)	:	No	
Selection of leaves + tracks	:	2-track with 2 leaves	
Position of active leaf?	:	right, as seen from inside	
Direction of opening	:	sliding to the left	
Glazing	:	10 mm toughened safety glass, clear	
Soft-Closing-System	:	Standard Damper	
handling	:	cup pull handle with A4 stainless steel attachment	94,00
leaf actuator	:	leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	:	Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	:	0	
Height of knob from bottom edge of guide track (mm)	:	1050	mm
Basic colour	:	WT029/71289 Approx. RAL 7016	
wall connection profile left	:	No	-63,00
wall connection profile right	:	No	-63,00
brush seal	:	1 x Brush profile transparent for 10 mm glass, length 2800 mm	39,00
gap seal	:	2 x Gap seals for 10 mm glass, length 2800 mm	62,00
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container packaging	:	edges reinforcement	
extra charge glass pallet	:	Export packaging/ glass pallet	
Weight of leaf	:	1	x wooden pallet 255,00
weight	:	56,9	kg
	:	123,5	kg

value of goods	discount amount / %	net
2.015,00	1.047,80 / 52,00	967,20


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 9 of 30

pos	quantity	article code
-----	----------	--------------

5	1,00	2851	w17 easy - the full glass sliding door outside Front/ left
---	------	------	---



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

**Please note:**

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

**Your weinor team**

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: <b>ATTENTION! Element is supplied with glass!</b>	
	:	
Sample	: large sample	
Product use	: private house	
Width of element [mm]	: 1635,8 X 2346	1.561,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

CleanCase right (from inside)	:	No	
Selection of leaves + tracks	:	2-track with 2 leaves	
Position of active leaf?	:	right, as seen from inside	
Direction of opening	:	sliding to the left	
Glazing	:	10 mm toughened safety glass, clear	
Soft-Closing-System	:	Standard Damper	
handling	:	cup pull handle with A4 stainless steel attachment	94,00
leaf actuator	:	leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	:	Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	:	0	
Height of knob from bottom edge of guide track (mm)	:	1050	mm
Basic colour	:	WT029/71289 Approx. RAL 7016	
wall connection profile left	:	No	-63,00
wall connection profile right	:	No	-63,00
brush seal	:	1 x Brush profile transparent for 10 mm glass, length 2800 mm	39,00
gap seal	:	2 x Gap seals for 10 mm glass, length 2800 mm	62,00
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	:	edges reinforcement	
packaging	:	Export packaging/ glass pallet	
Weight of leaf	:	48	kg
weight	:	104,1	kg

value of goods	discount amount / %	net
1.630,00	847,60 / 52,00	782,40

weinor Ltd 73 Cornhill EC3V 3QQ London


customer: 165708 sales order 202915741

Page 11 of 30

---

**pos quantity article code**

---

**Position 5 - interior view (images similar)****front view**

**weinor** Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 12 of 30

pos	quantity	article code
-----	----------	--------------

6	1,00	2851	w17 easy - the full glass sliding door
			outside Front/ Right



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

**Please note:**

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

**Your weinor team**

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: <b>ATTENTION! Element is supplied with glass!</b>	
	:	
Sample	: large sample	
Product use	: private house	
Width of element [mm]	: 4299 X 2346	3.501,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

CleanCase right (from inside)	:	No	
Selection of leaves + tracks	:	4-track with 4 leaves	
Position of active leaf?	:	right, as seen from inside	
Direction of opening	:	sliding to the left	
Glazing	:	10 mm toughened safety glass, clear	
Soft-Closing-System	:	Standard Damper	
handling	:	cup pull handle with A4 stainless steel attachment	94,00
leaf actuator	:	leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	:	Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	:	0	
Height of knob from bottom edge of guide track (mm)	:	1050	mm
Basic colour	:	WT029/71289 Approx. RAL 7016	
wall connection profile left	:	No	-63,00
wall connection profile right	:	No	-63,00
brush seal	:	3 x Brush profile transparent for 10 mm glass, length 2800 mm	117,00
gap seal	:	2 x Gap seals for 10 mm glass, length 2800 mm	62,00
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	:	edges reinforcement	
packaging	:	Export packaging/ glass pallet	
Weight of leaf	:	63	kg
weight	:	273,6	kg

value of goods	discount amount / %	net
3.648,00	1.896,96 / 52,00	1.751,04

weinor Ltd 73 Cornhill EC3V 3QQ London


customer: 165708 sales order 202915741

Page 14 of 30

---

**pos quantity article code**

---

**Position 6 - interior view (images similar)****front view**

**weinor** Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 15 of 30

pos	quantity	article code
-----	----------	--------------

7	1,00	2851	w17 easy - the full glass sliding door
			outsideLHS seen from outside



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

**Please note:**

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

**Your weinor team**

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: <b>ATTENTION! Element is supplied with glass!</b>	
	:	
Sample	: large sample	
Product use	: private house	
Width of element [mm]	: 1990 X 2346	1.691,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

CleanCase right (from inside)	:	No	
Selection of leaves + tracks	:	2-track with 2 leaves	
Position of active leaf?	:	left, as seen from inside	
Direction of opening	:	sliding to the right	
Glazing	:	10 mm toughened safety glass, clear	
Soft-Closing-System	:	Standard Damper	
handling	:	cup pull handle with A4 stainless steel attachment	94,00
leaf actuator	:	leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	:	Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	:	0	
Height of knob from bottom edge of guide track (mm)	:	1050	mm
Guide rail extension right in mm	:	1011	209,00
<b>When choosing guide rail extension there won't be a locking mechanism inside the end leaf.</b>			
<b>The stop is now generated by leaf stops and actuator.</b>			
Basic colour	:	WT029/71289 Approx. RAL 7016	
wall connection profile left	:	No	-63,00
wall connection profile right	:	No	-63,00
brush seal	:	1 x Brush profile transparent for 10 mm glass, length 2800 mm	39,00
gap seal	:	2 x Gap seals for 10 mm glass, length 2800 mm	62,00
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container packaging	:	edges reinforcement	
Weight of leaf	:	58,4	kg
weight	:	126,7	kg

value of goods	discount amount / %	net
1.969,00	1.023,88 / 52,00	945,12

weinor Ltd 73 Cornhill EC3V 3QQ London


customer: 165708 sales order 202915741

Page 17 of 30

---

**pos quantity article code**

---

**Position 7 - interior view (images similar)****front view**

**weinor** Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

8	1,00	2255	Sottezza Pure Optistretch Under 5 roof sections from right			
			Product use	: private house		
			Sample	: 1	large sample	
			Number of units	: 1 Field System		
			Distance centre to centre	: 4340	mm	
			Width of cassette total [mm]	: 4376	mm	
			Projection [mm]	: 1910	mm	2.573,00
			Basic colour	: WT029/71289 Approx. RAL 7016		
			Cable clips along the back of the cassette	: without cable clips along the back of the cassette		
			type of control	: Remote-controlled motor IO Homecontrol		139,00
			Side of control (seen from the front)	: left		
				:		
			Hirschmann plug tight?	: Hirschmann plug not assembled		14,00
			control	: hand transmitter Situo 1 io II by weinor		73,00
			Type of engine	: Motor Sfy Sunea50 io 25/17 RH ohne Zubehör		
			Side channel bracket	: 2	Piece	
			brackets top plate	: 2	Piece	
				:		
			real-design	: WE3-629	birch, my collections 2	
				:		
			<b>Attention:</b>			
			<b>For optimal tension and smooth running of the fabric, the diagonal measurements must be correct.</b>			
			<b>The cloth must also be correctly centered.</b>			
				:		
			colour of thread Saba	: RAL 7001 Silver grey		
			122962 DTS 66.5 mounting plate with 10 mm base plate 90mm amount of indentation	: 2	Piece	72,00

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 19 of 30

pos	quantity	article code
-----	----------	--------------

122964	Sottezza II mounting plate : 2	Piece	100,00
	for centre roof supports with multi-section units		
	Cardboard container : edges reinforcement		
	weight : 70	kg	

value of goods	discount amount / %	net
2.971,00	1.544,92 / 52,00	1.426,08

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 20 of 30

**pos quantity article code**

11 1,00 2829 GE W50-C


**Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.**

.	:	<b>ATTENTION! Element is supplied without glass!</b>	
Sample	:	large sample	
geometrical shape	:	rectangle	
Frame profile	:	blind frame section 59 w50-c	
Width of element [mm]	:	1390 X 770	423,00
Number of vertical glass panels	:	one-piece	
Prepared for	:	prepared for 8mm (for cold use)	
Basic colour	:	WT029/10797 Approx. RAL 9010	
Cardboard container	:	edges reinforcement	
30 x 2 mm flat aluminium	:	4	Piece
Length of 30 x 2 mm flat aluminium	:	800	mm 32,00

value of goods	discount amount / %	net
455,00	236,60 / 52,00	218,40

**Position 11 - interior view (images similar)**

front view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 21 of 30

pos	quantity	article code
-----	----------	--------------

12	1,00	2844	Standard profiles in cut lengths	
			Sample : 1	large sample
			Basic colour : WT029/10797	Approx. RAL 9010
			30 x 2 mm flat aluminium : 4	Piece
			Length of 30 x 2 mm flat aluminium : 1390	mm
				64,00

value of goods	discount amount / %	net
64,00	33,28 / 52,00	30,72

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

13	1,00	2070	VertiTex II Zip 112 Front/ Right	
			Product use	: private house
			Execution	: square cassette
			size of cassette	: cassette 112
			width (mm)	: 4413,2 mm
			height [mm]	: 2426,5 mm
			Base price	: 2.391,00
			Basic colour	: WT029/71289 Approx. RAL 7016
			Casing fixing	: wall bracket Vertitex universal
			Number of housing brackets	: 3 Piece
			type of control	: Remote-controlled motor IO Homecontrol 139,00
			Side of control (seen from the front)	: right
			connection cable	: Hirschmann plug not assembled 14,00
			control	: without control
			info about radio engine without hand transmitter	: A suitable hand-held transmitter is required to operate the remote-controlled motor! The awning cannot be opened or retracted without a transmitter
			Type of engine	: Motor Sfy Maestria+ 50 io 15/17 RH ohne Zubehör

**Note:**

The drive end positions are preset at the factory to a centre position. Delete this presetting after installation. Please note the drive manufacturer's enclosed instructions.

Adjust the drive end position correctly on site!

Caution! When setting the end position, make sure that the lower end position is not exceeded, as the fabric from the roller tube can become loose and can be damaged in this way!

Collection : screens by weinor

real-design : WE7-204 linen-pearl grey

**The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.**





weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 23 of 30

**pos quantity article code**

Vorderseite Tuch : Konfektion 1 Front side of fabric outside (standard)

**cloth type : made without seams**

Cardboard container : edges reinforcement

weight : 46 kg

**Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.**

**You can carefully remove these with an industrial hot air dryer.**

**To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.**

**This prevents the fabric from overheating or being damaged.**



**We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.**

value of goods	discount amount / %	net
2.544,00	1.322,88 / 52,00	1.221,12

Position 13 - exterior view (images similar)

front view

top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 24 of 30

pos	quantity	article code
-----	----------	--------------

14	1,00	2844	Standard profiles in cut lengths		
			Sample	: 1	large sample
			Basic colour	: WT029/71289 Approx. RAL 7016	
			30 x 2 mm flat aluminium	: 4	Piece
			Length of 30 x 2 mm flat aluminium	: 1420	mm
					64,00

value of goods	discount amount / %	net
64,00	33,28 / 52,00	30,72

15	1,00	2844	Standard profiles in cut lengths		
			Basic colour	: WT029/71289 Approx. RAL 7016	
			Angle profiles 40 x 40 x 2 mm	: 2	Piece
			Length Angle profiles 40 x 40 x 2 mm	: 4000	mm
					200,00

value of goods	discount amount / %	net
200,00	80,00 / 40,00	120,00

value of goods	discount amount	net	VAT (0 %)	Total GBP
27.165,00	14.101,80	13.063,20	0,00	13.063,20

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

In addition, our General Terms of Delivery and Payment as per 01/2024, published under the link provided below are valid and we are happy to provide you with them free of charge upon request.

<https://www.weinor.com/terms-and-conditions/>

delivery exw Cologne  
 payment: Direct debit / 3 days - 4% cash discount  
 mode of dispatch UK export




weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741


Page 26 of 30

Position 1 - exterior view (images similar)

isometric view



top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X




weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741


Page 27 of 30

Position 1 - exterior view (images similar)


front view



side view left



side view right



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10



**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 28 of 30



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10



**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 29 of 30



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202915741

Page 30 of 30

## Glass dimensions

<b>Position 1</b> Terrazza Pure		<b>prepared for 10mm LSG</b>	
quantity	form	width	height
7	rectangle	817,9	1955
<b>Position 11</b> GE W50-C		<b>prepared for 8mm (for cold use)</b>	
quantity	form	width	height
1	rectangle	1301	681

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

# Leistungserklärung

Siehe Auftragsnummer!!!

weinor Terrassendach Terrazza

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

weinor GmbH & Co. KG  
Mathias-Brüggen-Str. 110  
50829 Köln, Deutschland



System 2+

EN 1090-1: 2009 + A1: 2011

Name: TÜV Rheinland  
Am Grauen Stein, Köln  
Nr.: Nobo 0035

Der Hersteller bestätigt auf Grundlage der Zertifikate über die werkseigene Produktionskontrolle Zert-Nr.: 0035-CPR-1090-1.00604.TÜVRh.2015.002 folgende Leistungsmerkmale in Bezug auf die Bauteilspezifikation:

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
<b>Grundlegende geometrische Toleranzen</b>	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
<b>Schweißbeignung</b>	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
<b>Bruchzähigkeit</b>		
<b>Brandverhalten</b>	Klasse A1	
<b>Freisetzung von Cadmium</b>	No performance determined (NPD)	
<b>Freisetzung von radioaktiver Strahlung</b>	No performance determined (NPD)	
<b>Dauerhaftigkeit</b>	Für Aluminium nicht erforderlich	
<b>Tragfähigkeitsmerkmale:</b>		
<b>Tragfähigkeit:</b>	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
<b>Verformung im Grenzzustand der Gebrauchstauglichkeit</b>	Siehe Typenstatik weinor Systembaukasten Terrazza	
<b>Ermüdungsfestigkeit</b>	Eurocode 0, 1 und 9	
<b>Feuerwiderstand</b>	No performance determined (NPD)	

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.

Unterzeichnet für den Hersteller und im Namen des Herstellers von:

Ort, Datum

Unterschrift

Köln, 28.06.2017





NOBO Nr. 0035

Weinor GmbH & Co. KG  
Mathias-Brüggen-Str. 110  
50829 Köln, Deutschland

2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
<b>Grundlegende geometrische Toleranzen</b>	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
<b>Schweißseignung</b>	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
<b>Bruchzähigkeit</b>		
<b>Brandverhalten</b>	Klasse A1	
<b>Freisetzung von Cadmium</b>	No performance determined (NPD)	
<b>Freisetzung von radioaktiver Strahlung</b>	No performance determined (NPD)	
<b>Dauerhaftigkeit</b>	Für Aluminium nicht erforderlich	
<b>Tragfähigkeitsmerkmale:</b>		
<b>Tragfähigkeit:</b>	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
<b>Verformung im Grenzzustand der Gebrauchstauglichkeit</b>	Siehe Typenstatik weinor Systembaukasten Terrazza	
<b>Ermüdungsfestigkeit</b>	Eurocode 0, 1 und 9	
<b>Feuerwiderstand</b>	No performance determined (NPD)	