

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

### C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

reference: Stable 4m  
Your order no.: Stable 4m  
weinor customernumber: 165708  
creation Date: 13.11.2025  
weinor pers. in charge: William Abbott  
phone / fax number: +49-221-59709-472  
representat.: Chris Spickett  
tel (representat.): 0044 ( 0 ) 7894443907

pos	quantity	article	price
1	1	weinor Terrazza Pure	6.823,80
		<b>Special offer discount 10% off gross price of item</b>	<b>-758,20</b>
		Product use : private house	
		Permissible snow-bearing load : 750 N/m <sup>2</sup>	
		External dimensions : 4000mm x 2350mm Depth: wall connection profile up to INSIDE edge of post	5.065,00
		Bottom edge gutter (mm) : 2205,5 mm	
		Bottom edge connection to wall (mm) : 2300 mm	
		Top edge connection to wall (mm) : 2528 mm	
		Basic colour : WT029/90147 Approx. RAL 9007 Metallic	
		Covering : prepared for 10mm LSG	
		Seals : gleitoptimierte Dichtungen	
		Connection to wall left? : No wall connection on left	
		Connection to wall right? : No wall connection on right	
		Number of roof rafter : 5 Piece	
		rafter 205 open : 2 Piece	
		rafter 205 closed : 1 Piece	
		Axial dimension rafter : 983,8 mm	
		Max. distance between posts : 4400 mm with no steel in gutter	
		Number of posts : 2	
		Should the roof gutter be prepared for post on the left? : Left post to be delivered loosely	
		Post type left : External post	
		Post type right : External post	
		Post position on the right : 57,5 mm	

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 4m Page 2 of 12

pos	quantity	article	price
		Length of post : 2600 mm	
		Drain on right side? : Drain through the right post	
		Number of post base plates : 2 Piece	
		196x196	
		No. Complete drainage through square outside post : 1 incl. downspout and 87° elbow	
		Doubling under left side roof support (locking bar)? : yes	291,00
		Left locking bar version : 163x50 locking bar option without a rectangular pipe up to the wall	
		Doubling under right side roof support (locking bar)? : yes	291,00
		Right locking bar version : 163x50 locking bar option without a rectangular pipe up to the wall	
		mounting plates Sottezza II left rafter : Standard 66.5 DTS mounting plate	72,00
		mounting plates Sottezza II right rafter : Standard 66.5 DTS mounting plate	72,00
		Distance from Sottezza to the wall : 20 mm	
		Distance from Sottezza to the gutter : 20 mm	
		projection of WGM TOP : 0 mm	
		Operation type : Remote control Somfy IO	
		Side mains connection (230 V) : left	
		Terrazza Pure lighting : Atmospheric (coloured) dimmable	
		LED strip in roof supports : 2 x colour LED strip	1.049,00
		Control unit Somfy RGBW including power supply pack 24 V 240W : 1 Piece	614,00
		control : hand transmitter Situo 5 io Variation A/M II by weinor	128,00
		With remote control BiConnect : No	
		Weight [kg] : 158,75 kg	
		value of goods	discount amount / %
		6.823,80	2.729,52 / 40,00
			net
			4.094,28

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 4m Page 3 of 12

pos	quantity	article	price
-----	----------	---------	-------

2	1	weinor w17 easy - the full glass sliding door	2.486,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 2340 X 2206		2.153,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Selection of leaves + tracks	: 3-track with 3 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm		78,00
with mounting blocks?	: Mounting blocks 3 track standard (30 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
extra charge glass pallet	: 1 x wooden pallet		255,00
weight	: 140,8 kg		

value of goods	discount amount / %	net
2.486,00	994,40 / 40,00	1.491,60

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 4m Page 4 of 12

pos	quantity	article	price
-----	----------	---------	-------

3	1	weinor w17 easy - the full glass sliding door	2.231,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 2340 X 2206		2.153,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Selection of leaves + tracks	: 3-track with 3 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm		78,00
with mounting blocks?	: Mounting blocks 3 track standard (30 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 140,8 kg		

	value of goods	discount amount / %	net
	2.231,00	892,40 / 40,00	1.338,60

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 4m Page 5 of 12

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor w17 easy - the full glass sliding door	3.805,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 3770 X 2206		3.394,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Selection of leaves + tracks	: 5-track with 5 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm		156,00
with mounting blocks?	: Mounting blocks 2 track standard (15 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
extra charge glass pallet	: 1 x wooden pallet		255,00
weight	: 226,8 kg		

value of goods	discount amount / %	net
3.805,00	1.522,00 / 40,00	2.283,00

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 4m Page 6 of 12

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor Sottezza Pure Optistretch	2.710,00
---	---	----------------------------------	----------

Product use	: private house	
Sales order Terrazza	: 504348340	
Posn. of the sales order for Terrazza	: 1	
Number of units	: 1 Field System	
width Terrazza [mm]	: 4000 mm	
Distance centre to centre	: 3778 mm	
Width of cassette total [mm]	: 3814 mm	
Projection [mm]	: 2260 mm	2.484,00
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
Cable clips along the back of the cassette	: without cable clips along the back of the cassette	
type of control	: Remote-controlled motor IO Homecontrol	139,00
Side of control (seen from the front)	: left	
Hirschmann plug tight?	: Hirschmann plug not assembled	14,00
control	: hand transmitter Situo 1 io II by weinor	73,00
Type of engine	:	
Side channel bracket	: 2 Piece	
brackets top plate	: 2 Piece	
Colour, cassette	:	
colour front rail	:	
Colour, side channel	:	
colour of guide rail end caps	:	
colour of guide bar brackets	:	
real-design	: WE3-501	
colour of thread Saba	: light beige	
Cardboard container	: edges reinforcement	
weight	: 61 kg	

value of goods	discount amount / %	net
2.710,00	1.084,00 / 40,00	1.626,00

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 4m Page 7 of 12

pos	quantity	article	price	
-----	----------	---------	-------	--

value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
18.055,80	7.222,32	10.833,48	0,00	10.833,48



## Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: Stable 4m

Page 8 of 12

isometric view



top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



## Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: Stable 4m

Page 9 of 12


front view



side view left



side view right



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X





# Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: Stable 4m

Page 10 of 12



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X





## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: Stable 4m

Page 11 of 12



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 4m

Page 12 of 12

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 17.11.2025.

### Glass Dimensions

Position	1	Terrazza Pure	prepared for 10mm LSG		
			Width	Height left	Height right
quantity	form				
4	rectangle		913,8	2306	2306