

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

### C P Interiors

**Rue Des Pres Trading Estate**  
**GB-JE2 7QN St Saviour Jersey**

reference: Stable 6m  
Your order no.: Stable 6m  
weinor customernumber: 165708  
creation Date: 12.11.2025  
weinor pers. in charge: William Abbott  
phone / fax number: +49-221-59709-472  
representat.: Chris Spickett  
tel (representat.): 0044 ( 0 ) 7894443907

pos	quantity	article	price
1	1	<b>weinor Terrazza Pure</b>	<b>8.602,20</b>
		<b>Special offer discount 10% off gross price of item</b>	<b>-955,80</b>
		Product use : private house	
		Permissible snow-bearing load : 750 N/m <sup>2</sup>	
		External dimensions : 6000mm x 2350mm Depth: wall connection profile up to INSIDE edge of post	6.588,00
		Bottom edge gutter (mm) : 2205,5 mm	
		Bottom edge connection to wall (mm) : 2300 mm	
		Top edge connection to wall (mm) : 2528 mm	
		Basic colour : WT029/90147 Approx. RAL 9007 Metallic	
		Covering : prepared for 10mm LSG	
		Seals : gleitoptimierte Dichtungen	
		Connection to wall left? : No wall connection on left	
		Connection to wall right? : No wall connection on right	
		Number of roof rafter : 7 Piece	
		rafter 205 open : 3 Piece	
		rafter 205 closed : 2 Piece	
		Axial dimension rafter : 989,2 mm	
		Max. distance between posts : 4400 mm with no steel in gutter	
		Number of posts : 3	
		Post type left : External post	
		Post position on the left : 57,5 mm	
		Post type right : External post	
		Post position on the right : 57,5 mm	
		position of centre post from left : 3000 1st centre post from outer left-hand edge!	

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 6m Page 2 of 13

pos	quantity	article	price
		Length of post : 2600 mm	
		Drain on left side? : Drain through the left post	
		Drain on right side? : Drain through the right post	
		Number of post base plates 116x196 : 1 Piece	
		Number of post base plates 196x196 : 2 Piece	
		No. Complete drainage through square outside post : 2 incl. downspout and 87° elbow	146,00
		Doubling under left side roof support (locking bar)? : yes	291,00
		Left locking bar version : 163x50 locking bar option without a rectangular pipe up to the wall	
		Doubling under right side roof support (locking bar)? : yes	291,00
		Right locking bar version : 163x50 locking bar option without a rectangular pipe up to the wall	
		mounting plates Sottezza II left rafter : Standard 66.5 DTS mounting plate	72,00
		mounting plates Sottezza II right rafter : Standard 66.5 DTS mounting plate	72,00
		Distance from Sottezza to the wall : 20 mm	
		Distance from Sottezza to the gutter : 20 mm	
		projection of WGM TOP : 0 mm	
		Operation type : Remote control Somfy IO	
		Side mains connection (230 V) : left	
		Terrazza Pure lighting : Atmospheric (coloured) dimmable	
		LED strip in roof supports : 3 x colour LED strip	1.356,00
		Control unit Somfy RGBW including power supply pack 24 V 240W : 1 Piece	614,00
		control : hand transmitter Situo 5 io Variation A/M II by weinor	128,00
		With remote control BiConnect : No	
		Weight [kg] : 208,75 kg	

value of goods	discount amount / %	net
8.602,20	3.440,88 / 40,00	5.161,32

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 6m Page 3 of 13

pos	quantity	article	price
-----	----------	---------	-------

2	1	weinor w17 easy - the full glass sliding door	2.741,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 2340 X 2206		2.153,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Installation side (as seen from inside)	: 0		
Selection of leaves + tracks	: 3-track with 3 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm		78,00
with mounting blocks?	: Mounting blocks 3 track standard (30 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
extra charge glass pallet	: 2 x wooden pallet		510,00
weight	: 140,8 kg		

value of goods	discount amount / %	net
2.741,00	1.096,40 / 40,00	1.644,60

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 6m Page 4 of 13

pos	quantity	article	price
-----	----------	---------	-------

3	1	weinor w17 easy - the full glass sliding door	2.231,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 2340 X 2206		2.153,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Installation side (as seen from inside)	: 0		
Selection of leaves + tracks	: 3-track with 3 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm		78,00
with mounting blocks?	: Mounting blocks 3 track standard (30 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 140,8 kg		

value of goods	discount amount / %	net
2.231,00	892,40 / 40,00	1.338,60

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 6m Page 5 of 13

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor w17 easy - the full glass sliding door	2.955,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 2828 X 2206		2.838,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Installation side (as seen from inside)	: 0		
Selection of leaves + tracks	: 4-track with 4 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm		117,00
with mounting blocks?	: Mounting blocks 4 track standard (30 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 170,1 kg		

value of goods	discount amount / %	net
2.955,00	1.182,00 / 40,00	1.773,00

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 6m Page 6 of 13

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor w17 easy - the full glass sliding door	2.955,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 2828 X 2206		2.838,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Installation side (as seen from inside)	: 0		
Selection of leaves + tracks	: 4-track with 4 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm		117,00
with mounting blocks?	: Mounting blocks 4 track standard (30 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 170,1 kg		

value of goods	discount amount / %	net
2.955,00	1.182,00 / 40,00	1.773,00

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 6m Page 7 of 13

pos	quantity	article	price
-----	----------	---------	-------

6	1	weinor Sottezza Pure Optistretch	3.439,00
---	---	----------------------------------	----------

Product use	: private house		
Sales order Terrazza	: 504348097		
Posn. of the sales order for Terrazza	: 1		
Number of units	: 1 Field System		
width Terrazza [mm]	: 6000 mm		
Distance centre to centre	: 5778 mm		
Width of cassette total [mm]	: 5814 mm		
Projection [mm]	: 2260 mm		3.300,00
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
Cable clips along the back of the cassette	: without cable clips along the back of the cassette		
type of control	: Remote-controlled motor IO Homecontrol		139,00
Side of control (seen from the front)	: left		
control	: without control		
Information on handheld transmitter	:		
Type of engine	:		
Side channel bracket	: 2 Piece		
brackets top plate	: 2 Piece		
Colour, cassette	:		
colour front rail	:		
Colour, side channel	:		
colour of guide rail end caps	:		
colour of guide bar brackets	:		
real-design	: WE3-501		
colour of thread Saba	: light beige		
Cardboard container	: edges reinforcement		
weight	: 84 kg		

value of goods	discount amount / %	net
3.439,00	1.375,60 / 40,00	2.063,40

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10  
**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 6m Page 8 of 13

pos	quantity	article	price	
-----	----------	---------	-------	--

value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
22.923,20	9.169,28	13.753,92	0,00	13.753,92



## Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: Stable 6m

Page 9 of 13

isometric view



top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



## Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: Stable 6m

Page 10 of 13


front view



side view left



side view right







# Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: Stable 6m

Page 11 of 13



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X




# Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: Stable 6m

Page 12 of 13



## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Stable 6m

Page 13 of 13

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 17.11.2025.

### Glass Dimensions

Position	1	Terrazza Pure	prepared for 10mm LSG		
			Width	Height left	Height right
quantity	form				
6	rectangle		919,2	2306	2306