

weinor Ltd 73 Cornhill EC3V 3QQ London

## C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

### delivery address

DSV Road Ltd  
(NO UPS)  
10 Brunel Way, Segensworth Industrial Estate  
Hampshire, Fareham

### offer (release 4)

sale offer 151205388  
customer: 165708  
offer date 29.01.2026  
reference: KING SO16852 Artares  
contact person: William Abbott  
E-Mail WAbbott@weinor.de  
phone number: +49-221-59709-472  
representat. 654 Chris Spickett  
tel (representat.): 0044 ( 0) 7894443907

quantity	article code
----------	--------------

Offer version 2 of 05.02.2026:  
We have added RGB light in the lower part of front posts  
\*\*\*\*\*

#### Please note:

We can not make W17-easy between the posts On S2 of the smaller Artares because the glasses would be too narrow for this height, instead we have quoted W50 c fixed frame (configured in a separate position)

Dear sir or madam,

we are pleased to send you this offer.

Thank you for your query. We would like to offer following items, according to our general conditions of delivery and payment and subject to a concrete assessment of the technical feasibility.

Please be advised that this quote is based on a rough planning.

For the final order an exact site measuring with a detailed planning will be necessary. Therefore dimensions and prices may vary slightly.

We hope we have been of help with this offer and are pleased to issue the order.

Please feel free to contact us at the telephone number below if you have any question.

Kind regards

i.A. William Abbott

1	1,00	2745	Artares
---	------	------	---------

pos	quantity	article code
-----	----------	--------------

**basic data**

Product use	:	private house	
Permissible snow load on the roof (kN/m <sup>2</sup> )	:	0,52	
Wind load (kN/m <sup>2</sup> )	:	0,84	
Bottom frame height from OKFF [mm]	:	2400	mm
measurement	:	4500mm x 1400mm	10.946,00
Revision profile version	:	Gravur-Design	
Coupling	:	Coupling in transverse direction	-1.298,00
Base colour	:	WT029/90147 Approx. RAL 9007 Metallic	
Base colour 2	:	WT029/90147 Approx. RAL 9007 Metallic	
Louvre pitch	:	From the left to the right (side 4 - side 2)	
Louvres' direction of opening (seen from the side S2)	:	Clockwise	
Power supply via	:	E1	
Side of control	:	E2	
Weight Artares [kg]	:	559	kg
Maximum package weight [kg]	:	79	kg

**Frame**

Tempura S2	:	1 x centre Tempura connection	109,00
Tempura S4	:	1 x centre Tempura connection	109,00

**Lamellen**

Information on BiConnect : The BiConnect has been done in 151205388 position 10!

**Pillar(s)**

Post type E1	:	External post
Post attachment E1	:	Post base M (standard) WITH large post plate (posts sawn to length)
Length of post	:	2260

pos	quantity	article code		
		Post type E2	: External post	
		Post attachment E2	: Post base M (standard) WITH large post plate (posts sawn to length)	
		Clip profile 150 integration RGB E2	: RGB in the post (400 mm)	
		Length of post	: 2260	
		Post type E3	: without posts	
		Post type E4	: without posts	
		.	: Please note! You have not selected enough drains!	
		Quantity of post bases for post	: 2	Piece 412,00
		Quantity of post plates 220x220x15	: 2	Piece 92,00
		Quantity of Universal Artares small parts sets	: 1	Piece
		<b>Lighting</b>		
		colour LED strip in short side fascia	: 2	Piece 727,00
		Quantity of electronic components profiles	: 1	Piece 488,00
		Number of standard louvres 190 with white light LED strips	: 1	Piece 549,00
		Post with 400 mm colour LED strip (V2)	: 1	Piece 544,00

**miscellaneous**

value of goods	discount amount / %	net
12.678,00	5.071,20 / 40,00	7.606,80

pos	quantity	article code	
-----	----------	--------------	--

2	1,00	2745	Artares
---	------	------	---------

**basic data**

Product use	:	private house	
Permissible snow load on the roof (kN/m <sup>2</sup> )	:	0,52	
Wind load (kN/m <sup>2</sup> )	:	0,84	
Bottom frame height from OKFF [mm]	:	2400	mm
measurement	:	4500mm x 6000mm	20.701,00
Revision profile version	:	Gravur-Design	
Coupling	:	Coupling in transverse direction	
Base colour	:	WT029/90147 Approx. RAL 9007 Metallic	
Base colour 2	:	WT029/90147 Approx. RAL 9007 Metallic	
Louvre pitch	:	From the left to the right (side 4 - side 2)	
Louvres' direction of opening (seen from the side S2)	:	Clockwise	
Power supply via	:	E1	
Side of control	:	E2	
Weight Artares [kg]	:	991	kg
Maximum package weight [kg]	:	95	kg

**Frame**

Tempura S2	:	2 x Tempura connection divided into three	218,00
Tempura S4	:	2 x Tempura connection divided into three	218,00

**Lamellen**

Information on BiConnect : The BiConnect has been done in 151205388 position 10!

**Pillar(s)**

Post type E1 : Centre post / wall

pos	quantity	article code		
		Post attachment E1	: Post base M (standard) WITH large post plate (posts sawn to length)	
		Length of post	: 2260	
		Post type E2	: Centre post / wall	
		Post attachment E2	: Post base M (standard) WITH large post plate (posts sawn to length)	
		Drain?	: Height adjustable drainage	
		Length of post	: 2260	
		Post type E3	: External post	
		Post attachment E3	: Post base M (standard) WITH large post plate (posts sawn to length)	
		Clip profile 150 integration RGB E3	: RGB in the post (400 mm)	
		Drain?	: Drain through the post	
		Drain angle E3	: Standard 45° drainage in forwards direction	
		Length of post	: 2260	
		Post type E4	: External post	
		Post attachment E4	: Post base M (standard) WITH large post plate (posts sawn to length)	
		Drain?	: Drain through the post	
		Drain angle E4	: Standard 45° drainage in forwards direction	
		Length of post	: 2260	
		Quantity of post bases for post	: 4	Piece 824,00
		Quantity of post plates 220x150x15	: 2	Piece 92,00
		Quantity of post plates 220x220x15	: 2	Piece 92,00
		<b>Lighting</b>		
		colour LED strip in short side fascia	: 2	Piece 1.535,00
		Quantity of electronic components profiles	: 1	Piece 488,00
		Number of standard louvres 190 with white light LED strips	: 3	Piece 1.301,00

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151205388

Page 6 of 27

pos	quantity	article code		
		Post with 400 mm colour LED strip (V2)	: 1	Piece 544,00

**miscellaneous**

value of goods	discount amount / %	net
26.013,00	10.405,20 / 40,00	15.607,80

3 2,00 1951 Tempura Quadra

Product use	: private house	
Utilisation	: Lamellendach Artares mit Halter 260	26,00
Width [mm]	: 400 mm	654,00
Base colour	: WT029/90147 Approx. RAL 9007 Metallic	
handling	: Birec remote receiver, dimmable Please remember separate entry of data	
With remote control	: Yes! Please remind the separate order!	
BiConnect		
BiConnect access	: Hirschmann plug (standard)	

value of goods	discount amount / %	net
1.360,00	544,00 / 40,00	816,00

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000


**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

4	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--

outside S1- of position 1



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

**Please note:**

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

**Your weinor team**

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: <b>ATTENTION! Element is supplied with glass!</b>	
Product use	: private house	
width x height [mm]	: 4198 X 2400	3.599,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 4 leaves	

pos	quantity	article code	
		Position of active leaf?	: left, as seen from inside
		Direction of opening	: sliding to the right
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Standard Damper
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height to middle of knob from underside of bottom track (mm)	: 1050 mm
		Base colour	: WT029/90147 Approx. RAL 9007 Metallic
		wall connection profile left	: yes
		wall connection profile right	: yes
		brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm 120,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		with mounting blocks?	: Mounting blocks 4 track standard (30 pieces; free of charge)
		Cardboard packaging	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		extra charge glass pallet	: 2 x wooden pallet 524,00
		value of goods	discount amount / % net
		4.243,00	1.697,20 / 40,00 2.545,80

pos	quantity	article code	
-----	----------	--------------	--

5	2,00	1951	Tempura Quadra
---	------	------	----------------

Product use	: private house	
Utilisation	: Lamellendach Artares mit Halter 260	26,00
Width [mm]	: 400 mm	654,00
Base colour	: WT029/90147 Approx. RAL 9007 Metallic	
handling	: Birec remote receiver, dimmable Please remember separate entry of data	
With remote control	: Yes! Please remind the separate order!	
BiConnectWith remote control		
BiConnect		
access	: Hirschmann plug (standard)	

value of goods	discount amount / %	net
1.360,00	544,00 / 40,00	816,00


6	2,00	1951	Tempura Quadra
---	------	------	----------------

Product use	: private house	
Utilisation	: Lamellendach Artares mit Halter 260	26,00
Width [mm]	: 400 mm	654,00
Anschlussset für Tempura Montage gegen die Dachrinne	: inkl. Adapter-Flachkabel, Kabelkanal und Montgaesockel für Dachrinne	134,00
Base colour	: WT029/90147 Approx. RAL 9007 Metallic	
handling	: Birec remote receiver, dimmable Please remember separate entry of data	
With remote control	: Yes! Please remind the separate order!	
BiConnectWith remote control		
BiConnect		
access	: Hirschmann plug (standard)	

value of goods	discount amount / %	net
1.628,00	651,20 / 40,00	976,80

pos	quantity	article code	
-----	----------	--------------	--

7	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

**Please note:**

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

**Your weinor team**

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: <b>ATTENTION! Element is supplied with glass!</b>	
Product use	: private house	
width x height [mm]	: 5773 X 2400	5.147,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 8 leaves (faceplate design)	


pos	quantity	article code	
		Direction of opening	: sliding to the left and the right
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Standard Damper
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height to middle of knob from underside of bottom track (mm)	: 1050 mm
		Base colour	: WT029/90147 Approx. RAL 9007 Metallic
		wall connection profile left	: yes
		wall connection profile right	: yes
		brush seal	: 6 x Brush profile transparent for 10 mm glass, length 2800 mm 240,00
		gap seal	: 2 x Gap seals for 10 mm glass, length 2800 mm
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		with mounting blocks?	: Mounting blocks 4 track standard (30 pieces; free of charge)
		Cardboard packaging	: edges reinforcement
		packaging	: Export packaging/ glass pallet

value of goods	discount amount / %	net
5.387,00	2.154,80 / 40,00	3.232,20

pos	quantity	article code
-----	----------	--------------

8	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--

outside S3 pos 2



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

**Please note:**

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

**Your weinor team**

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: <b>ATTENTION! Element is supplied with glass!</b>	
Product use	: private house	
width x height [mm]	: 4198 X 2400	3.599,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 4 leaves	

pos	quantity	article code	
		Position of active leaf?	: left, as seen from inside
		Direction of opening	: sliding to the right
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Standard Damper
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height to middle of knob from underside of bottom track (mm)	: 1050 mm
		Base colour	: WT029/90147 Approx. RAL 9007 Metallic
		wall connection profile left	: yes
		wall connection profile right	: yes
		brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm 120,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		with mounting blocks?	: Mounting blocks 4 track standard (30 pieces; free of charge)
		Cardboard packaging	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		value of goods	discount amount / % net
		3.719,00	1.487,60 / 40,00 2.231,40



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151205388

Page 14 of 27

**pos quantity article code**

9 1,00 2829 GE W50-C

**Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.**

. : **ATTENTION! Element is supplied without glass!**

Geometric shape : rectangle

Frame profile : blind frame section 59 w50-c

Height of element on left (mm), as seen from the inside : 0 mm

width x height [mm] : 1173 X 2400 623,00

Number of vertical glass panels : one-piece

Equipped for : prepared for 8mm (for cold use)


Base colour : WT029/90147 Approx. RAL 9007 Metallic

Cardboard packaging : edges reinforcement

value of goods	discount amount / %	net
623,00	249,20 / 40,00	373,80

Position 9 - interior view (images similar)

front view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

10	1,00	2557	BiConnect		
			BiConnect BiRec On/Off - I	: 2	BiConnect BiRec On/Off - I 256,00
			receiver for RGB	: 2	weinor BiConnect BiRec 746,00
			receiver for tempura	: 6	weinor BiConnect BiRec 1.746,00
			receiver for motor	: 2	weinor BiConnect BiRec 256,00
			control	: weinor BiConnect BiEasy 15M Go! silver	128,00
			learned on channel 1	: weinor BiConnect BiRec LA-K	for order 151205388/1: Artares engine right
			learned on channel 2	: weinor BiConnect BiRec LA-K	for order 151205388/2: Artares engine right
			learned on channel 3	: BiConnect BiRec On/Off-I	for order 151205388/1: Artares
			learned on channel 4	: BiConnect BiRec On/Off-I	for order 151205388/2: Artares
			learned on channel 5	: BiConnect BiRec RGB-48V	for order 151205388/1: Artares
			learned on channel 6	: BiConnect BiRec RGB-48V	for order 151205388/2: Artares
			learned on channel 7	: weinor BiConnect BiRec HD-K	for order 151205388/3
			learned on channel 8	: weinor BiConnect BiRec HD-K	for order 151205388/3
			learned on channel 9	: weinor BiConnect BiRec HD-K	for order 151205388/5
			learned on channel 10	: weinor BiConnect BiRec HD-K	for order 151205388/5
			learned on channel 11	: weinor BiConnect BiRec HD-K	for order 151205388/6
			learned on channel 12	: weinor BiConnect BiRec HD-K	for order 151205388/6
			no. of BiConnect sensors	: 1	Piece
			BiConnect sensors	: 115368	weinor BiConnect BiSens 353,00
					SWR-230V

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151205388

Page 16 of 27

pos	quantity	article code		
:				
value of goods	discount amount / %	net		
3.485,00	1.394,00 / 40,00	2.091,00		
<b>value of goods</b>	<b>discount amount</b>	<b>net</b>	<b>VAT (0 %)</b>	<b>Total GBP</b>
<b>60.496,00</b>	<b>24.198,40</b>	<b>36.297,60</b>	<b>0,00</b>	<b>36.297,60</b>

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

---

**pos quantity article code**

---

In addition, our General Terms of Delivery and Payment as per 01/2024, published under the link provided below are valid and we are happy to provide you with them free of charge upon request.

<https://www.weinor.com/terms-and-conditions/>

This offer is valid until 31.01.2026

delivery exw Cologne  
payment: Direct debit / 3 days - 4% cash discount  
mode of dispatch UK export

pos	quantity	article code
-----	----------	--------------

Glass dimensions		
------------------	--	--

Position	GE W50-C	prepared for 8mm (for cold use)	
quantity	form	width	height
1	rectangle	1084	2311

**Attention ! These glass dimensions are not part of an order confirmation but refer to this offer only**



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151205388

Page 19 of 27

pos quantity article code

Position 1 - exterior view (images similar)

isometric view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151205388

Page 20 of 27

pos quantity article code

Position 1 - exterior view (images similar)

top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151205388

Page 21 of 27

pos quantity article code

Position 1 - exterior view (images similar)

side view 1



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151205388

Page 22 of 27

pos quantity article code

Position 1 - exterior view (images similar)

side view 2



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151205388

Page 23 of 27

pos quantity article code

Position 1 - exterior view (images similar)

side view 3



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151205388

Page 24 of 27

pos	quantity	article code
-----	----------	--------------

Position 1 - exterior view (images similar)

side view 4



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151205388

Page 25 of 27

pos quantity article code

Position 1 - exterior view (images similar)

top view components



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151205388

Page 26 of 27

pos quantity article code

Position 1 - exterior view (images similar)

top view field 1



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151205388

Page 27 of 27

pos quantity article code

Position 1 - exterior view (images similar)

top view field 2



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X