

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

### C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

reference: CORNICK SO17558  
 Your order no.: SO17558  
 weinor customernumber: 165708  
 creation Date: 18.02.2026  
 weinor pers. in charge: William Abbott  
 phone / fax number: +49-221-59709-472  
 representat.: Chris Spickett  
 tel (representat.): 0044 ( 0 ) 7894443907

pos	quantity	article	price
1	1	<b>weinor Terrazza Pure</b>	<b>10.009,00</b>
Scheduling delivery		: Please contact your person in charge for planning the expected date of delivery.	
Product use		: private house	
Permissible snow-bearing load measurement		: 750 N/m <sup>2</sup> : 4500mm x 2500mm Depth: wall connection profile up to INSIDE edge of post	6.168,00
Bottom edge gutter (mm)		: 2255,5 mm	
Bottom edge connection to wall (mm)		: 2350 mm	
Top edge connection to wall (mm)		: 2578 mm	
Base colour		: WT029/90147 Approx. RAL 9007 Metallic	
Covering		: prepared for 10mm LSG	
Seals		: gleitoptimierte Dichtungen	
Connection to wall left?		: No wall connection on left	
Connection to wall right?		: Partial wall connection on right	
Spacing between roof and wall right		: 10 mm side wall bracket	592,00
Number of roof supports		: 6 Piece	
rafter 205 open		: 4 Piece	
Axial dimension rafter		: 887 mm	
Steel reinforcement in gutter		: 1 * Galvanised flat steel	449,00
Maximum spacing for posts when gutter has 1 x steel		: 5400 mm for 1 x steel in gutter	
Number of posts		: 2	
Post type left		: External post	
Post position on the left		: 57,5 mm	

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: CORNICK SO17558 Page 2 of 11

pos	quantity	article	price
		Post type right : External post	
		Post position on the right : 57,5 mm	
		Length of post : 2600 mm	
		Drain on left side? : Drain through the left post	
		Drain on right side? : Drain through the right post	
		Number of post base plates 196x196 : 2 Piece	
		No. Complete drainage through square outside post : 2 incl. downspout and 87° elbow	150,00
		Frame widener under side roof support for Terrazza Pure, right version of frame widener, right mounting plates Sottezza II left rafter : 115x50 locking bar option without a rectangular pipe up to the wall	
		mounting plates Sottezza II left rafter : Standard 66.5 DTS mounting plate	74,00
		mounting plates Sottezza II right rafter : Standard 66.5 DTS mounting plate	74,00
		Distance Sottezza to wall : 20 mm	
		Distance Sottezza to gutter projection of WGM TOP : 20 mm	
		projection of WGM TOP : 0 mm	
		Operation type : Remote control Somfy IO	
		Side mains connection (230 V) : left	
		Terrazza Pure lighting : Atmospheric (coloured) dimmable	
		LED strip in roof supports : 4 x colour LED strip	1.739,00
		Control unit Somfy RGBW including power supply pack 24 V 240W : 1 Piece	631,00
		control : hand transmitter Situio 5 io Variation A/M II by weinor	132,00
		With remote control BiConnectWith remote control BiConnect : No	
		weight (kg) : 175 kg	
		value of goods	
		discount amount / %	
		net	
		10.009,00	4.003,60 / 40,00
			6.005,40

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: CORNICK SO17558 Page 3 of 11

pos	quantity	article	price
2	1	<b>weinor w17 easy - the full glass sliding door</b>	<b>4.317,00</b>
Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.			
Product use : private house			
width x height [mm]		: 4270 X 2256	3.798,00
type of floor rail : standard floor rail with CleanCase			
CleanCase left (from inside) : yes			
CleanCase right (from inside) : yes			
Installation side (as seen from inside) : 0			
Selection of leaves + tracks : 5-track with 5 leaves			
Position of active leaf? : left, as seen from inside			
Direction of opening : sliding to the right			
Glazing : 10 mm toughened safety glass, clear			
Soft-Closing-System : Standard Damper			
handling		: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator : leaf actuator only closing in sliding direction			
Locking mechanism on inside, on bottom glass retainer profile : Standard: Glass retainer profile, pre-drilled			
Height of knob from bottom edge of guide track (mm)		: 1050 mm	
Base colour : WT029/90147 Approx. RAL 9007 Metallic			
wall connection profile left : yes			
wall connection profile right : yes			
brush seal		: 4 x Brush profile transparent for 10 mm glass, length 2800 mm	160,00
with mounting blocks? : Mounting blocks 5 track standard (30 pieces; free of charge)			
Cardboard packaging : edges reinforcement			
packaging : Export packaging/ glass pallet			
extra charge glass pallet		: 1 x wooden pallet	262,00
weight		: 262,2 kg	
value of goods			
4.317,00			
discount amount / %			
1.726,80 / 40,00			
net			2.590,20

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: CORNICK SO17558 Page 4 of 11

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor Sottezza Pure Optistretch	2.947,00
---	---	----------------------------------	----------

Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Sales order Terrazza	: 504391677	
Posn. of the sales order for Terrazza	: 1	
Number of panels	: single unit	
Width of Terrazza [mm]	: 4500 mm	
Distance centre to centre field	: 4278 mm	
width of cassette total	: 4314 mm	
Projection [mm]	: 2410 mm	2.705,00
Base colour	: WT029/90147 Approx. RAL 9007 Metallic	
Cable clips along the back of the cassette	: without cable clips along the back of the cassette	
type of control	: Remote-controlled motor IO Homecontrol	143,00
Side of control (seen from the front)	: left	
control	: hand transmitter Situio 5 io II by weinor	99,00
type of motor	:	
Side channel bracket	: 2 Piece	
brackets top plate	: 2 Piece	
Colour, cassette	:	
colour front rail	:	
Colour, side channel	:	
colour of guide rail end caps	:	
colour of guide bar brackets	:	
real-design	: WE3-501	
colour of thread Saba	: light beige	
Cardboard packaging	: edges reinforcement	
weight	: 67 kg	

value of goods	discount amount / %	net
2.947,00	1.178,80 / 40,00	1.768,20

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: CORNICK SO17558 Page 5 of 11

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor w17 easy - the full glass sliding door	1.609,00
---	---	---	----------

Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
width x height [mm]	: 1500 X 2350	1.472,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 2-track with 2 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Base colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 1 x Brush profile transparent for 10 mm glass, length 2800 mm	40,00
with mounting blocks?	: Mounting blocks 2 track standard (15 pieces; free of charge)	
Cardboard packaging	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 95,6 kg	

value of goods	discount amount / %	net
1.609,00	643,60 / 40,00	965,40



## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: CORNICK SO17558

Page 6 of 11


pos	quantity	article	price
-----	----------	---------	-------

### Position 5 - interior view (images similar)

front view



Screenshot



value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
18.882,00	7.552,80	11.329,20	0,00	11.329,20

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10  
**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



## Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: CORNICK SO17558

Page 7 of 11

isometric view



top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X




## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: CORNICK SO17558

Page 8 of 11

front view



side view left



side view right







# Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: CORNICK SO17558

Page 9 of 11



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X





## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: CORNICK SO17558

Page 10 of 11



## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: CORNICK SO17558

Page 11 of 11

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 19.2.2026.

### Glass Dimensions

Position	1	Terrazza Pure	prepared for 10mm LSG		
			Width	Height left	Height right
quantity	form				
5	rectangle		817	2456	2456