

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey

SO17093

reference:	SCHIESSL
Your order no.:	
weinor customernumber:	165708
creation Date:	21.11.2025
weinor pers. in charge:	William Abbott
phone / fax number:	+49-221-59709-472
representat.:	Chris Spickett
tel (representat.):	0044 (0) 7894443907

Collected from J/SPEED

4/3/26

RECEIVED
04 MAR 2026
SCANNED

- delivered to site by
Bycker

L. Manning
Hirob
Services

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SCHIESSL Page 3 of 17

pos	quantity	article	price
-----	----------	---------	-------

pos	quantity	article	price
-----	----------	---------	-------

Order confirmation 4 of 21.01.26:

- The fixed leaf of the w17 can be moved, just need to stick a pen through the hole in the bottom of the door to release the catch and then the door can be slid out of the way for cleaning.
- Leg lengths changed to match latest drawing (2659-125=2534mm). Door heights adjusted as discussed as well.

Order confirmation version 3 of 12.01.2026:

- Post length have been adjusted according your last sketch sent on 08.01.2026.
- You can rotate drainage on site only with middle wall post.
- side Ges have been adjusted the post length and configured in smallest height (W17-easy on S1 @2721mm and W17 on S3 @ 2690mm) the gap can be covered by special flat alu profiles (ordered earlier)
- Sun and wind sensor is configured in position of Biconnect

- PLEASE IGNORE door sliding direction on sketch at the end of this confirmation (tech bug) and please base on the words in the order confirmation.

O.C. version 2 of 22.12.2025

In our configuration S2 is house side because we can not change louvre pitch as this is as standard on S2.

Power supply will be throught to E2 post.(housewall side (throught to E4 as per your sketch)

According your latest sktech house wall side is S4 and you can just rotate the roof to mount it in the way you require.

Top edge of the frame has been taken from datum 0 of the post-2690mm the bottom edge of frame is 2460mm, Side W17 -easy have been configured in this height.

and the length of other posts have been slitley increased to achive the top heights 2764mm, 2721mm, 2690mm and 2741 mm(excluding louvre rotate height)

Post at housewall side have been configured as middle /wall posts and you can rotate them on site to make drainage inwards.

Please check and confirm

Please note:

Both W17-easy have been configured with flat floor rail with drainage hole and with closing profiles and brush seals

-There is no preparations in Artares for Tempura quadra, and 2 heating systems will be supplied with 10 m cable

Dear Customer,

We herewith confirm your order based on the dimensions specified by you.

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Földner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SCHIESSL Page 5 of 17

pos quantity article price

Information on BiConnect	:	The BiConnect has been done in 202941481 position 6!	
Pillar(s)	:	1	
Post type E1	:	External post	
Post attachment E1	:	Post base M	
Frame bottom edge height plus spreader bar E1	:	2659 mm	
Post type E2	:	Wall post	
Post attachment E2	:	Post base M	
Drain?	:	Height adjustable drainage	
Frame bottom edge height plus spreader bar E2	:	2616 mm	
Post type E3	:	Wall post	
Post attachment E3	:	Post base M	
Drain?	:	Height adjustable drainage	
Frame bottom edge height plus spreader bar E3	:	2585 mm	
Post type E4	:	External post	
Post attachment E4	:	Post base M	
Frame bottom edge height plus spreader bar E4	:	2636 mm	
Quantity of post bases for post	:	4 Piece	800,00
Lighting	:	1	
Quantity of electronic components profiles	:	1 Piece	442,00
Number of standard louvres 190 with white light LED strips	:	3 Piece	1.266,00
accessorie	:	1	
Quantity of Universal Artares small parts sets	:	1 Piece	
miscellaneous	:	1	

value of goods	discount amount / %	net
20.024,00	8.009,60 / 40,00	12.014,40

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SCHIESSL Page 7 of 17
 pos quantity article price

6 1 weinor BiConnect 1.287,00

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
 shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 202941481 pos 1!
 BiConnect BiRec On/Off - I : 1 BiConnect BiRec On/Off - I 128,00
 receiver for tempura : 2 weinor BiConnect BiRec HD-K 582,00
 Receiver for motor/ : 1 weinor BiConnect BiRec LA-K 128,00
 control : BiConnect BiEasy 5M (silver version) 96,00
 learned on channel 1 : weinor BiConnect BiRec LA-K for order 202941481/1: Artares engine right
 learned on channel 2 : BiConnect BiRec On/Off-I for order 202941481/1: Artares
 learned on channel 3 : weinor BiConnect BiRec HD-K for order 202941481/5
 learned on channel 4 : weinor BiConnect BiRec HD-K for order 202941481/5
 no. of BiConnect sensors : 1 Piece
 BiConnect sensors : 115368 weinor BiConnect BiSens SWR-230V 353,00
 control info : Biconnect -Sensoren werden immer separat geliefert!

value of goods	discount amount / %	net
1.287,00	514,80 / 40,00	772,20

8 1 weinor Sonderkonsole Köln 334,10

2x Alublech konischer Zuschnitt 4000x10/61mm t=2mm

Cardboard container : edges reinforcement
 Basic colour : WT029/80077 Approx. DB 703 Metallic
 Base price : Herstellkosten * Faktor + 20 20,00
 extra charge free : 314,1 314,10
 explanation of extra charge : 2x Alublech konischer zuschnitt 4000x10/61mm t=2mm

value of goods	discount amount / %	net
334,10	133,64 / 40,00	200,46

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SCHIESSL Page 9 of 17

pos quantity article price

12 1 weinor w17 easy - the full glass sliding door 3.902,00

on S1 sliding towards the housewall / towards S2

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 3698 X 2491	3.275,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height to middle of knob from underside of bottom track (mm)	: 1050 mm	
Basic colour	: WT029/80077 Approx. DB 703 Metallic	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	117,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 2 x wooden pallet	510,00
weight	: 246,66 kg	

value of goods	discount amount / %	net
3.902,00	1.560,80 / 40,00	2.341,20

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SCHIESSL Page 11 of 17
 pos quantity article price

13 1 weinor w17 easy - the full glass sliding door 3.392,00

on S3 sliding towards the housewall / towards S2

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 3698 X 2460	3.275,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height to middle of knob from underside of bottom track (mm)	: 1050 mm	
Basic colour	: WT029/80077 Approx. DB 703 Metallic	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	117,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 251,9 kg	

value of goods	discount amount / %	net
3.392,00	1.356,80 / 40,00	2.035,20

Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: SCHIESSL

Page 13 of 17

isometric view



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: SCHIESSL

Page 15 of 17

top view components



Legende:

- | | | | |
|----|-----------------------------------|-------|---|
| ⚡ | Stromzuführung | → | Dachneigung/Wasserablauf Pfosten |
| L | LED-Lichtleiste im Pfosten | ↻ | Drehrichtung Lamellen: im Uhrzeigersinn |
| ML | Motorposition Lamellen | ↻ | Drehrichtung Lamellen: gegen d. Uhrzeigersinn |
| MV | Motorposition Vertikalbeschattung | □ | Pfostentyp: Wand |
| E | Anschlussvorbereitung universal | ◻ | Pfostentyp: Ecke |
| T | Anschlussvorbereitung Tempura | ▬ | Vertikalbeschattung |
| ▨ | Wand | ▬ | LED-Lichtleiste im Rahmen |
| | | - - - | Vorbereitung Vertikalbeschattung |

Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: SCHIESSL

Page 17 of 17

side view 3



side view 4





CP INTERIORS

QUOTE

To: Mrs.Jane Wilson
La Retraite
Rue Du Vieux Menage
St Saviour
JE2 7Xg

Job Number: SO17627 Q1

Quote Date: Wednesday 04 Mar 2026

Customer Reference: Ravenscrag Lodge, La Rue De Haut, St Lawrence, JE3 1JZ

Deposit required: £ 462.53

Your Contact: Rachel

Our Price Promise to you
We are so confident our pricing is competitive, that we will beat any written quotation for equivalent product by 5%

To supply and fit unless otherwise stated.

Location	Product	Description	Qty	Price
OPTION 1: Manual operation				
Living Room W1	Roller blind	With a 70mm white fascia (fabric covered - optional), in Perspective Aluview 3% silver backed in Beige. Manually operated in left-hand silver chain.	1	£ 308.00
Living Room W2	Roller blind	With a 70mm white fascia (fabric covered - optional), in Perspective Aluview 3% silver backed in Beige. Operated combined with Blind 1.	1	£ 265.00
Living Room W3	Roller blind	With a 70mm white fascia (fabric covered - optional), in Perspective Aluview 3% silver backed in Beige. Manually operated in right-hand silver chain.	1	£ 308.00

One single fascia to cover the three blinds (one piece)

Terms: 50% deposit due with order, 50% on completion	Subtotal	£ 881.00
** To go ahead with this quote please make deposit payment. To pay by card call us on 01534 768141 **	GST	£ 44.05
Direct Deposit - Sort Code: 60-12-03 Account: 66577772	Total	£ 925.05
	Paid amount	£ 0.00
If you have any queries please call us on 01534 768141 or visit our showroom Rue des Pres Trading Estate St Saviour	Total amount	£ 925.05

** For Our Terms & Conditions of Sale please go to www.cpinteriors.je **

Please note: This quotation is only valid for acceptance for 7 days. Our estimate does not include any electrical work or additional carpentry work to install the above unless otherwise specified. Please note there is a handling charge on customer own fabric of £7.50 per metre. Due to high costs of labour, pre-arranged missed fitting appointments will be charged on a time-wasted basis. Settlement is due on completion of works and an administration charge of £25 will be added per month if unpaid within 30 days. We reserve the right to charge for design, advice and liaison work carried out should an order not be placed. Goods remain the property of CP Interiors until full settlement is received. Should payment not be received we reserve the right to attend premises during working hours to remove goods and not be required to make good. Our full terms and conditions apply and are available on request.