

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

reference:	L'Horizon Terrace Glazing
Your order no.:	SO16146Q2
weinor customernumber:	165708
creation Date:	04.02.2026
weinor pers. in charge:	William Abbott
phone / fax number:	+49-221-59709-472
representat.:	Chris Spickett
tel (representat.):	0044 (0) 7894443907

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing

Page 2 of 37

pos	quantity	article	price
-----	----------	---------	-------

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Földner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L´Horizon Terrace Glazing Page 3 of 37

pos	quantity	article	price
-----	----------	---------	-------

pos	quantity	article	price
-----	----------	---------	-------

- Change 10,02,26:
 - changed knob height 1065mm for pos 3, 14, 15.
 - Pos 13 should represent a pergotex depth to IEP of 3000mm and match the original roof angle. Width of trapezium will be 3000-50-50=2900mm.
 - Pos 15 new width of doors is 3000-50=2950mm
 - Add new position 2m of superlite profile.

Note:

- For the profile between the gutters of unit 3 and the new gutter, we will send 1m length and please cut it to size (450mm long) on site.
- Pos 3, 14 and 15 have special production text to control where the drillings will be made for the handles supplied by the customer. 13mm holes at 600mm spacing, centre of holes 75mm from edge of glass and 1050mm to middle height between the two drillings.
- Extra stoppers for bottom tracks have been recorded separately in position 18 and can be slid in and installed on site in the desired locations.

 Dear Customer,

We herewith confirm your order based on the dimensions specified by you.

IMPORTANT: With immediate effect, you can technically release your orders from the weinor E-shop yourself and will be provided with a delivery date immediately. Moreover, it is possible to stop orders in the weinor E-shop independently up to a specific production point.

Trust in fast and safe in the future: Orders possible via the weinor E-shop are processed faster. Additionally, errors are virtually ruled out. The system instantly checks and confirms your configuration for technical feasibility.

Please observe that we can only name a likely delivery date after your final release. Each change requires re-engineering, thus extending the delivery period.

Please also take into account that changes to an order after release cause costs which we may have to pass on to you.

Please send the release to our telefax no.: +49 221 59709-83602 or by E-mail: freigabe@weinor.de

Many thanks!

Your APPROVAL:

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 4 of 37

pos	quantity	article	price
-----	----------	---------	-------

		(Signature)	(Date)
1	1	weinor w17 easy - the full glass sliding door	6.339,89

unit 1 front

.	: ATTENTION! Element is supplied with glass!	
Product use	: hotel	
Width of element [mm]	: 6170 X 2514	5.150,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 5-track with 5 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Heat-Soak-Test	: with Heat-Soak-Test	604,94
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm	160,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
cost reduction	: 196,05	-196,05
Explanation of reduced price	: Adjusted 2025 year prices	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 2 x wooden pallet	524,00
weight	: 427,12 kg	

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 5 of 37

pos	quantity	article			price
-----	----------	---------	--	--	-------

		value of goods	discount amount / %	net
		6.339,89	2.916,35 / 46,00	3.423,54

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Földner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 6 of 37

pos	quantity	article	price
-----	----------	---------	-------

2	1	weinor w17 easy - the full glass sliding door	4.252,48
---	---	---	----------

UNIT 2

.	: ATTENTION! Element is supplied with glass!		
Product use	: hotel		
Width of element [mm]	: 4445 X 2514		4.127,00
type of floor rail	: flat floor rail with drainage holes (for outside)		
CleanCase left (from inside)	: No		
CleanCase right (from inside)	: No		
Selection of leaves + tracks	: 5-track with 5 leaves		
Position of active leaf?	: right, as seen from inside		
Direction of opening	: sliding to the left		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: cup pull handle with A4 stainless steel attachment		97,00
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height of knob from bottom edge of guide track (mm)	: 1050 mm		
Basic colour	: WT029/10797 Approx. RAL 9010		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm		160,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining		
cost reduction	: 131,52		-131,52
Explanation of reduced price	: Adjusted 2025 year prices		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 314,06 kg		

value of goods	discount amount / %	net
4.252,48	1.956,14 / 46,00	2.296,34

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: L'Horizon Terrace Glazing


Page 7 of 37

pos **quantity**

article

price

Position 2 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 8 of 37

pos	quantity	article	price
-----	----------	---------	-------

3	1	weinor w17 easy - the full glass sliding door	5.322,98
---	---	---	----------

Unit 3

.	: ATTENTION! Element is supplied with glass!		
Product use	: hotel		
Width of element [mm]	: 5755 X 2533		4.803,00
type of floor rail	: flat floor rail with drainage holes (for outside)		
CleanCase left (from inside)	: No		
CleanCase right (from inside)	: No		
Selection of leaves + tracks	: 3-track with 6 leaves (faceplate design)		
Direction of opening	: sliding to the left and the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: cup pull handle with A4 stainless steel attachment		194,00
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height of knob from bottom edge of guide track (mm)	: 1065 mm		
Basic colour	: WT029/10797 Approx. RAL 9010		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm		160,00
gap seal	: 2 x Gap seals for 10 mm glass, length 2800 mm		
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining		
with floor gap sealing profile	: on both sides positioned floor gap sealing profile		330,60
cost reduction	: 164,62		-164,62
Explanation of reduced price	: Adjusted 2025 year prices		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 390,1 kg		

value of goods	discount amount / %	net
5.322,98	2.448,57 / 46,00	2.874,41

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X




Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer:	165708	reference:	L'Horizon Terrace Glazing	Page 9 of 37
pos	quantity	article		price

Position 3 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 10 of 37

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor w17 easy - the full glass sliding door	3.764,39
---	---	---	----------

Unit 4

.	: ATTENTION! Element is supplied with glass!	
Product use	: hotel	
Width of element [mm]	: 3665 X 2505	3.450,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	120,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
cost reduction	: 164,61	-164,61
Explanation of reduced price	: Adjusted 2025 year prices	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 1 x wooden pallet	262,00
weight	: 254,56 kg	

value of goods	discount amount / %	net
3.764,39	1.731,62 / 46,00	2.032,77

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X




Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer:	165708	reference:	L'Horizon Terrace Glazing	Page 11 of 37
pos	quantity	article		price

Position 4 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 12 of 37

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor w17 easy - the full glass sliding door	3.556,99
---	---	---	----------

Unit 5

.	: ATTENTION! Element is supplied with glass!	
Product use	: hotel	
Width of element [mm]	: 3620 X 2510	3.450,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	120,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
cost reduction	: 110,01	-110,01
Explanation of reduced price	: Adjusted 2025 year prices	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 250,42 kg	

value of goods	discount amount / %	net
3.556,99	1.636,22 / 46,00	1.920,77

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X




Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer:	165708	reference:	L'Horizon Terrace Glazing	Page 13 of 37
pos	quantity	article		price

Position 5 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 14 of 37

pos	quantity	article	price
-----	----------	---------	-------

6	1	weinor w17 easy - the full glass sliding door	3.476,48
---	---	---	----------

Unit 6

.	: ATTENTION! Element is supplied with glass!	
Product use	: hotel	
Width of element [mm]	: 3620 X 2500	3.367,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	120,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
cost reduction	: 107,52	-107,52
Explanation of reduced price	: Adjusted 2025 year prices	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 763,34 kg	

value of goods	discount amount / %	net
3.476,48	1.599,18 / 46,00	1.877,30

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: L'Horizon Terrace Glazing


Page 15 of 37

pos **quantity**

article

price

Position 6 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 16 of 37

pos	quantity	article	price
-----	----------	---------	-------

7	1	weinor w17 easy - the full glass sliding door	3.738,48
---	---	--	-----------------

Unit 7

.	: ATTENTION! Element is supplied with glass!	
Product use	: hotel	
Width of element [mm]	: 3625 X 2500	3.367,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	120,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
cost reduction	: 107,52	-107,52
Explanation of reduced price	: Adjusted 2025 year prices	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 1 x wooden pallet	262,00
weight	: 250,78 kg	

value of goods	discount amount / %	net
3.738,48	1.719,70 / 46,00	2.018,78

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: L'Horizon Terrace Glazing


Page 17 of 37

pos **quantity**

article

price

Position 7 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 18 of 37

pos	quantity	article	price
-----	----------	---------	-------

8	1	weinor w17 easy - the full glass sliding door	3.476,48
---	---	---	----------

Unit 8

.	: ATTENTION! Element is supplied with glass!	
Product use	: hotel	
Width of element [mm]	: 3635 X 2500	3.367,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	120,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
cost reduction	: 107,52	-107,52
Explanation of reduced price	: Adjusted 2025 year prices	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 250,84 kg	

value of goods	discount amount / %	net
3.476,48	1.599,18 / 46,00	1.877,30

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: L'Horizon Terrace Glazing


Page 19 of 37

pos **quantity**

article

price

Position 8 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 20 of 37

pos	quantity	article	price
-----	----------	---------	-------

9	1	weinor w17 easy - the full glass sliding door	3.559,48
---	---	---	----------

Unit 9

.	: ATTENTION! Element is supplied with glass!	
Product use	: hotel	
Width of element [mm]	: 3655 X 2505	3.450,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	120,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
cost reduction	: 107,52	-107,52
Explanation of reduced price	: Adjusted 2025 year prices	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 254,18 kg	

value of goods	discount amount / %	net
3.559,48	1.637,36 / 46,00	1.922,12




Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer:	165708	reference:	L'Horizon Terrace Glazing	Page 21 of 37
pos	quantity	article		price

Position 9 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 22 of 37

pos	quantity	article	price
-----	----------	---------	-------

10	1	weinor w17 easy - the full glass sliding door	3.882,48
----	---	---	----------

Unit 10

.	: ATTENTION! Element is supplied with glass!	
Product use	: hotel	
Width of element [mm]	: 3730 X 2500	3.511,00
type of floor rail	: flat floor rail with drainage holes (for outside)	
CleanCase left (from inside)	: No	
CleanCase right (from inside)	: No	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	97,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	
wall connection profile right	: yes	
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	120,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
cost reduction	: 107,52	-107,52
Explanation of reduced price	: Adjusted 2025 year prices	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 1 x wooden pallet	262,00
weight	: 258,9 kg	

value of goods	discount amount / %	net
3.882,48	1.785,94 / 46,00	2.096,54

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: L'Horizon Terrace Glazing


Page 23 of 37

pos **quantity**

article

price

Position 10 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 24 of 37

pos	quantity	article	price
-----	----------	---------	-------

11	1	weinor w17 easy - the full glass sliding door	2.716,48
----	---	---	----------

Unit 11 front

.	: ATTENTION! Element is supplied with glass!		
Product use	: hotel		
Width of element [mm]	: 2970 X 2500		2.647,00
type of floor rail	: flat floor rail with drainage holes (for outside)		
CleanCase left (from inside)	: No		
CleanCase right (from inside)	: No		
Selection of leaves + tracks	: 3-track with 3 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: cup pull handle with A4 stainless steel attachment		97,00
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height of knob from bottom edge of guide track (mm)	: 1050 mm		
Basic colour	: WT029/10797 Approx. RAL 9010		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm		80,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining		
cost reduction	: 107,52		-107,52
Explanation of reduced price	: Adjusted 2025 year prices		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 203,44 kg		

value of goods	discount amount / %	net
2.716,48	1.249,58 / 46,00	1.466,90

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: L'Horizon Terrace Glazing


Page 25 of 37

pos **quantity**

article

price

Position 11 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 26 of 37

pos	quantity	article	price
-----	----------	---------	-------

12	1	weinor Side element LITE w50-c Pergotex II	1.601,47
----	---	--	----------

Gable Right unit 1

Steel reinforcement in crossbeam? : with steel

Installation side (as seen from inside) : left

Width of element [mm] : 4325

Incline : 8,998 Degree(s) 1.012,00

Basic colour : WT029/10797 Approx. RAL 9010

Number of vertical glass panels : five parts

Prepared for : prepared for 6mm (for cold use)

Wind load bracket : yes, with wind load profile

Additional post under transom : no post under transom

. : "An additional post is required below the locking bar if the depth is 4401 mm or more.

In case of asymmetric installation of the post, the mounting spacing to the post in front may not exceed 4400 mm."

. : Because you have not ordered any posts, the customer has to provide the transom with adequate support.

gap seal : Gap seals for 6 mm glass, length 2000 mm 56,00

cost reduction : 49,53 -49,53

Explanation of reduced price : Adjusted 2025 prices

Cardboard container : edges reinforcement

50 x 50 x 2 mm rectangular pipes : 1 Piece

Length of 50 x 50 x 2 mm rectangular pipe : 4000 mm 248,00

60 x 50 x 3 mm rectangular pipes : 1 Piece

Length of 60 x 50 x 3 mm rectangular pipe : 4375 mm 335,00

weight : 75 kg

	value of goods	discount amount / %	net
	1.601,47	736,68 / 46,00	864,79

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 27 of 37

pos	quantity	article	price
-----	----------	---------	-------

13	1	weinor Side element LITE w50-c Pergotex II	645,97
----	---	--	--------

Gable left unit 11

Installation side (as seen from inside)	: right		
Width of element [mm]	: 2900		
Incline	: 12,7 Degree(s)		394,00
Basic colour	: WT029/10797 Approx. RAL 9010		
Number of vertical glass panels	: three-part		
Prepared for gap seal	: prepared for 6mm (for cold use)		
cost reduction	: Gap seals for 6 mm glass, length 2000 mm		28,00
Explanation of reduced price	: 48,03		-48,03
Cardboard container	: Adjusted 2025 year prices		
70 x 50 x 2 mm rectangular pipes	: edges reinforcement		
Length of 70 x 50 x 2 mm rectangular pipe	: 1 Piece		
weight	: 4000 mm		272,00
	: 18 kg		

value of goods	discount amount / %	net
645,97	297,15 / 46,00	348,82

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 28 of 37

pos	quantity	article	price
14	1	weinor w17 easy - the full glass sliding door	4.875,98
		gable right unit 1	
		: ATTENTION! Element is supplied with glass!	
		Product use : hotel	
		Width of element [mm] : 4375 X 2527	4.127,00
		type of floor rail : flat floor rail with drainage holes (for outside)	
		CleanCase left (from inside) : No	
		CleanCase right (from inside) : No	
		Selection of leaves + tracks : 5-track with 5 leaves	
		Position of active leaf? : left, as seen from inside	
		Direction of opening : sliding to the right	
		Glazing : 10 mm toughened safety glass, clear	
		Soft-Closing-System : Standard Damper	
		handling : cup pull handle with A4 stainless steel attachment	97,00
		leaf actuator : leaf actuator only closing in sliding direction	
		Locking mechanism on inside, on bottom glass retainer profile : Standard: Glass retainer profile, pre-drilled	
		Height of knob from bottom edge of guide track (mm) : 1065 mm	
		Basic colour : WT029/10797 Approx. RAL 9010	
		wall connection profile left : yes	
		wall connection profile right : yes	
		brush seal : 4 x Brush profile transparent for 10 mm glass, length 2800 mm	160,00
		Note : Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
		with floor gap sealing profile : on both sides positioned floor gap sealing profile	250,80
		cost reduction : 20,82	-20,82
		Explanation of reduced price : Adjusted 2025 year prices	
		Cardboard container : edges reinforcement	
		packaging : Export packaging/ glass pallet	
		extra charge glass pallet : 1 x wooden pallet	262,00
		weight : 314,14 kg	
		value of goods	
		discount amount / %	
		net	
		4.875,98	2.242,95 / 46,00
			2.633,03

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: L'Horizon Terrace Glazing


Page 29 of 37

pos **quantity**

article

price

Position 14 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 30 of 37

pos	quantity	article	price
-----	----------	---------	-------

15	1	weinor w17 easy - the full glass sliding door	3.013,20
----	---	---	----------

Gable left unit 11

.	: ATTENTION! Element is supplied with glass!		
Product use	: hotel		
Width of element [mm]	: 2950 X 2513		2.747,00
type of floor rail	: flat floor rail with drainage holes (for outside)		
CleanCase left (from inside)	: No		
CleanCase right (from inside)	: No		
Selection of leaves + tracks	: 3-track with 3 leaves		
Position of active leaf?	: right, as seen from inside		
Direction of opening	: sliding to the left		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: cup pull handle with A4 stainless steel attachment		97,00
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height of knob from bottom edge of guide track (mm)	: 1065 mm		
Basic colour	: WT029/10797 Approx. RAL 9010		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm		80,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining		
with floor gap sealing profile	: on both sides positioned floor gap sealing profile		182,40
cost reduction	: 93,20		-93,20
Explanation of reduced price	: Adjusted 2025 year prices		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 204,64 kg		

value of goods	discount amount / %	net
3.013,20	1.386,07 / 46,00	1.627,13

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: L'Horizon Terrace Glazing


Page 31 of 37

pos **quantity**

article

price

Position 15 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 32 of 37

pos	quantity	article	price
-----	----------	---------	-------

16	1	weinor GE SUPER LITE w50-c	175,57
----	---	----------------------------	--------

.	: ATTENTION! Element is supplied without glass!	
Frame profile	: blind frame section 35 w50-c	
Width of element [mm]	: 500	
Height of element [mm]	: 2520 mm	
Incline	: 0 Degree(s)	181,00
Number of vertical glass panels	: one-piece	
Prepared for	: prepared for 10mm (for cold use)	
Basic colour	: WT029/10797 Approx. RAL 9010	
gap seal	: Without gap seal	
cost reduction	: 5,43	-5,43
Explanation of reduced price	: Adjusted 2025 year prices	
Cardboard container	: edges reinforcement	
highest glass weight	: 30,7 kg	
weight	: 3 kg	

value of goods	discount amount / %	net
175,57	80,76 / 46,00	94,81

Position 16 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 33 of 37

pos	quantity	article	price
-----	----------	---------	-------

17	1	weinor GE SUPER LITE w50-c	175,57
----	---	----------------------------	--------

.	: ATTENTION! Element is supplied without glass!		
Frame profile	: blind frame section 35 w50-c		
Width of element [mm]	: 500		
Height of element [mm]	: 2520 mm		
Incline	: 0 Degree(s)		181,00
Number of vertical glass panels	: one-piece		
Prepared for	: prepared for 10mm (for cold use)		
Basic colour	: WT029/10797 Approx. RAL 9010		
gap seal	: Without gap seal		
cost reduction	: 5,43		-5,43
Explanation of reduced price	: Adjusted 2025 prices		
Cardboard container	: edges reinforcement		
highest glass weight	: 30,7 kg		
weight	: 3,5 kg		

value of goods	discount amount / %	net
175,57	80,76 / 46,00	94,81

Position 17 - interior view (images similar)
front view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 34 of 37

pos	quantity	article	price
18	1	weinor Spare parts W17 easy	30,86
		Mit/ohne Glas : Without glass! Only the glass order is deactivated! Otherwise there are no changes to the AP	
		CleanCase left (from inside) : No	
		CleanCase right (from inside) : No	
		Glazing : 0	
		handling : no knob or handle bar	
		leaf actuator : without leaf actuator	
		cost reduction : 3	-3,00
		Explanation of reduced price : Adjusted 2025 prices	
		Cardboard container : edges reinforcement	
		packaging : Export packaging	
		Wing stopper small complete left (120206-0000) : 2 Piece	16,93
		Wing stopper small complete right (120206-0001) : 2 Piece	16,93
		value of goods	30,86
		discount amount / %	14,20 / 46,00
		net	16,66

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Földner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 35 of 37

pos	quantity	article	price
-----	----------	---------	-------

19	1	weinor Reveal profile 105 w50-c complete	122,00
-----------	----------	---	---------------

Anticipated delivery	: 16.03.2026		
Trim dimensions [mm]	: 1000 mm		127,00
Prepared for	: prepared for 10mm GE		
Basic colour	: WT029/10797 Approx. RAL 9010		
Number of cover sheets	: 2 Piece		
Number of glazing chunks (soon to find under "Utilities")	: 2 Piece		
Number of coupling frames	: 4 Piece		
cost reduction	: 5		-5,00
Explanation of reduced price	: Adjusted 2025 Prices		
Cardboard container	: edges reinforcement		
weight	: 5 kg		

	value of goods	discount amount / %	net
	122,00	56,12 / 46,00	65,88

20	4	weinor Befestigungswinkel Riegel roh Farbe: roh	100,00
-----------	----------	--	---------------

Anticipated delivery	: 16.03.2026		
customer route	: 430 UK export		
price per unit	: 25		25,00
sales unit	: Piece		

	value of goods	discount amount / %	net
	100,00	46,00 / 46,00	54,00

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: L'Horizon Terrace Glazing Page 36 of 37

pos	quantity	article	price
-----	----------	---------	-------

21	4	weinor Kleinteiletüte für Riegel BR 105	28,00
-----------	----------	--	--------------

Anticipated delivery	: 16.03.2026		
customer route	: 430 UK export		
price per unit	: 7		7,00
sales unit	: Piece		

	value of goods	discount amount / %	net
	28,00	12,88 / 46,00	15,12

22	1	weinor Reveal profile 35 w50-c complete	170,72
-----------	----------	--	---------------

Anticipated delivery	: 16.03.2026		
Trim dimensions [mm]	: 2000 mm		176,00
Prepared for	: prepared for 10mm GE		
Basic colour	: WT029/10797 Approx. RAL 9010		
Number of cover sheets	: 2 Piece		
Number of glazing chunks (soon to find under "Utilities")	: 4 Piece		
Number of coupling frames	: 4 Piece		
cost reduction	: 5,28		-5,28
Explanation of reduced price	: Adjusted 2025 prices		
Cardboard container	: edges reinforcement		
weight	: 4,5 kg		

	value of goods	discount amount / %	net
	170,72	78,53 / 46,00	92,19

value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
55.025,95	25.311,94	29.714,01	0,00	29.714,01

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London



customer: 165708 reference: L'Horizon Terrace Glazing

Page 37 of 37

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 18.3.2026.

Glass Dimensions

Position	12	Side element LITE w50-c Pergotex II	prepared for 6mm (for cold use)		
quantity	form		Width	Height left	Height right
1	trapezium left		859	784	648
1	trapezium left		859	647	511
1	trapezium left		859	510	374
1	trapezium left		859	373	237
1	trapezium left		859	236	100
Position	13	Side element LITE w50-c Pergotex II	prepared for 6mm (for cold use)		
quantity	form		Width	Height left	Height right
1	trapezium right		961	110	327
1	trapezium right		961	328	545
1	trapezium right		961	546	762
Position	17	GE SUPER LITE w50-c	prepared for 10mm (for cold use)		
quantity	form		Width	Height left	Height right
1	rectangle		494	2480	2480



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X