

Quotation

Quotation date	10.04.2026	CP Interiors
Quotation number	20413167	St. Saviour
Customer number	1001334	28 Rue des Pres. Tr. Est.
Your VAT number		JE2 7QN JERSEY
Currency	GBP	JERSEY
Project reference	Reed Seacroft	
Order reference	SO17773	
Validity from-to	10.04.2026 - 10.05.2026	

Incoterms	DPU	Drop Off address	Delivery address
	Delivered at Place Unloaded	DSV Road LTD Hampshire	CP Interiors
	DOA-HAMPSHIRE	Fareham Segensworth Industrial Estate	St. Saviour
		10 Brunel Way	28 Rue des Pres. Tr. Est.
		HAMPSHIRE	JE2 7QN JERSEY
		PO15 5TX	JERSEY
		UNITED KINGDOM	

Overview

Material	Quantity	Total net	VAT %
002000 CAM2 CAMARGUE	1,00 PC	24.241,35	
Total before VAT		24.241,35	
VAT		0,00	
Total incl. VAT		24.241,35	

Free of VAT, export

PAYMENT INFORMATION

Payment term 30 days end of month

For questions or remarks regarding this document, please send an email to outdoor-export@renson.be

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

Quotation

20413167

10.04.2026

Detail

Item	Material	Unit price gross			Quantity	Total gross	Discount %	Total net
002000	CAM2 CAMARGUE				1,00 PC	34.630,50		24.241,35
	Commodity code (Exp.) 94069090	Prefabricated aluminum buildings, sun protection structures						
	Camargue	16.660,00	GBP /	1	PC x 1,00	16.660,00		
	Camargue Line column	550,00	GBP /	1	PC x 3,00	1.650,00		
	Camargue Line reinforced mounting base	194,00	GBP /	1	PC x 1,00	194,00		
						18.504,00	30	12.952,80
	Comfort Pack with 1 FS # 4,5m & 1 FS > 4,5m	-1.350,00	GBP /	1	PC x 1,00	-1.350,00		
	Integrated Fixscreen	2.180,00	GBP /	1	PC x 1,00	2.180,00		
	Integrated Fixscreen	2.910,00	GBP /	1	PC x 1,00	2.910,00		
						3.740,00	30	2.618,00
	Glass panel	540,00	GBP /	1	PC x 8,00	4.320,00		
	Glass 3-rails	575,00	GBP /	1	PC x 1,00	575,00		
	Glass 5-rails	855,00	GBP /	1	PC x 1,00	855,00		
	Rubber sealing	39,00	GBP /	1	PC x 6,00	234,00		
						5.984,00	30	4.188,80
	Lineo LED 3	1.805,00	GBP /	1	PC x 1,00	1.805,00		
						1.805,00	30	1.263,50
	Beam heat/soud: 1 heat	1.790,00	GBP /	1	PC x 1,00	1.790,00		
	Heating receiver	378,00	GBP /	1	PC x 1,00	378,00		
						2.168,00	30	1.517,60
	Protecto	705,00	GBP /	1	PC x 1,00	705,00		
	Rain sensor	247,50	GBP /	1	PC x 1,00	247,50		
	Situo 5 IO VAR Pure II - 5-channel transmitter	152,00	GBP /	1	PC x 1,00	152,00		
	Watertight wall connection (installation profile)	540,00	GBP /	1	PC x 1,00	540,00		
	Watertight wall connection (installation profile)	785,00	GBP /	1	PC x 1,00	785,00		
						2.429,50	30	1.700,65
	Structure							
	Type							
	Structure	Single						
	Location							
	Country of installation	United Kingdom						
	Structure version	Standard version						
	Construction							
	Type							
	Roof part	Roof part 1						
	Dimensions							
	Span	3.645 mm						
	Pivot	5.325 mm						
	Passage height	2.600 mm						
	Construction method							
	Span 1	Freestanding						
	Span 2	Full wall						
	Pivot 1	Full wall						
	Pivot 2	Freestanding						
	Columns							
	Column type 1B	Corner column						
	Column type 2A	Corner column						

Quotation

20413167

10.04.2026

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
	Column type 2B	Corner column				
	Design Styles (TL)					
	Design Styles (SL)					
	Design Style	No				
	Side infills					
	Span 1 (S1)					
	Infill S1	Glass panels & Fixscreen				
	Opening direction S1	Opening right to left				
	Number of glass panels	1x3				
	Handle with cylinder lock	No				
	Height glass sliding panels S1	Passage height				
	Inclination profile	No				
	Pivot 2 (P2)					
	Infill P2	Glass panels & Fixscreen				
	Opening direction P2	Opening left to right				
	Number of glass panels	1x5				
	Handle with cylinder lock	No				
	Height glass sliding panels P2	Passage height				
	Inclination profile	No				
	General specifications					
	Infill height Fixscreen	Passage height				
	Glass included	Yes				
	Type glas	Clear glass				
	Sealing for glass panels	Yes				
	Comfort					
	Lighting					
	Number of Lineo LED	3				
	Color Lineo LED	Warm white				
	Comfort & Design					
	Beam Heat & Sound on side P1	1 Heat				
	Somfy Heating Receiver	IO receiver				
	Protecto on roof part 1	Yes				
	Protecto side	P2				
	Waterproof wall connection	Yes				
	Power socket					
	Socket	No				
	Automation					
	Motor control	Somfy IO				
	Renson Connect App	No				
	Frost/Snow function	No				
	Transmitter	Situo 5 VAR IO Pure				
	Rain sensor	Ceramic rain sensor				
	Voltage motor	230V				
	Electrical certification	CE (Standard)				
	Styling					
	Colors					
	Color type frame and columns	Textured				
	Color category framework	Standard colors				
	Color type of blades	Same color as framework				
	Color category blades	Standard colors				

Type of fabrics

Type of fabric Fixscreen	Fibreglass fabric Sergé
Fabric code Fixscreen	FG-SC 0102 GREY-WHITE
Confection side	Confection side 1

Technical specs**General**

Motor position	Pivot 1 (P1)
Extension cable	No
Blade rotation	Indirect sunlight

Columns

Mounting base 1B	Invisible
Mounting holes in the col. 1B	Yes
Water drainage direction 1B	Pivot
Height water drainage 1B	66 mm (2.60")
Mounting base 2A	Invisible
Mounting holes in the col. 2A	Yes
Mounting base 2B	Invisible reinforced
Mounting holes in the col. 2B	Yes
Water drainage direction 2B	Pivot
Height water drainage 2B	66 mm (2.60")
