

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

DSV Road Ltd
(NO UPS)
10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham
NO UPS

ORDER CONFIRMATION (release 1)


sales order no.: 202964519 of 21.04.2026
customer: 165708
reference: Boleat Smaila
Your order no.: SO17735
contact person: William Abbott
E-Mail: WAbbott@weinor.de
phone number: +49-221-59709-472
representat.: 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article code	
-----	----------	--------------	--

3	1,00	3461	Smaila spring campaign
---	------	------	------------------------

Anticipated delivery : 18.05.2026

basic data

width (mm)	: 4400	mm	
Projection [mm]	: 3000	mm	3.130,00
Basic colour	: RAL 7016 Anthracite grey		
	: 		
Decorative end cap colour	: coloured as the construction		
Anzahl Arme	: 2	Piece	
remote control type required	: Somfy io control including Situo 5 io Pure handset and Sunea io motor upgrade		
insulation [mm]	: 0	mm	

attachment

bracket type 1	: wall bracket 270 mm		
number of brackets 1	: 2	Piece	146,00

Force 1 means the pull-out force per upper fastener F(B).

FB1 Force 1 per fixing point	: 2818	N	
M = Torque per folding arm	: 592	Nm	

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

Please note that your selected awning configuration results in the following forces per upper fixing point (pull-out, lateral and/or shear forces). These must be accounted for by using suitable fixings.

bracket position left	: 440	Shift range from 405 mm to 475 mm
bracket position right	: 440	Shift range from 405 mm to 475 mm

operation

type of control	: Remote-controlled motor IO Homecontrol
Side of control (seen from the front)	: right
electrical engine connection	: 100703-0000 Kabel 3G1 L3000 OE/Hipro
control	: hand transmitter Situo 5 io II by weinor
Type of engine	: Motor Sfy Sunea50 io 40/17 ohne Zubehör
Somfy radio wind sensor io	: with Somfy Eolis 3D WireFree io; black housing

Dessin

real-design	: we8-381	dune, my collections 2
colour of thread Saba	: dunkelbeige	
Cardboard container	: edges reinforcement	
weight	: 78	kg


value of goods	discount amount / %	net
3.276,00	1.310,40 / 40,00	1.965,60

pos	quantity	article code	
-----	----------	--------------	--

4	1,00	3461	Smaila spring campaign
---	------	------	------------------------

Anticipated delivery : 18.05.2026

basic data

width (mm)	: 3500	mm	
Projection [mm]	: 2500	mm	2.634,00
Basic colour	: RAL 7016 Anthracite grey		
	: 		
Decorative end cap colour	: coloured as the construction		
Anzahl Arme	: 2	Piece	
remote control type required	: Somfy io control including Situo 5 io Pure handset and Sunea io motor upgrade		
insulation [mm]	: 0	mm	

attachment

bracket type 1	: wall bracket 270 mm		
number of brackets 1	: 2	Piece	146,00

Force 1 means the pull-out force per upper fastener F(B).

FB1 Force 1 per fixing point	: 1709	N	
M = Torque per folding arm	: 359	Nm	

Please note that your selected awning configuration results in the following forces per upper fixing point (pull-out, lateral and/or shear forces). These must be accounted for by using suitable fixings.

bracket position left	: 350	Shift range from 315 mm to 385 mm
bracket position right	: 350	Shift range from 315 mm to 385 mm

operation

type of control	: Remote-controlled motor IO Homecontrol
Side of control (seen from the front)	: left
electrical engine connection	: 100703-0000 Kabel 3G1 L3000 OE/Hipro

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202964519

Page 4 of 5

pos	quantity	article code
-----	----------	--------------

control	:	hand transmitter Situo 5 io II by weinor
Type of engine	:	Motor Sfy Sunea50 io 40/17 ohne Zubehör
Somfy radio wind sensor io	:	with Somfy Eolis 3D WireFree io; black housing

Dessin

real-design	:	we8-381	dune, my collections 2
colour of thread Saba	:	dunkelbeige	
Cardboard container	:	edges reinforcement	
weight	:	64	kg

value of goods	discount amount / %	net
2.780,00	1.112,00 / 40,00	1.668,00

999 1,00 127887-0000 net material cost surcharge

price per unit : 0

value of goods	discount amount / %	net
0,00	0,00 / 0,00	0,00

value of goods	discount amount	net	VAT (0 %)	Total GBP
6.056,00	2.422,40	3.633,60	0,00	3.633,60

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

In addition, our General Terms of Delivery and Payment as per 01/2024, published under the link provided below are valid and we are happy to provide you with them free of charge upon request.

<https://www.weinor.com/terms-and-conditions/>

delivery exw Cologne
payment: With direct debit 5% discount payment
mode of dispatch UK export / self collecting