



ROLLER BLINDS

Order Form

Company / Shop:
Colocrest

Sales Rep: **DAVID**
Customer Name: **McANESON**

Date: **2-6-23**
6912
Order Reference: **6912**

Special Instructions

	BLIND SIZE & SYSTEM										CONTROLS					OPTIONS				
	Loc- ation	Width (mm)	Drop (mm)	Recess (✓)	Exact (✓)	Child Safety Installation Height (mm)	System 32/40/45/ Bentlin	Fabric Range	Fabric Colour	Operation		Cassette Type & Colour	Control Type & Colour	Roll	Finish	Bottom Bar	Bottom Bar End Caps			
										RHS (✓)	LHS (✓)									
1	SITTING	1775	1440	✓		2200	32	SERENITY	MONSO		✓		chrome CHAIN							
2	REAR	1758	1015	✓		2200	32	u	u		✓									
3	REAR	1750	1020	✓		2200	32	STELLA FIL	IVORY		✓		WHITE PLASTIC							
4																				
5																				
6																				
7																				
8																				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND ALL OPTIONS WILL BE DEFAULT.

FITTING NOTES:

VERTICAL BLINDS

Order Form

Company / Shop: <div style="font-size: 2em; font-family: cursive; text-align: center;">GOLDENST</div>	Sales Rep: <div style="font-size: 1.5em; font-family: cursive; text-align: center;">DAVID</div>	Date: <div style="font-size: 1.5em; font-family: cursive; text-align: center;">2-6-23</div>	Special Instructions
Customer Name: <div style="font-size: 1.5em; font-family: cursive; text-align: center;">McNIEGON</div>	Order Reference: <div style="font-size: 1.5em; font-family: cursive; text-align: center;">G912</div>		

Loc- ation	BLIND SIZE & SYSTEM										CONTROLS				OPTIONS			
	Width (mm)	Drop (mm)	Recess (v)	Exact (v)	Child Safety Installation Height (mm)	Slat Size	Fabric Range	Fabric Colour	Slats only (v)	Control Side		Bunch		Wand Control	Headrail Colour	Fixing Brackets	Weight & Chained	
										RHS (v)	LHS (v)	RHS (v)	LHS (v)					SPLIT (v)
1	2765	1890	✓		2200	89	LINENWEAVE	MOONSTONE		✓					WHITE	TOP		
2																		
3																		
4																		
5																		
6																		
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND ALL OPTIONS WILL BE DEFAULT.

FITTING NOTES: