

①

ROOM	WIDTH	DROP	MATERIAL	CONTROLS	TYPE	FITTING HEIGHT	BRACKETS
GROUND	3053	1760	1770			2690	STD.
FL L	2014	1760	1770			"	
TO	418	2358	DOOR SIDE.	L		2400	
RIGHT.	3085	2690	← 5133 → S/S.	(5 windows)	LEFT	2690	OR ÷ 2.
	2048	2690			RIGHT	2690	
	2847	2358	DOOR WINDOW SIDE		L	2600	16mm
	417.	2358	DOOR " "		R	2600	16mm
	2076	1770	or			2690	
	418	2358	DOOR " "		R.	2400	
	2053	1772				2690	
	417	2358	DOOR		L	2400	
	3118	1772	← 5206 →		L	2690	OR ÷ 2.
	2603	1772			R	2690	
FRONT L	3115	1771	← 5191 →		L	"	OR ÷ 2.
	2076	1771			R	"	
	3120	1771.	← 5200 →		L	"	OR ÷ 2
	2080	1771			R	"	
	3118	1771	← 5195 →		L	"	OR ÷ 2.
	2077.	1771.			R	"	
	3115	1771	5198.		L	"	
	2083	1771.			R	"	
UPSTAIR	912	2390	DOOR WINDOW		K	K	
4 S/S	2417	2558				2558	
"	2594	2560				2560	
"	418	2400	DOOR.		L	2450	
	3085	2554	5141		L	2554	OR ÷ 2
	2056	"			R	2554	
	418	2358	DOOR.		R	2400	

P-T-O ↗

SPECIAL INSTRUCTIONS
 16mm Doors
 rest 25mm.

K re-measure - window not in net

KITCHEN - NO BLIND.

cont

OFFICE MID	-	2594 x 2556	S/S	2556.
DOOR	-	417 x 2358	R.	2400

-		2418 x 2554.	S/S	2554
door	-	418 x 2358	door	* window not in yet *

		2556 x 2555	S/S	2555
*		418 x 2358	door *	*

end back		2447 x 2553		2553
----------	--	-------------	--	------

top front L to R.		3085 x 2550	← 5143 →	<u>÷ 2</u> OR
		2058 x 2550		

		3090 x 2560	← 5144 →	2560
		2054 x 2560		OR ÷ 2.

		3090 x 2555	← 5149 →	
		2059 x 2555		OR ÷ 2

		3085 x 2553	← 5142 →	OR ÷ 2.
		2057 x 2553		

32 x 25MM BLINDS.

11 x 16MM BLINDS (IN DOORS)

COLOUR • 1650 •

TOTAL 43