

# Order Confirmation



Order Number **DC25-021558** Customer Number **36294000**  
Reference 1 **Painter** Name **London Shades LLP**  
Reference 2 Address **London Shades LLP**  
Order Date **02-05-2025** **54 Larkshall Road**  
**Chinsford**  
**E4 6PD**  
**UNITED KINGDOM.**

Line	Sales Item	Description	Quantity	Retail Price ex VAT	Discount %	Discount	Nett Price
1	1040-1083	Luxaflex Roller 2023 Product width (mm): 947 Product drop (mm): 1140 Size type: Blind Size Mounting: On face Rolling: Front rolling Change serie: Yes Serie specific: 37 Product colour: 0263 Elements System type: Bracket Operation type: PowerView® Operation type specific: Various Rollo product type: 18 PowerView® operated roller blind installed on end brackets Motor: PowerView Gen3 Wired Control side: Right Bottom rail: Oval Covered (GBP 20.00) Design concept: Steel Hardware colour: Black PowerViewSpecific: PowerView® gen3 Inlay colour: Black Plastic colour: Black Attachment: No Attachment Powersupply: Power supply HT-18 (GBP 53.33)	1.000	419.16	46.70	150.41	268.75
2	1040-1083	Luxaflex Roller 2023	1.000	434.16	46.70	157.91	276.25

**IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

## Order Confirmation



Product width (mm): 1155  
Product drop (mm): 1140  
Size type: Blind Size  
Mounting: On face  
Rolling: Front rolling  
Change serie: Yes  
Serie specific: 37  
Product colour: 0263  
Elements  
System type: Bracket  
Operation type: PowerView®  
Operation type specific:  
Various  
Rollo product type: 18  
PowerView® operated roller  
blind installed on end brackets  
Motor: PowerView Gen3 Wired  
Control side: Right  
Bottom rail: Oval Covered  
(GBP 20.00)  
Design concept: Steel  
Hardware colour: Black  
PowerViewSpecific:  
PowerView® gen3  
Inlay colour: Black  
Plastic colour: Black  
Attachment: No Attachment  
Powersupply: Power supply  
HT-18 (GBP 53.33)

3	1040-1083	Luxaflex Roller 2023	1.000	379.99	46.70	130.83	249.16
---	-----------	----------------------	-------	--------	-------	--------	--------

### **IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

## Order Confirmation



Product width (mm): 527  
Product drop (mm): 1140  
Size type: Blind Size  
Mounting: On face  
Rolling: Front rolling  
Change serie: Yes  
Serie specific: 37  
Product colour: 0263  
Elements  
System type: Bracket  
Operation type: PowerView®  
Operation type specific:  
Various  
Rollo product type: 18  
PowerView® operated roller  
blind installed on end brackets  
Motor: PowerView Gen3 Wired  
Control side: Right  
Bottom rail: Oval Covered  
(GBP 18.33)  
Design concept: Steel  
Hardware colour: Black  
PowerViewSpecific:  
PowerView® gen3  
Inlay colour: Black  
Plastic colour: Black  
Attachment: No Attachment  
Powersupply: Power supply  
HT-18 (GBP 53.33)

4	1040-1083	Luxaflex Roller 2023	1.000	379.99	46.70	130.83	249.16
---	-----------	----------------------	-------	--------	-------	--------	--------

### **IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

## Order Confirmation



Product width (mm): 530  
Product drop (mm): 1140  
Size type: Blind Size  
Mounting: On face  
Rolling: Front rolling  
Change serie: Yes  
Serie specific: 37  
Product colour: 0263  
Elements  
System type: Bracket  
Operation type: PowerView®  
Operation type specific:  
Various  
Rollo product type: 18  
PowerView® operated roller  
blind installed on end brackets  
Motor: PowerView Gen3 Wired  
Control side: Right  
Bottom rail: Oval Covered  
(GBP 18.33)  
Design concept: Steel  
Hardware colour: Black  
PowerViewSpecific:  
PowerView® gen3  
Inlay colour: Black  
Plastic colour: Black  
Attachment: No Attachment  
Powersupply: Power supply  
HT-18 (GBP 53.33)

5	1040-1083	Luxaflex Roller 2023	1.000	389.16	46.70	135.41	253.75
---	-----------	----------------------	-------	--------	-------	--------	--------

### **IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

## Order Confirmation



Product width (mm): 655  
Product drop (mm): 1030  
Size type: Blind Size  
Mounting: On face  
Rolling: Front rolling  
Change serie: Yes  
Serie specific: 37  
Product colour: 0263  
Elements  
System type: Bracket  
Operation type: PowerView®  
Operation type specific:  
Various  
Rollo product type: 18  
PowerView® operated roller  
blind installed on end brackets  
Motor: PowerView Gen3 Wired  
Control side: Right  
Bottom rail: Oval Covered  
(GBP 18.33)  
Design concept: Steel  
Hardware colour: Black  
PowerViewSpecific:  
PowerView® gen3  
Inlay colour: Black  
Plastic colour: Black  
Attachment: No Attachment  
Powersupply: Power supply  
HT-18 (GBP 53.33)

6	1040-1083	Luxaflex Roller 2023	1.000	505.00	46.70	178.55	326.45
---	-----------	----------------------	-------	--------	-------	--------	--------

### **IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

# Order Confirmation



Product width (mm): 1210  
 Product drop (mm): 1320  
 Size type: Blind Size  
 Mounting: On face  
 Rolling: Front rolling  
 Change serie: Yes  
 Serie specific: 50  
 Product colour: 7536 Dense  
 System type: Bracket  
 Operation type: PowerView®  
 Operation type specific:  
 Various  
 Rollo product type: 18  
 PowerView® operated roller  
 blind installed on end brackets  
 Motor: PowerView Gen3  
 M40T\_330  
 Control side: Right  
 Bottom rail: Oval Covered  
 (GBP 21.67)  
 Design concept: Steel  
 Hardware colour: White  
 PowerViewSpecific:  
 PowerView® gen3  
 Inlay colour: White  
 Plastic colour: White  
 Attachment: No Attachment

7	1040-1083	Luxaflex Roller 2023	1.000	634.17	46.70	243.13	391.04
---	-----------	----------------------	-------	--------	-------	--------	--------

Product width (mm): 2527  
 Product drop (mm): 1320  
 Size type: Blind Size  
 Mounting: On face  
 Rolling: Front rolling  
 Change serie: Yes  
 Serie specific: 50  
 Product colour: 7536 Dense  
 System type: Bracket  
 Operation type: PowerView®  
 Operation type specific:  
 Various  
 Rollo product type: 18  
 PowerView® operated roller  
 blind installed on end brackets  
 Motor: PowerView Gen3  
 M40T\_330  
 Control side: Right  
 Bottom rail: Oval XL Covered  
 (GBP 29.17)  
 Design concept: Steel  
 Hardware colour: White  
 PowerViewSpecific:  
 PowerView® gen3  
 Inlay colour: White  
 Plastic colour: White  
 Attachment: No Attachment

8	1040-1083	Luxaflex Roller 2023	1.000	538.33	46.70	195.21	343.12
---	-----------	----------------------	-------	--------	-------	--------	--------

**IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**  
 To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

## Order Confirmation



Product width (mm): 1145  
Product drop (mm): 1300  
Size type: Blind Size  
Mounting: On face  
Rolling: Front rolling  
Change serie: Yes  
Serie specific: 50  
Product colour: 1105  
GreenScreen Sea-Tex® NXT  
System type: Bracket  
Operation type: PowerView®  
Operation type specific:  
Various  
Rollo product type: 18  
PowerView® operated roller  
blind installed on end brackets  
Motor: PowerView Gen3  
M40T\_330  
Control side: Right  
Bottom rail: Oval Covered  
(GBP 20.00)  
Design concept: Steel  
Hardware colour: Black  
PowerViewSpecific:  
PowerView® gen3  
Inlay colour: Black  
Plastic colour: Black  
Attachment: No Attachment

9	1040-1083	Luxaflex Roller 2023	1.000	548.33	46.70	200.21	348.12
---	-----------	----------------------	-------	--------	-------	--------	--------

### **IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

## Order Confirmation



Product width (mm): 878  
Product drop (mm): 990  
Size type: Blind Size  
Mounting: On face  
Rolling: Front rolling  
Change serie: Yes  
Serie specific: 50  
Product colour: 7524 Unico  
RD  
System type: Bracket  
Operation type: PowerView®  
Operation type specific:  
Various  
Rollo product type: 18  
PowerView® operated roller  
blind installed on end brackets  
Motor: PowerView Gen3  
M40T\_330  
Control side: Right  
Bottom rail: Oval Covered  
(GBP 20.00)  
Design concept: Steel  
Hardware colour: White  
PowerViewSpecific:  
PowerView® gen3  
Inlay colour: White  
Plastic colour: White  
Attachment: No Attachment

10	1040-1083	Luxaflex Roller 2023	1.000	574.16	46.70	213.13	361.03
----	-----------	----------------------	-------	--------	-------	--------	--------

**IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

## Order Confirmation



Product width (mm): 1123  
Product drop (mm): 990  
Size type: Recess Size  
Mounting: On face  
Rolling: Front rolling  
Change serie: Yes  
Serie specific: 50  
Product colour: 7524 Unico  
RD  
System type: Bracket  
Operation type: PowerView®  
Operation type specific:  
Various  
Rollo product type: 18  
PowerView® operated roller  
blind installed on end brackets  
Motor: PowerView Gen3  
M40T\_330  
Control side: Right  
Bottom rail: Oval Covered  
(GBP 20.00)  
Design concept: Steel  
Hardware colour: White  
PowerViewSpecific:  
PowerView® gen3  
Inlay colour: White  
Plastic colour: White  
Attachment: No Attachment

11	1040-1083	Luxaflex Roller 2023	1.000	816.66	46.70	334.38	482.28
----	-----------	----------------------	-------	--------	-------	--------	--------

### **IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

## Order Confirmation



Product width (mm): 1735  
Product drop (mm): 2020  
Size type: Blind Size  
Mounting: On face  
Rolling: Front rolling  
Change serie: Yes  
Serie specific: 50  
Product colour: 7524 Unico  
RD  
System type: Bracket  
Operation type: PowerView®  
Operation type specific:  
Various  
Rollo product type: 18  
PowerView® operated roller  
blind installed on end brackets  
Motor: PowerView Gen3  
M40T\_330  
Control side: Right  
Bottom rail: Oval Covered  
(GBP 25.83)  
Design concept: Steel  
Hardware colour: White  
PowerViewSpecific:  
PowerView® gen3  
Inlay colour: White  
Plastic colour: White  
Attachment: No Attachment

12	1043-1004	Luxaflex Duo Roller 2025	1.000	550.00	46.70	234.38	315.62
----	-----------	--------------------------	-------	--------	-------	--------	--------

### **IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

## Order Confirmation



Size type: Recess Size  
Product width (mm): 1149  
Product drop (mm): 960  
System type: Mounting Profile  
Operation type: PowerView®  
(GBP 162.50)  
Rollo product type: 28  
PowerView® operated roller  
blind installed on mounting  
profile  
Product colour: 2127 Nancy  
Control side: Left  
PowerViewSpecific:  
PowerView® gen3  
Operation type specific:  
Various  
Motor: PowerView Gen3 Wired  
Powersupply: Power supply  
HT-18  
Mounting: Ceiling mount  
Design concept: Steel  
Hardware colour: White  
Inlay colour: White  
Plastic colour: White  
Bottom rail: Round bottom rail  
BottomRailColour: White  
Model type: Model A  
Attachment: No Attachment  
Motor colour: White

13	1040-1083	Luxaflex Roller 2023	1.000	653.33	46.70	252.71	400.62
----	-----------	----------------------	-------	--------	-------	--------	--------

### **IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

# Order Confirmation



Product width (mm): 2377  
 Product drop (mm): 2085  
 Size type: Blind Size  
 Mounting: Ceiling mount  
 Rolling: Front rolling  
 Change serie: Yes  
 Serie specific: 50  
 Product colour: 7536 Dense  
 System type: Bracket  
 Operation type: PowerView®  
 Operation type specific:  
 Various  
 Rollo product type: 18  
 PowerView® operated roller  
 blind installed on end brackets  
 Motor: PowerView Gen3  
 M40T\_330  
 Control side: Left  
 Bottom rail: Oval Covered  
 (GBP 27.50)  
 Design concept: Steel  
 Hardware colour: Black  
 PowerViewSpecific:  
 PowerView® gen3  
 Inlay colour: Black  
 Plastic colour: Black  
 Attachment: No Attachment

14	1040-1083	Luxaflex Roller 2023	1.000	653.33	46.70	252.71	400.62
----	-----------	----------------------	-------	--------	-------	--------	--------

Product width (mm): 2375  
 Product drop (mm): 2080  
 Size type: Blind Size  
 Mounting: Ceiling mount  
 Rolling: Front rolling  
 Change serie: Yes  
 Serie specific: 50  
 Product colour: 7536 Dense  
 System type: Bracket  
 Operation type: PowerView®  
 Operation type specific:  
 Various  
 Rollo product type: 18  
 PowerView® operated roller  
 blind installed on end brackets  
 Motor: PowerView Gen3  
 M40T\_330  
 Control side: Left  
 Bottom rail: Oval Covered  
 (GBP 27.50)  
 Design concept: Steel  
 Hardware colour: Black  
 PowerViewSpecific:  
 PowerView® gen3  
 Inlay colour: Black  
 Plastic colour: Black  
 Attachment: No Attachment

15	1040-1083	Luxaflex Roller 2023	1.000	563.33	46.70	207.71	355.62
----	-----------	----------------------	-------	--------	-------	--------	--------

**IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**  
 To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

**Order Confirmation**



Product width (mm): 1755  
 Product drop (mm): 1990  
 Size type: Blind Size  
 Mounting: On face  
 Rolling: Front rolling  
 Change serie: Yes  
 Serie specific: 50  
 Product colour: 7536 Dense  
 System type: Bracket  
 Operation type: PowerView®  
 Operation type specific:  
 Various  
 Rollo product type: 18  
 PowerView® operated roller  
 blind installed on end brackets  
 Motor: PowerView Gen3  
 M40T\_330  
 Control side: Right  
 Bottom rail: Oval Covered  
 (GBP 25.83)  
 Design concept: Steel  
 Hardware colour: White  
 PowerViewSpecific:  
 PowerView® gen3  
 Inlay colour: White  
 Plastic colour: White  
 Attachment: No Attachment

16	1069-1018	Powerview Gen 3 Gateway Kit	1.000	310.00	25.00	77.50	232.50
		GatewayKitOption: PV3 Gateway Pro Kit					
17	1069-1017	Powerview Gen 3 Remote Kit	7.000	80.00	25.00	140.00	420.00
		Additional Remote Colour: Remote Black Addtoinal Remote Option: Pebble® handheld Snow gloss					

**VAT will be added at the rate prevailing at the date of invoice**

**Order Total**

**5674.09**

**IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368