

Order Confirmation



Order Number	DC25-024317	Customer Number	36294000
Reference 1	B 4352 Moncur	Name	London Shades LLP
Reference 2	Moncur	Address	London Shades LLP 54 Larkshall Road Chinsford E4 6PD UNITED KINGDOM.
Order Date	04-09-2025		

Line	Sales Item	Description	Quantity	Retail Price ex VAT	Discount %	Discount	Nett Price
1	1032-1027	Luxaflex Duette 2022 Product type: Duette Mounting: 1 FreeHanging ModelShapelD: 20 Top Down / Bottom Up OperationType: 9 PowerView® (GBP 257.50) Controlside: Right ModelSelection: 1209 SBS (GBP 60.00) PowerPack: Internal Rechargable Battery PowerViewSpecific: PowerView® Gen 3 Colours1: 9354 Elan Duo Tone 32 mm Mounting position: Recess Fix Bracket type set: R1 - Recess Bracket Set Attachment type: No Attachment Products side by side: Next to following product Sets: Set 1 Width (B): 855 Drop (D): 1445 SizeType: Blind size WindowShape: M Motor type: PowerView Gen3 IRB	1.000	722.50	46.70	474.66	247.84
2	1032-1027	Luxaflex Duette 2022	1.000	722.50	46.70	474.66	247.84

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children
 To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation



Product type: Duette
Mounting: 1 FreeHanging
ModelShapeID: 20 Top Down
/ Bottom Up
OperationType: 9
PowerView® (GBP 257.50)
Controlside: Right
ModelSelection: 1209 SBS
(GBP 60.00)
PowerPack: Internal
Rechargeable Battery
PowerViewSpecific:
PowerView® Gen 3
Colours1: 9354 Elan Duo
Tone 32 mm
Mounting position: Recess Fix
Bracket type set: R1 - Recess
Bracket Set
Attachment type: No
Attachment
Products side by side: Next to
previous product
Sets: Set 1
Width (B): 860
Drop (D): 1448
SizeType: Blind size
WindowShape: M
Motor type: PowerView Gen3
IRB

3	1032-1027	Luxaflex Duette 2022	1.000	722.50	46.70	474.66	247.84
---	-----------	----------------------	-------	--------	-------	--------	--------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



Product type: Duette
Mounting: 1 FreeHanging
ModelShapeID: 20 Top Down
/ Bottom Up
OperationType: 9
PowerView® (GBP 257.50)
Controlside: Right
ModelSelection: 1209 SBS
(GBP 60.00)
PowerPack: Internal
Rechargeable Battery
PowerViewSpecific:
PowerView® Gen 3
Colours1: 9354 Elan Duo
Tone 32 mm
Mounting position: Recess Fix
Bracket type set: R1 - Recess
Bracket Set
Attachment type: No
Attachment
Products side by side: Next to
following product
Sets: Set 1
Width (B): 855
Drop (D): 1455
SizeType: Blind size
WindowShape: M
Motor type: PowerView Gen3
IRB

4	1032-1027	Luxaflex Duette 2022	1.000	722.50	46.70	474.66	247.84
---	-----------	----------------------	-------	--------	-------	--------	--------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



Product type: Duette
 Mounting: 1 FreeHanging
 ModelShapelD: 20 Top Down
 / Bottom Up
 OperationType: 9
 PowerView® (GBP 257.50)
 Controlside: Right
 ModelSelection: 1209 SBS
 (GBP 60.00)
 PowerPack: Internal
 Rechargable Battery
 PowerViewSpecific:
 PowerView® Gen 3
 Colours1: 9354 Elan Duo
 Tone 32 mm
 Mounting position: Recess Fix
 Bracket type set: R1 - Recess
 Bracket Set
 Attachment type: No
 Attachment
 Products side by side: Next to
 previous product
 Sets: Set 1
 Width (B): 850
 Drop (D): 1455
 SizeType: Blind size
 WindowShape: M
 Motor type: PowerView Gen3
 IRB

5	1032-1027	Luxaflex Duette 2022	1.000	722.50	46.70	474.66	247.84
---	-----------	----------------------	-------	--------	-------	--------	--------

Product type: Duette
 Mounting: 1 FreeHanging
 ModelShapelD: 20 Top Down
 / Bottom Up
 OperationType: 9
 PowerView® (GBP 257.50)
 Controlside: Right
 ModelSelection: 1209 SBS
 (GBP 60.00)
 PowerPack: Internal
 Rechargable Battery
 PowerViewSpecific:
 PowerView® Gen 3
 Colours1: 9354 Elan Duo
 Tone 32 mm
 Mounting position: Recess Fix
 Bracket type set: R1 - Recess
 Bracket Set
 Attachment type: No
 Attachment
 Width (B): 820
 Drop (D): 1455
 SizeType: Blind size
 WindowShape: M
 Motor type: PowerView Gen3
 IRB

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



6	1032-1027	Luxaflex Duette 2022	1.000	721.67	46.70	474.27	247.40
		Product type: Duette Mounting: 1 FreeHanging ModelShapelD: 20 Top Down / Bottom Up OperationType: 9 PowerView® (GBP 257.50) Controlside: Right ModelSelection: 1209 SBS (GBP 60.00) PowerPack: Internal Rechargable Battery PowerViewSpecific: PowerView® Gen 3 Colours1: 9354 Elan Duo Tone 32 mm Mounting position: Recess Fix Bracket type set: R1 - Recess Bracket Set Attachment type: No Attachment Width (B): 1200 Drop (D): 1075 SizeType: Blind size WindowShape: M Motor type: PowerView Gen3 IRB					
7	1032-1027	Luxaflex Duette 2022	1.000	880.00	46.70	548.21	331.79
		Product type: Duette Mounting: 1 FreeHanging ModelShapelD: 20 Top Down / Bottom Up OperationType: 9 PowerView® (GBP 257.50) Controlside: Right ModelSelection: 1209 SBS (GBP 60.00) PowerPack: Internal Rechargable Battery PowerViewSpecific: PowerView® Gen 3 Colours1: 9354 Elan Duo Tone 32 mm Mounting position: Recess Fix Bracket type set: R1 - Recess Bracket Set Attachment type: No Attachment Width (B): 1875 Drop (D): 1080 SizeType: Blind size WindowShape: M Motor type: PowerView Gen3 IRB					
8	1032-1027	Luxaflex Duette 2022	1.000	721.67	46.70	474.27	247.40

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



Product type: Duette
 Mounting: 1 FreeHanging
 ModelShapelD: 20 Top Down / Bottom Up
 OperationType: 9
 PowerView® (GBP 257.50)
 Controlside: Right
 ModelSelection: 1209 SBS (GBP 60.00)
 PowerPack: Internal Rechargable Battery
 PowerViewSpecific: PowerView® Gen 3
 Colours1: 9354 Elan Duo
 Tone 32 mm
 Mounting position: Recess Fix
 Bracket type set: R1 - Recess Bracket Set
 Attachment type: No Attachment
 Width (B): 1190
 Drop (D): 1070
 SizeType: Blind size
 WindowShape: M
 Motor type: PowerView Gen3
 IRB

9	1032-1027	Luxaflex Duette 2022	1.000	880.00	46.70	548.21	331.79
---	-----------	----------------------	-------	--------	-------	--------	--------

Product type: Duette
 Mounting: 1 FreeHanging
 ModelShapelD: 20 Top Down / Bottom Up
 OperationType: 9
 PowerView® (GBP 257.50)
 Controlside: Right
 ModelSelection: 1209 SBS (GBP 60.00)
 PowerPack: Internal Rechargable Battery
 PowerViewSpecific: PowerView® Gen 3
 Colours1: 9354 Elan Duo
 Tone 32 mm
 Mounting position: Recess Fix
 Bracket type set: R1 - Recess Bracket Set
 Attachment type: No Attachment
 Width (B): 1880
 Drop (D): 1045
 SizeType: Blind size
 WindowShape: M
 Motor type: PowerView Gen3
 IRB

10	1032-1027	Luxaflex Duette 2022	1.000	836.67	46.70	527.97	308.70
----	-----------	----------------------	-------	--------	-------	--------	--------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children
 To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



Product type: Duette
 Mounting: 1 FreeHanging
 ModelShapelD: 20 Top Down / Bottom Up
 OperationType: 9
 PowerView® (GBP 257.50)
 Controlside: Right
 ModelSelection: 1209 SBS (GBP 60.00)
 PowerPack: Internal Rechargable Battery
 PowerViewSpecific: PowerView® Gen 3
 Colours1: 9354 Elan Duo
 Tone 32 mm
 Mounting position: Recess Fix
 Bracket type set: R1 - Recess Bracket Set
 Attachment type: No Attachment
 Width (B): 1768
 Drop (D): 1025
 SizeType: Blind size
 WindowShape: M
 Motor type: PowerView Gen3
 IRB

11	1032-1027	Luxaflex Duette 2022	1.000	880.00	46.70	548.21	331.79
----	-----------	----------------------	-------	--------	-------	--------	--------

Product type: Duette
 Mounting: 1 FreeHanging
 ModelShapelD: 20 Top Down / Bottom Up
 OperationType: 9
 PowerView® (GBP 257.50)
 Controlside: Right
 ModelSelection: 1209 SBS (GBP 60.00)
 PowerPack: Internal Rechargable Battery
 PowerViewSpecific: PowerView® Gen 3
 Colours1: 9354 Elan Duo
 Tone 32 mm
 Mounting position: Recess Fix
 Bracket type set: R1 - Recess Bracket Set
 Attachment type: No Attachment
 Width (B): 1875
 Drop (D): 1045
 SizeType: Blind size
 WindowShape: M
 Motor type: PowerView Gen3
 IRB

12	1032-1027	Luxaflex Duette 2022	1.000	880.00	46.70	548.21	331.79
----	-----------	----------------------	-------	--------	-------	--------	--------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children
 To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



Product type: Duette
 Mounting: 1 FreeHanging
 ModelShapelD: 20 Top Down
 / Bottom Up
 OperationType: 9
 PowerView® (GBP 257.50)
 Controlside: Right
 ModelSelection: 1209 SBS
 (GBP 60.00)
 PowerPack: Internal
 Rechargeable Battery
 PowerViewSpecific:
 PowerView® Gen 3
 Colours1: 9354 Elan Duo
 Tone 32 mm
 Mounting position: Recess Fix
 Bracket type set: R1 - Recess
 Bracket Set
 Attachment type: No
 Attachment
 Width (B): 1865
 Drop (D): 1078
 SizeType: Blind size
 WindowShape: M
 Motor type: PowerView Gen3
 IRB

13	1069-1017	Powerview Gen 3 Remote Kit Additional Remote Colour: Remote Black Addtoinal Remote Option: Pebble® handheld Stone Frost matte	3.000	80.00	25.00	60.00	180.00
14	1069-1017	Powerview Gen 3 Remote Kit Additional Remote Colour: Remote Black Addtoinal Remote Option: Pebble® handheld Clear Frost matte	2.000	80.00	25.00	40.00	120.00
15	1069-1024	Powerview Gen 3 Integrated Battery Charger Li-ion Charger Roller blind/Twist: PV Li-ion ChargerRB/Twist	2.000	28.33	25.00	14.17	42.49

VAT will be added at the rate prevailing at the date of invoice

Order Total

3712.35

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.