

Order Confirmation



Order Number **DC25-024172** Customer Number **36294000**
Reference 1 **B4399 Buckley** Name **London Shades LLP**
Reference 2 Address **London Shades LLP**
Order Date **29-08-2025** **54 Larkshall Road**
Chinsford
E4 6PD
UNITED KINGDOM.

Line	Sales Item	Description	Quantity	Retail Price ex VAT	Discount %	Discount	Nett Price
1	1030-1027	Luxaflex Plisse 2023 Product type: Plissé 20/32 Mounting: 1 FreeHanging ModelShapeID: 30 2Fabrics OperationType: 9 PowerView® (GBP 257.50) Controlside: Left ModelSelection: 1309 SBS (GBP 60.00) PowerPack: Internal Rechargable Battery PowerViewSpecific: PowerView® Gen 3 Colours1: 6111 Essentials 32 mm Colours2: 9331 Elan Duo Tone RD 32 mm Mounting position: Recess Fix Bracket type set: R1 - Recess Bracket Set Change colour: Yes Specific profile colour: MA - 4459 Magnolia Attachment type: No Attachment Products side by side: Next to following product Sets: Set 1 Width (B): 540 Drop (D): 1710 SizeType: Blind size WindowShape: M Motor type: PowerView Gen3 IRB	1.000	909.17	46.70	561.83	347.34
2	1030-1027	Luxaflex Plisse 2023	1.000	1385.83	46.70	784.43	601.40

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



Product type: Plissé 20/32
Mounting: 1 FreeHanging
ModelShapelD: 30 2Fabrics
OperationType: 9
PowerView® (GBP 257.50)
Controlside: Left
ModelSelection: 1309 SBS
(GBP 60.00)
PowerPack: Internal
Rechargeable Battery
PowerViewSpecific:
PowerView® Gen 3
Colours1: 6111 Essentials 32
mm
Colours2: 9331 Elan Duo
Tone RD 32 mm
Mounting position: Recess Fix
Bracket type set: R1 - Recess
Bracket Set
Change colour: Yes
Specific profile colour: MA -
4459 Magnolia
Attachment type: No
Attachment
Products side by side: Next to
following product
Sets: Set 1
Width (B): 1620
Drop (D): 1710
SizeType: Blind size
WindowShape: M
Motor type: PowerView Gen3
IRB

3	1030-1027	Luxaflex Plisse 2023	1.000	909.17	46.70	561.83	347.34
---	-----------	----------------------	-------	--------	-------	--------	--------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation



Product type: Plissé 20/32
Mounting: 1 FreeHanging
ModelShapelD: 30 2Fabrics
OperationType: 9
PowerView® (GBP 257.50)
Controlside: Left
ModelSelection: 1309 SBS
(GBP 60.00)
PowerPack: Internal
Rechargeable Battery
PowerViewSpecific:
PowerView® Gen 3
Colours1: 6111 Essentials 32
mm
Colours2: 9331 Elan Duo
Tone RD 32 mm
Mounting position: Recess Fix
Bracket type set: R1 - Recess
Bracket Set
Change colour: Yes
Specific profile colour: MA -
4459 Magnolia
Attachment type: No
Attachment
Products side by side: Next to
previous product
Sets: Set 1
Width (B): 540
Drop (D): 1710
SizeType: Blind size
WindowShape: M
Motor type: PowerView Gen3
IRB

VAT will be added at the rate prevailing at the date of invoice

Order Total

1296.08

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368