

Order Confirmation

HunterDouglas

Order Number	W21-166831	Customer Number	36294000
Reference 1	B1660 Fletcher	Name	London Shades LLP
Reference 2		Address	London Shades LLP 54 Larkshall Road Chinsford E4 6PD UNITED KINGDOM.
Order Date	15-12-2021		

Line	Sales Item	Description	Quantity	Unit Price	Discount	Nett Price
1	1040-1056	Luxaflex Roller 2019 Product width (mm): 667 Product drop (mm): 1120 Size type: Blind Size Installation Height Specified (mm): Yes Installation Height (mm): 2500 Mounting: On face MountedSideBySide: Yes MasterRollerBlind: A Rolling: Back rolling Collection: * Transparency: * ColourSection: All Product colour: 1607 Essential Dustblock System type: Bracket Operation type: Chain Change chain type: Yes Chain type: Plastic chain Rollo product type: 11 Chain operated roller blind installed on end brackets Control side: Left BAC: Yes Bottom rail: Oval Design concept: Steel Hardware colour: White Inlay colour: White Plastic colour: White BottomRailColour: White Attachment: No Attachment Child Safe: Yes	1.000	115.00	23.00	92.00
2	1040-1056	Luxaflex Roller 2019	1.000	115.00	23.00	92.00

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation

HunterDouglas

Product width (mm): 669
Product drop (mm): 1120
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
MountedSideBySide: Yes
MasterRollerBlind: A
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 1607
Essential Dustblock
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

3	1040-1056	Luxaflex Roller 2019	1.000	115.00	23.00	92.00
---	-----------	----------------------	-------	--------	-------	-------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation

HunterDouglas

Product width (mm): 665
Product drop (mm): 1120
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
MountedSideBySide: Yes
MasterRollerBlind: A
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 1607
Essential Dustblock
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

4	1040-1056	Luxaflex Roller 2019	1.000	115.00	23.00	92.00
---	-----------	----------------------	-------	--------	-------	-------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation

HunterDouglas

Product width (mm): 667
Product drop (mm): 1120
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
MountedSideBySide: Yes
MasterRollerBlind: A
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 1607
Essential Dustblock
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

5	1040-1056	Luxaflex Roller 2019	1.000	115.00	23.00	92.00
---	-----------	----------------------	-------	--------	-------	-------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation

HunterDouglas

Product width (mm): 666
Product drop (mm): 1120
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
MountedSideBySide: Yes
MasterRollerBlind: A
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 1607
Essential Dustblock
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

6	1040-1056	Luxaflex Roller 2019	1.000	69.00	13.80	55.20
---	-----------	----------------------	-------	-------	-------	-------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation

HunterDouglas

Product width (mm): 676
Product drop (mm): 1070
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
MountedSideBySide: Yes
MasterRollerBlind: B
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 6489 Kirtana
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

7	1040-1056	Luxaflex Roller 2019	1.000	69.00	13.80	55.20
---	-----------	----------------------	-------	-------	-------	-------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation

HunterDouglas

Product width (mm): 667
Product drop (mm): 1070
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
MountedSideBySide: Yes
MasterRollerBlind: B
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 6489 Kirtana
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

8	1040-1056	Luxaflex Roller 2019	1.000	69.00	13.80	55.20
---	-----------	----------------------	-------	-------	-------	-------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation

HunterDouglas

Product width (mm): 668
Product drop (mm): 1070
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
MountedSideBySide: Yes
MasterRollerBlind: B
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 6489 Kirtana
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

9	1040-1056	Luxaflex Roller 2019	1.000	69.00	13.80	55.20
---	-----------	----------------------	-------	-------	-------	-------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation

HunterDouglas

Product width (mm): 665
Product drop (mm): 1070
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
MountedSideBySide: Yes
MasterRollerBlind: B
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 6489 Kirtana
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

10	1040-1056	Luxaflex Roller 2019	1.000	69.00	13.80	55.20
----	-----------	----------------------	-------	-------	-------	-------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation

HunterDouglas

Product width (mm): 705
Product drop (mm): 1070
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
MountedSideBySide: Yes
MasterRollerBlind: B
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 6489 Kirtana
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

11	1040-1056	Luxaflex Roller 2019	1.000	66.00	13.20	52.80
----	-----------	----------------------	-------	-------	-------	-------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368

Order Confirmation

HunterDouglas

Product width (mm): 760
Product drop (mm): 830
Size type: Blind Size
Installation Height Specified (mm): Yes
Installation Height (mm): 2500
Mounting: On face
Rolling: Back rolling
Collection: *
Transparency: *
ColourSection: All
Product colour: 6489 Kirtana
System type: Bracket
Operation type: Chain
Change chain type: Yes
Chain type: Plastic chain
Rollo product type: 11 Chain operated roller blind installed on end brackets
Control side: Left
BAC: Yes
Bottom rail: Oval
Design concept: Steel
Hardware colour: White
Inlay colour: White
Plastic colour: White
BottomRailColour: White
Attachment: No Attachment
Child Safe: Yes

VAT will be added at the rate prevailing at the date of invoice

Order Total

788.80

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368