

Order Confirmation



Order Number **DC24-012690** Customer Number **36294000**
Reference 1 **B3372 Austin** Name **London Shades LLP**
Reference 2 Address **London Shades LLP**
Order Date **20-03-2024** **54 Larkshall Road**
Chinsford
E4 6PD
UNITED KINGDOM.

Line	Sales Item	Description	Quantity	Retail Price ex VAT	Discount %	Discount	Nett Price
1	1015-1032	Luxaflex Wood 50mm 2023 SlatWidth: 50 SizeType: Blinds Product width (mm): 570 Product drop (mm): 1670 Valance: 1912 Inside mounting Colour: 8372 FSC 100% Java Control type: Cord / Cord Control Raise/Lower: Right Control Tilt: Left Child Safe: Yes Installation Height Specified (mm): Yes Installation Height (mm): 2700 BracketType: Swivel bracket long BracketColour: Metallic Side by side: Beside Next Product Stringtape / Fabric Tapes: Stringtape 50 mm Control colour: Aluminium OverrideValanceLength: Yes UserSpecifiedValanceLength: 590 Attachment: No Attachment	1.000	324.17	46.70	151.39	172.78

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



2	1015-1032	Luxaflex Wood 50mm 2023	1.000	526.67	46.70	245.95	280.72
		SlatWidth: 50 SizeType: Blindsizes Product width (mm): 1020 Product drop (mm): 1670 Valance: 1912 Inside mounting Colour: 8372 FSC 100% Java Control type: Cord / Cord Control Raise/Lower: Right Control Tilt: Left Child Safe: Yes Installation Height Specified (mm): Yes Installation Height (mm): 2700 BracketType: Swivel bracket long BracketColour: Metallic Side by side: Beside Next Product Stringtape / Fabric Tapes: Stringtape 50 mm Control colour: Aluminium OverrideValanceLength: Yes UserSpecifiedValanceLength: 1040 Attachment: No Attachment					
3	1015-1032	Luxaflex Wood 50mm 2023	1.000	324.17	46.70	151.39	172.78
		SlatWidth: 50 SizeType: Blindsizes Product width (mm): 580 Product drop (mm): 1670 Valance: 1912 Inside mounting Colour: 8372 FSC 100% Java Control type: Cord / Cord Control Raise/Lower: Right Control Tilt: Left Child Safe: Yes Installation Height Specified (mm): Yes Installation Height (mm): 2700 BracketType: Swivel bracket long BracketColour: Metallic Side by side: Beside Previous Product Stringtape / Fabric Tapes: Stringtape 50 mm Control colour: Aluminium OverrideValanceLength: Yes UserSpecifiedValanceLength: 600 Attachment: No Attachment					
4	1015-1032	Luxaflex Wood 50mm 2023	1.000	324.17	46.70	151.39	172.78

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



SlatWidth: 50
 SizeType: Blindsizes
 Product width (mm): 450
 Product drop (mm): 1760
 Valance: 1915 Return left
 Colour: 8372 FSC 100% Java
 Control type: Cord / Cord
 Control Raise/Lower: Right
 Control Tilt: Left
 Child Safe: Yes
 Installation Height Specified
 (mm): Yes
 Installation Height (mm): 2800
 BracketType: Swivel bracket
 long
 BracketColour: Metallic
 Side by side: Beside Next
 Product
 Stringtape / Fabric Tapes:
 Stringtape 50 mm
 Control colour: Aluminium
 OverrideValanceLength: Yes
 UserSpecifiedValanceLength:
 470
 Attachment: No Attachment

5	1015-1032	Luxaflex Wood 50mm 2023	1.000	526.67	46.70	245.95	280.72
---	-----------	-------------------------	-------	--------	-------	--------	--------

SlatWidth: 50
 SizeType: Blindsizes
 Product width (mm): 1030
 Product drop (mm): 1760
 Valance: 1912 Inside mounting

 Colour: 8372 FSC 100% Java
 Control type: Cord / Cord
 Control Raise/Lower: Right
 Control Tilt: Left
 Child Safe: Yes
 Installation Height Specified
 (mm): Yes
 Installation Height (mm): 2800
 BracketType: Swivel bracket
 long
 BracketColour: Metallic
 Side by side: Beside Next
 Product
 Stringtape / Fabric Tapes:
 Stringtape 50 mm
 Control colour: Aluminium
 OverrideValanceLength: Yes
 UserSpecifiedValanceLength:
 1050
 Attachment: No Attachment

6	1015-1032	Luxaflex Wood 50mm 2023	1.000	324.17	46.70	151.39	172.78
---	-----------	-------------------------	-------	--------	-------	--------	--------

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Order Confirmation



SlatWidth: 50
SizeType: Blindsized
Product width (mm): 455
Product drop (mm): 1760
Valance: 1914 Return right
Colour: 8372 FSC 100% Java
Control type: Cord / Cord
Control Raise/Lower: Right
Control Tilt: Left
Child Safe: Yes
Installation Height Specified
(mm): Yes
Installation Height (mm): 2800
BracketType: Swivel bracket
long
BracketColour: Metallic
Side by side: Beside Previous
Product
Stringtape / Fabric Tapes:
Stringtape 50 mm
Control colour: Aluminium
OverrideValanceLength: Yes
UserSpecifiedValanceLength:
475
Attachment: No Attachment

VAT will be added at the rate prevailing at the date of invoice

Order Total

1252.56

IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368