

# Order Confirmation



Order Number **DC24-014278** Customer Number **36294000**  
Reference 1 **B3476 Meriano** Name **London Shades LLP**  
Reference 2 Address **London Shades LLP**  
Order Date **20-05-2024** **54 Larkshall Road**  
**Chinsford**  
**E4 6PD**  
**UNITED KINGDOM.**

Line	Sales Item	Description	Quantity	Retail Price ex VAT	Discount %	Discount	Nett Price
1	1040-1055	Luxaflex Twist 2019 Size type: BlindSize Product width (mm): 690 Product drop (mm): 1435 Product colour: 8252 Nobel System type: Cassette (GBP 46.67) Operation type: Chain Operation type specific: Plastic chain white Child Safe: Yes Installation Height Specified (mm): Yes Installation Height (mm): 2400 Cord weight / chain tensioner: Tensioner white Lux. Control side: Left Mounting: Standard bracket Hardware colour: White Bottom rail: White Model Type: Model A SideBySide: Yes Sets: Set 1 Attachment: No Attachment	1.000	405.84	46.70	189.53	216.31

**IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

## Order Confirmation



2	1040-1055	Luxaflex Twist 2019	1.000	805.00	46.70	375.94	429.06
		Size type: BlindSize Product width (mm): 2245 Product drop (mm): 1435 Product colour: 8252 Nobel System type: Cassette (GBP 93.33) Operation type: Chain Operation type specific: Plastic chain white Child Safe: Yes Installation Height Specified (mm): Yes Installation Height (mm): 2400 Cord weight / chain tensioner: Tensioner white Lux. Control side: Right Mounting: Standard bracket Hardware colour: White Bottom rail: White Model Type: Model A SideBySide: Yes Sets: Set 1 Attachment: No Attachment					
3	1040-1055	Luxaflex Twist 2019	1.000	480.83	46.70	224.55	256.28
		Size type: BlindSize Product width (mm): 1190 Product drop (mm): 1400 Product colour: 8252 Nobel System type: Cassette (GBP 57.50) Operation type: Chain Operation type specific: Plastic chain white Child Safe: Yes Installation Height Specified (mm): Yes Installation Height (mm): 2400 Cord weight / chain tensioner: Tensioner white Lux. Control side: Right Mounting: Standard bracket Hardware colour: White Bottom rail: White Model Type: Model A Attachment: No Attachment					
4	1032-1027	Luxaflex Duette 2022	1.000	762.50	46.70	356.09	406.41

**IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

## Order Confirmation



Product type: Duette  
Mounting: 2 Conservatory  
ModelShapeID: 10 Rectangle  
OperationType: 2 Handle  
ModelSelection: 2102  
Colours1: 7710 Batiste Full  
Tone 25 mm  
Mounting position: Recess Fix  
Bracket type set: R1 - Recess  
Bracket Set  
Standard profile colour: CW -  
0155 White  
Handle: Plastic Handle  
Accessories: Wand 1500 mm  
(GBP 27.50)  
Attachment type: No  
Attachment  
Width (B): 1375  
Drop (D): 1385  
SizeType: Blind size  
WindowShape: M

**VAT will be added at the rate prevailing at the date of invoice**

Order Total

**1308.06**

**IMPORTANT Child Safety Notice - Risk Of Serious Hazard And Cause Of Injury To Children**

To ensure compliance with EC Directive 2001/95, EC Decision 2011/477 and EN 13120:2014, all child safety devices and components MUST be assembled and installed in accordance with our instructions. We do not accept any liability for damages or costs arising from wrongful assembly and/or installation not performed by us.

Products suffixed as FSC are supplied/sold under FSC Chain of Custody certificate code NC-COC-014368