

Trade Bill

From:

Project: St Mary's Primary School, Greenock

Trade: N_SC Blinds

Fixtures and Fittings					
	Description	Qty	Unit	Rate	£ p
	<u>Blinds to windows manufacture Kaydee Blinds;</u> <u>product reference Shada 32,40 and 45 to suit width of</u> <u>blind; vertical roller; manual, metal chain pull;anti-</u> <u>ligature stay; safety first end cap locking</u> <u>device and spring plunge end location assist;</u> <u>include for clip-on fascia, 20mm extruded aluminium</u> <u>Bottom Bar;Teleflex winder to top floor windows</u> <u>where worktops prevent easy reach.;clip to wall</u> <u>to hold chains all as sped N10/240A&B</u>				
G	WG13-01; 1209x3040mm	1	ITEM	133.75	133.75
H	WG13-02; 1175x3060mm	1	ITEM	121.25	121.25
I	WG13-03; 584x3060mm	1	ITEM	67.50	67.50
J	WG13-04; 535x3060mm	1	ITEM	67.50	67.50
K	WG13-05; 1217x3060mm	1	ITEM	133.75	133.75
L	WG13-06; 1220x3060mm	1	ITEM	133.75	133.75
M	WG13-07; 1216x3060mm	1	ITEM	133.75	133.75
N	WG15-08; 1227x3060mm	1	ITEM	133.75	133.75
O	WG16-09; 550x1400mm	1	ITEM	43.75	43.75
P	WG16-10; 550x1400mm	1	ITEM	43.75	43.75
Page Total 17/0/15					1,012.50

Trade Bill

From:

Project: St Mary's Primary School, Greenock

Trade: N_SC Blinds

Fixtures and Fittings					
	Description	Qty	Unit	Rate	£ p
	<u>Blinds to windows manufacture Kaydee Blinds;</u> <u>product reference Shada 32,40 and 45 to suit width of</u> <u>blind; vertical roller; manual, metal chain pull;anti-</u> <u>ligature stay; safety first end cap locking</u> <u>device and spring plunge end location assist;</u> <u>include for clip-on fascia, 20mm extruded aluminium</u> <u>Bottom Bar;Teleflex winder to top floor windows</u> <u>where worktops prevent easy reach.;clip to wall</u> <u>to hold chains all as sped N10/240A&B</u>				
A	WG17-11; 1252x3060 mm	1	ITEM	133.75	133.75
B	WG04-19; 1221x3063mm	1	ITEM	133.75	133.75
C	WG04-20; 1221x3063mm	1	ITEM	133.75	133.75
D	WG04-21; 1278x3063mm	1	ITEM	133.75	133.75
E	WG04-22; 1221x3063mm	1	ITEM	133.75	133.75
F	WG04-23; 1131x3063mm	1	ITEM	121.25	121.25
G	WG08-28; 871x2444mm;	1	ITEM	84.63	84.63
H	WG10-29; 918x2444mm	1	ITEM	86.25	86.25
I	WR02-03; 739x1535mm	1	ITEM	55.63	55.63
J	WF26-04;1214x2750mm	1	ITEM	128.13	128.13
K	WR02-04; 739x1535mm	1	ITEM	55.63	55.63
L	WF05-05; 1202x2750mm	1	ITEM	128.13	128.13
M	WF06-06;1215x2750mm	1	ITEM	128.13	128.13
N	WF06-07; 1241x2750mm;	1	ITEM	128.13	128.13
O	WE02-07; 1221x2750mm	1	ITEM	128.13	128.13
P	WE02-07; 1221x2750mm	1	ITEM	128.13	128.13
Q	WF-09-08; 1226x2750mm;	1	ITEM	128.13	128.13
R	WF11-09; 1231x2750mm	1	ITEM	128.13	128.13
S	WF13-10; 1231x2747mm	1	ITEM	128.13	128.13
T	WF13-11; 1261x2752mm	1	ITEM	128.26	128.26
U	WF13-12; 770x2769mm	1	ITEM	79.63	79.63
V	WF13-13; 914 x 1950mm	1	ITEM	73.94	73.94
W	WF13-14; 918x1960mm;	1	ITEM	73.94	73.94
Page Total 17/0/16					2,581.08

Trade Bill

From:

Project: St Mary's Primary School, Greenock

Trade: N_SC Blinds

Fixtures and Fittings					
	Description	Qty	Unit	Rate	£ p
	<u>Blinds to windows manufacture Kaydee Blinds; product reference Shada 32,40 and 45 to suit width of blind; vertical roller; manual, metal chain pull; anti-ligature stay; safety first end cap locking device and spring plunge end location assist; include for clip-on fascia, 20mm extruded aluminium Bottom Bar;Teleflex winder to top floor windows where worktops prevent easy reach.;clip to wall to hold chains all as sped N10/240A&B</u>				
A	WF13-15; 918x1980mm	1	ITEM	73.94	73.94
B	WF15-18;1193x2691mm	1	ITEM	107.41	107.41
C	WF15-19; 1219x2765mm	1	ITEM	128.26	128.26
D	WF15-20;1136x2780mm	1	ITEM	128.76	128.76
E	WF15-21;1244x2780	1	ITEM	128.76	128.76
F	WF15-22; 1244x2780	1	ITEM	128.76	128.76
G	WF15-23;1244x2780	1	ITEM	128.76	128.76
H	WF16-24;1244x2780mm	1	ITEM	128.76	128.76
I	WF18-25; 1244x2780mm	1	ITEM	128.76	128.76
J	WF20-26; 600x2550mm	1	ITEM	52.50	52.50
K	WF20-27; 600x2550mm	1	ITEM	52.50	52.50
L	WF20-28; 600x2550mm	1	ITEM	52.50	52.50
M	WF21-29; 1244x1278mm	1	ITEM	80.55	80.55
N	WF21-30; 1244x1278mm	1	ITEM	80.55	80.55
O	WF22-31; 1244x1278mm	1	ITEM	80.55	80.55
P	WF22-32; 1244x1278mm	1	ITEM	80.55	80.55
Q	WF23-33; 1244x1278mm	1	ITEM	80.55	80.55
R	WF23-34; 1136x2780mm	1	ITEM	112.95	112.95
S	WF23-35; 1214x2751mm	1	ITEM	128.76	128.76
T	WF23-36; 1180x2771mm	1	ITEM	112.95	112.95
U	WR01-03; 600x1540mm	1	ITEM	45.00	45.00
V	WR02-05; 756x1399mm	1	ITEM	53.20	53.20
Page Total 17/0/17					2,095.28

Trade Bill

From

Project: St Mary's Primary School, Greenock

Trade: N_SC Blinds

Fixtures and Fittings					
	Description	Qty	Unit	Rate	£ p
	<u>Blinds to windows manufacture Kaydee Blinds; product reference Shada 32,40 and 45 to suit width of blind; vertical roller; manual, metal chain pull; anti-ligature stay; safety first end cap locking device and spring plunge end location assist; include for clip-on fascia, 20mm extruded aluminium Bottom Bar;Teleflex winder to top floor windows where worktops prevent easy reach.;clip to wall to hold chains all as sped N10/240A&B</u>				
A	WR02-06; 756x1400mm	1	ITEM	53.20	53.20
B	WS08-07; 1216x2771mm	1	ITEM	128.76	128.76
C	WR02-07;745x1500mm	1	ITEM	53.20	53.20
D	WS08-08; 1212x2367mm	1	ITEM	115.15	115.15
E	WR02-08;745x1500mm	1	ITEM	53.20	53.20
F	WS08-09; 1199x2766mm	1	ITEM	113.75	113.75
G	WS09-10; 1226x2761mm	1	ITEM	128.76	128.76
H	WS09-11; 1216x2764mm	1	ITEM	128.76	128.76
I	WS09-12; 1261x2762mm	1	ITEM	128.76	128.76
J	WS10-13; 1235x2771mm	1	ITEM	128.76	128.76
K	WS10-14;758x2769mm	1	ITEM	80.73	80.73
L	WS10-15; 916x2149mm	1	ITEM	78.95	78.95
M	WS10-16; 915x2143mm	1	ITEM	78.95	78.95
N	WS10-17; 915x2143mm	1	ITEM	78.95	78.95
O	WS10-18; 813x1767mm;	1	ITEM	68.91	68.91
P	WS10-19; 817x1767mm	1	ITEM	68.91	68.91
Q	WS11-20; 1220x2790mm	1	ITEM	128.76	128.76
R	WS11-21; 1214x2770mm	1	ITEM	128.76	128.76
S	WS11-22; 1136x2780mm	1	ITEM	113.75	113.75
T	WS11-23; 1244x2780mm	1	ITEM	128.76	128.76
U	WS11-24; 1244x2780mm	1	ITEM	128.76	128.76
V	WS12-25; 1244x2780mm	1	ITEM	128.76	128.76
Page Total 17/0/18					2,245.25

Trade Bill

From:

Project: St Mary's Primary School, Greenock

Trade: N_SC Blinds

Fixtures and Fittings					
	Description	Qty	Unit	Rate	£ p
	<u>Blinds to windows manufacture Kaydee Blinds; product reference Shada 32,40 and 45 to suit width of blind; vertical roller; manual, metal chain pull; anti-ligature stay; safety first end cap locking device and spring plunge end location assist; include for clip-on fascia, 20mm extruded aluminium Bottom Bar;Teleflex winder to top floor windows where worktops prevent easy reach.;clip to wall to hold chains all as sped N10/240A&B</u>				
A	WS14-26; 1244x2780mm	1	ITEM	128.76	128.76
B	WS16-28; 1244x2780mm	1	ITEM	128.76	128.76
C	WS17-29;1244x2780mm	1	ITEM	128.76	128.76
D	WS17-30; 1244x2780mm	1	ITEM	128.76	128.76
E	WS17-31; 1244x2780mm	1	ITEM	128.76	128.76
F	WS17-32; 1244x2780mm	1	ITEM	128.76	128.76
G	WS17-33; 1136x2780mm	1	ITEM	113.75	113.75
H	WS17-34;1200x2769mm	1	ITEM	113.75	113.75
I	WS17-35;1214x2773mm	1	ITEM	128.76	128.76
J	WS17-39; 918x1640mm	1	ITEM	66.48	66.48
K	WS17-40; 918x1640mm	1	ITEM	66.48	66.48
L	WS17-41; 918x1640mm	1	ITEM	66.48	66.48
M	WT08-07; 1207x2389mm	1	ITEM	115.09	115.09
N	WT08-08;1224x2390mm	1	ITEM	115.09	115.09
O	WT08-09;1243x2388mm	1	ITEM	115.09	115.09
P	WR02-09; 741x1300mm	1	ITEM	50.51	50.51
Q	WT09-10; 1215x2390mm	1	ITEM	115.09	115.09
R	WR02-10; 743x1300mm	1	ITEM	50.51	50.51
S	WT09-11; 1217x2390mm	1	ITEM	115.09	115.09
T	WR02-11; 740x1146mm	1	ITEM	50.51	50.51
U	WT09-12; 1221x2388mm	1	ITEM	115.09	115.09
V	WR02-12; 740x1155mm	1	ITEM	50.51	50.51
Page Total 17/0/19					2,220.84

Trade Bill

From:

Project: St Mary's Primary School, Greenock

Trade: N_SC Blinds

Fixtures and Fittings					
	Description	Qty	Unit	Rate	£ p
	<u>Blinds to windows manufacture Kaydee Blinds; product reference Shada 32,40 and 45 to suit width of blind; vertical roller; manual, metal chain pull; anti-ligature stay; safety first end cap locking device and spring plunge end location assist; include for clip-on fascia, 20mm extruded aluminium Bottom Bar;Teleflex winder to top floor windows where worktops prevent easy reach.;clip to wall to hold chains all as sped N10/240A&B</u>				
A	WT09-13; 1251x2382mm	1	ITEM	115.09	115.09
B	WT10-14; 918x1640mm	1	ITEM	66.48	66.48
C	WT10-15; 918x1640mm	1	ITEM	66.48	66.48
D	WT10-16; 918x1640mm	1	ITEM	66.48	66.48
E	WT13-20; 1225x2367mm	1	ITEM	115.09	115.09
F	WT13-21; 1225x2367mm	1	ITEM	115.09	115.09
G	WT13-22; 1140x2400mm	1	ITEM	101.25	101.25
H	WT13-23; 1140x2400mm	1	ITEM	101.25	101.25
I	WT14-24; 1140x2400mm	1	ITEM	101.25	101.25
J	WT14-25; 1140x2400mm	1	ITEM	101.25	101.25
K	WT15-29; 636x1770mm	1	ITEM	49.38	49.38
L	WT15-30; 650x1200mm	1	ITEM	49.38	49.38
M	WT15-31; 650x1200mm	1	ITEM	49.38	49.38
N	WT15-32; 650x1200mm	1	ITEM	49.38	49.38
O	WT16-33; 1140x2400mm	1	ITEM	101.25	101.25
P	WT16-34; 1140x2400mm	1	ITEM	101.25	101.25
Q	WT16-35; 1140x2400mm	1	ITEM	101.25	101.25
R	WT18-36; 1140x2400mm	1	ITEM	101.25	101.25
S	WT18-37; 1140x2400mm	1	ITEM	101.25	101.25
T	WT18-38; 1140x2400mm	1	ITEM	101.25	101.25
U	WT18-39; 1201x2353mm	1	ITEM	115.09	115.09
V	WT18-40; 1223x2350mm	1	ITEM	115.09	115.09
Page Total 17/0/20					1,984.91