

						£	p
		<u>Supply and install curtain track system; as manufactured by Silent Gliss; 6101 anodised aluminium room divider system or equal and approved, with Silent Gliss 6650 Anti Ligature hangers; include for Nylon glider hooks, reference 6147, fitted to track and dust cover reference 6110 PVC Allow for all system components, complete with suspension rods, hangers, wall brackets, runners, bends noggings, and all components as required by the manufacturer; lateral supports to be integrated with the suspension system; installed in strict accordance with the manufacturers printed instructions; all in accordance with Specification Clause N10/230</u>					
		Curtain Track; complete with nylon glider hooks at 10no per metre					
320016A	A	to beds; maximum floor to ceiling height 2.70m; all in accordance with drawing AL(0)320	67	m	65.00		4355.00
320016C	B	Extra over for wall abutments; include for all wall brackets, supports, etc; wall brackets reference 6503, approximately 75 x 150mm	16	no	36.50		584.00
320016D	C	Extra over for 90 degree bend	9	no	20.00		180.00
320016F	D	Extra over for 45 degree bend	2	no	20.00		40.00
320016G	E	Extra over for intersections	3	no	35.00		105.00
320016I	F	to beds; maximum floor to ceiling height 2.40m; all in accordance with drawing AL(0)320	59	m	65.00		3835.00
320016K	G	Extra over for wall abutments; include for all wall brackets, supports, etc; wall brackets reference 6503, approximately 75 x 150mm	13	no	36.50		474.50
320016M	H	Extra over for 90 degree bend	9	no	20.00		180.00
320016P	J	Extra over for 45 degree bend	2	no	20.00		40.00
320016R	K	Extra over for intersections	3	no	35.00		105.00

To Collection £ 9898.50

						£	p
		<p><u>Supply and install roller blind as manufactured by Silent Gliss or equal and approved; SC series roller system or equal and approved; monocontrol chain and rotation elements to suit 89mm louvre width with single draw and stack for widths up to 1200m, and split draw over 1200mm wide; fabric to be chosen from Silent Gliss price group 3, fabric to be treated with approved fire retarding system;; Manual operations; colour to be confirmed; Include wall fixings, brackets, supports, chain, fittings, clamps, end covers and accessories etc; to be installed in strict accordance with the manufacturers printed instructions; all in accordance with specification clause N10/240</u></p> <p>Roller blinds; generally</p>					
3200170	A	to suit window approximately 1610mm wide x 1200mm blind drop	36	no	320.25		11529.00
		<p><u>Supply and install wall protection; as manufactured by Construction Specialists (UK) Ltd; fixed in strict accordance with the manufacturers printed instructions; complete with all fixings, fittings, brackets, adhesive, supports, accessories and the like; all in accordance with Architect's drawing AL(0)317</u></p> <p>Crashrail to waiting area; C/S Acrovyn, SCR-50; to BS EN 8300:2001; Acrylic vinyl on aluminium retainers; selected from the standard colour range; complete with rapid fix mounting brackets and shock absorbing bumper cushions; all in accordance with specification clause P20/200</p>					
3201030	B	approximately 140mm deep x 38mm wide	11	m			
3201032	C	Extra over for end caps, as recommended by the manufacturer	2	no			
3201034	D	Extra over for internal corners, as recommended by the manufacturer	2	no			

To Collection £ 11529.00

					£	p
		<p><u>Supply and install roller blind as manufactured by Silent Gliss or equal and approved; SC series roller system or equal and approved; monocontrol chain and rotation elements to suit 89mm louvre width with single draw and stack for widths up to 1200m, and split draw over 1200mm wide; fabric to be chosen from Silent Gliss price group 3, fabric to be treated with approved fire retarding system;; Manual operations; colour to be confirmed; Include wall fixings, brackets, supports, chain, fittings, clamps, end covers and accessories etc; to be installed in strict accordance with the manufacturers printed instructions; all in accordance with specification clause N10/240</u></p> <p>Roller blinds; generally</p>				
3200170	A	<p>to suit window approximately 1610mm wide x 1200mm blind drop</p> <p><u>Supply and install wall protection; as manufactured by Construction Specialists (UK) Ltd; fixed in strict accordance with the manufacturers printed instructions; complete with all fixings, fittings, brackets, adhesive, supports, accessories and the like; all in accordance with Architect's drawing AL(0)317</u></p> <p>Crashrail to waiting area; C/S Acrovyn, SCR-50; to BS EN 8300:2001; Acrylic vinyl on aluminium retainers; selected from the standard colour range; complete with rapid fix mounting brackets and shock absorbing bumper cushions; all in accordance with specification clause P20/200</p>	36	no	412.99	14867.64
3201030	B	approximately 140mm deep x 38mm wide	11	m		
3201032	C	Extra over for end caps, as recommended by the manufacturer	2	no		
3201034	D	Extra over for internal corners, as recommended by the manufacturer	2	no		

To Collection £ 14867.64