



Window Blinds, Shutters & Curtains

Tel: 0131 665 9933  
 sales@sunrite.co.uk  
 www.sunrite.co.uk

Customer's Name Partridge  
 Address Ferry View, Main Road, Queensferry  
 Post Code KY11 1JB

Tel. home (07802) 266161  
 Tel. work  
 mobile  
 email

DATE MEASURED/ORDERED  
29/5/23

Measured By:  
Gary

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

**SPECIAL INSTRUCTIONS**  
 EITHER  
 OUTSIDE SOCKET  
 OR  
 FUSED SPUR

4752

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	anthracite	black	brown	champ-gold	chrome	silver	white	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
Awning	3800	2500		m x 3	RM		£ 3445
				HAVANA BROWN	5229		
				SPREAD BRACKETS	↓ ↓		£ 250
				SUNBOW 42730			
				1 SINGLE CHANNEL REMOTE,			£ 103
				8272336			
							= £ 3798
							+ FITTING
							£ 4178
							+ VAT
							£ 5014

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Sunrite Blinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal. Deposit non-refundable if customer cancels. Full T's & C's on website.

TOTAL PRICE £ 5014  
 DEPOSIT £ 2557  
 BALANCE £ 2557

PO 2905 VISA  
 PRICE ACCEPTANCE Customer's Signature  
Gary Partridge

CASH  CHEQUE  CARD

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**



Please send to:

order@markilux.com

Your contact **GAZY** Reference **ED 4752 PARTRIDGE** Customer no. **55830** Order date **30-05-23** Requested delivery date (despatch date) **ASAP**

On the basis of your terms and conditions for markilux awnings we hereby place the following order:

Model	Quantity	Overall awning width M [cm]	Extension H [cm]					Frame colour	Front panel colour <sup>1)</sup>	K
			150	200	250	300	350			
markilux MX-2			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>
markilux MX-3	1	3800	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	5229	5229	<input type="radio"/>
markilux 970			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>

1) If left blank: supplied in the frame colour. The standard colours and additional colours can be combined as shown in the sales manual. In the case of the markilux MX-3 the front panel colour and end cap styling colour are always the same.

K Improved corrosion protection

## Fabric pattern

Sunbow 42730

Operation side (as viewed from the outside) left  right

Radio-controlled motor 868 Mhz io  433 Mhz RTS

Radio remote control 1 channel  5 channels

(io: markilux io-designcontrol / RTS: Situo RTS Pure)

radio control light sensor Sunis WireFree II io 8272086

radio control wind sensor Eolis WireFree io 8272193

radio control wind sensor Eolis io with connection for rain sensor OI 8272328

radio control light and wind sensor Soliris Sensor RTS 8272089

radio control light and wind sensor Soliris Sensor RTS 8272127

with rain sensor connection

radio control wind sensor Eolis Sensor RTS 8272090

rain sensor Ondeis 230 V 8272065

Wind sensor markilux vibrabox RAL 7043  RAL 9016

(io/RTS) (8272366 / 8272364) (8272367 / 8272365)

Hard-wired motor

Power supply cable with Hirschmann plug connector 5m  10m <sup>2)</sup>

2) only available for radio-controlled motors

## Manual operation

Crank handle length 110 cm  140 cm  160 cm  180 cm  220 cm

spring-assisted operation

## Notes

## Shadeplus markilux 970

(height 170 cm; maximum awning size 500 x 300 cm / 600 x 250 cm)

Gearbox operation  Motor (io / RTS / hard-wired)

Operation side (in case of differing) left  right

shadeplus fabric pattern (if it differs from the awning):  
plain material, transolair, vuscreen or Soltis Perform 92

## Fixture

Face fixture bracket

face fixture bracket with spreader plate A

face fixture bracket with spreader plate B

face fixture using spreader plate C (only for the markilux 970)

markilux panel 250 mm  continuous

top fixture brackets

eaves fixture brackets 150 mm  270 mm

additional spreader / backing plate for eaves fixture (75383.)

Supply brackets in advance

LED lighting (radio-controlled operation: on / off / dimmable)

LED Line in the cassette

LED Spots underneath the cassette

Wall sealing profile MX-3 in the same width as the awning <sup>3)</sup>

Wall sealing profile MX-3 in standard width = M - 311 mm

Accessories (please refer to the sales manual / price list) Order no. Quantity

3) On-site width correction necessary in accordance with the actual bracket position!

N.B! Please check your order confirmation! We deliver as confirmed, complaints will not be accepted at a later date!

9915 / 9910

211217

# Crocodilla

Specialists in Awnings Brackets & Fixings

## Spreader Plate

Customer Name & Tel N°

RAINBOW BLINDS / 01698 351888

Customer Ref (If known)

ED L752 PARADISE

Date of Order

30-05-23

Colour

HAVANA BROWN / 5229

Number required

PAIR

Awning Manufacturer

MARK LUX

Model Number or Name

MX3

Size of Awning

Length

3800

Projection

2500

Building Substrate

Brick, concrete block etc.

STONE


Dimensions;

A: STANDARD

930mm

C: STANDARD

46mm



5 Fixing Holes in 930 Leg

A

Fixing Hole  
Centres 150mm



Bracket Material:

Mild Steel or Stainless Steel



Mild Steel



Stainless  
Steel

Method of Payment;



Credit Card

Cheque with Invoice

Account Customer

Note: The prices quoted on the website are for standard size brackets in 60 x 40 section

Unless specified our default bracket manufacture is in Mild Steel

**TEL: 01794 367 286**



Specialists in Awnings Brackets & Fixings

# Customer Address Details

Customer Name & Tel N°

Customer Ref (If known)

Date of Order

Invoice Address

Delivery Address if Different   
Post Code:

Signature

Position in business

**TEL: 01794 367 286**