

TEL: 01698 351888
 enquiries@rainbow-blinds.com
 rainbow-blinds-and-interiors.co.uk

DATE MEASURED/ORDERED
 9/6/23

Measured By:
 CARY

SPECIAL INSTRUCTIONS
 CARY TO FIT,

7517

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name MCKENDRICK
 Address VALERIOS FISH + CHIPS
Bannatyne Street
LANARKE Post Code ML11 7UB

Tel. home
 Tel. work
 mobile 07844252893
 email

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Fitters Req.	Est. Time	Special RA (separate Sheet)

alum	anthracite	black	brown	champ-gold	chrome	silver	white	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
Sunroom	4770	2500	AWING	Mx3-RAL 9001	RM	3300	4186
				SUNBOW	41660 SERVO GEAR	-	461
							= £3725
				SPREADER BRACKET, RAL 9001			= £200
							= £3925
							+ FITTING
							£ 4318
							+ VAT
							£ 5181

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

It is our responsibility to supply you with goods that meet your consumer rights. If you have any concerns that we have not met our legal obligations please contact us. Unless stated, goods and installation service come with 12 month warranty. Full T's & C's on our website.
 I have ordered the above goods and agree to pay 50% deposit and the remaining balance when confirming fitting appointment. If payment is not made in full at that time Rainbow Blinds has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 5181
 DEPOSIT £ 2590.50
 BALANCE £ 2590.50

PRICE ACCEPTANCE Customer's Signature
 Pd 1206 VISA
 Q Go AHEAD

ORDER BALANCE TO BE PAID FOR AT FITTING CONFIRMATION

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------



Please send to:

order@markilux.com

Your contact **RAINBOW RETAIL** Reference **RAIN 7517 MCKENDRICK** Customer no. **55830** Order date **12-06-23** Requested delivery date (despatch date) **05-07-23**

On the basis of your terms and conditions for markilux awnings we hereby place the following order:

Model	Quantity	Overall awning width M [cm]	Extension H [cm]					Frame colour	Front panel colour ¹⁾	K
			150	200	250	300	350			
markilux MX-2			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>
markilux MX-3	1	4770	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	RAL 9001	RAL-9001	<input type="radio"/>
markilux 970			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>

1) If left blank: supplied in the frame colour. The standard colours and additional colours can be combined as shown in the sales manual. In the case of the markilux MX-3 the front panel colour and end cap styling colour are always the same.

K Improved corrosion protection

Fabric pattern

Sunbow 41660

Operation side (as viewed from the outside) left right

Radio-controlled motor 868 Mhz io 433 Mhz RTS

Radio remote control 1 channel 5 channels

(io: markilux io-designcontrol / RTS: Situo RTS Pure)

radio control light sensor Sunis WireFree II io 8272086

radio control wind sensor Eolis WireFree io 8272193

radio control wind sensor Eolis io with connection for rain sensor OI 8272328

radio control light and wind sensor Soliris Sensor RTS 8272089

radio control light and wind sensor Soliris Sensor RTS 8272127

with rain sensor connection

radio control wind sensor Eolis Sensor RTS 8272090

rain sensor Ondeis 230 V 8272065

Wind sensor markilux vibrabox RAL 7043 RAL 9016

(io/RTS) (8272366 / 8272364) (8272367 / 8272365)

Hard-wired motor

Power supply cable with Hirschmann plug connector 5m 10m ²⁾

2) only available for radio-controlled motors

Manual operation

Crank handle length 110 cm 140 cm 160 cm 180 cm 220 cm

spring-assisted operation

Notes

Shadeplus markilux 970

(height 170 cm; maximum awning size 500 × 300 cm / 600 × 250 cm)

Gearbox operation Motor (io / RTS / hard-wired)

Operation side (in case of differing) left right

shadeplus fabric pattern (if it differs from the awning):
plain material, transolair, vuscreen or Soltis Perform 92

Fixture

Face fixture bracket

face fixture bracket with spreader plate A

face fixture bracket with spreader plate B

face fixture using spreader plate C (only for the markilux 970)

markilux panel 250 mm continuous

top fixture brackets

eaves fixture brackets 150 mm 270 mm

additional spreader / backing plate for eaves fixture (75383.)

Supply brackets in advance

LED lighting (radio-controlled operation: on / off / dimmable)

LED Line in the cassette

LED Spots underneath the cassette

Wall sealing profile MX-3 in the same width as the awning ³⁾

Wall sealing profile MX-3 in standard width = M - 311 mm

Accessories (please refer to the sales manual / price list) Order no. Quantity

3) On-site width correction necessary in accordance with the actual bracket position!

N.B! Please check your order confirmation! We deliver as confirmed, complaints will not be accepted at a later date!

9915 / 9910

211217



Specialists in Awnings Brackets & Fixings

Spreader Plate

Customer Name & Tel N°

RAINBOW BLINDS / CLEAR 351 8888

Customer Ref (If known)

RAIN 7517 MCKENZIE

Date of Order

12-06-23

Colour

RAL - 9001

Number required

PAIR

Awning Manufacturer

MARKILUX

Model Number or Name

Mx3

Size of Awning

Length

4770

Projection

2500

Building Substrate

Brick, concrete block etc.

BLOCK


Dimensions;

A: STANDARD

930mm

C: STANDARD

46mm



5 Fixing Holes in 930 Leg

A

Fixing Hole Centres 150mm

Bracket Material:

Mild Steel or Stainless Steel



Mild Steel



Stainless Steel

Method of Payment;



Credit Card

Cheque with Invoice

Account Customer

Note: The prices quoted on the website are for standard size brackets in 60 x 40 section

Unless specified our default bracket manufacture is in Mild Steel

TEL: 01794 367 286



Specialists in Awnings Brackets & Fixings

Customer Address Details

Customer Name & Tel N°

RAINBOW BLINDS / 06988 351 888

Customer Ref (If known)

RAIN 7517 MCKENDRICK

Date of Order

12-06-23

Invoice Address

61 CANNON ROAD
NETHERTON IND EST
WISHAW
ML2 0EQ

Post Code:

Delivery Address if Different

AS ABOVE

Post Code:

Signature

Position in business

SALES

TEL: 01794 367 286