

TEL: 01698 351888
 enquiries@rainbow-blinds.com
 rainbow-blinds-and-interiors.co.uk

DATE MEASURED/ORDERED

24 / 4 / 24

Measured By:

GARY

SPECIAL INSTRUCTIONS

8062

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name CROZIER
 Address 17 BERRYHILL DRIVE
GIFFGOCK, GLASGOW
 Post Code G46 7AS

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN		

Tel. home	
Tel. work	
mobile	07967-002628
email	

Fitters Req.	Est. Time	Special RA (separate Sheet)

alum	anthracite	black	brown	champ-gold	chrome	silver	white	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
KITCHEN	3700	3000	AWNING	MIX 3	RH	3000	3720
				TRAFFIC WHITE 9016			
				SERVO GEAR			
				1500 CONTROL WAND			
				41683			
				GLITTER BRACKETS			£ 300
				9016			
				230 PROJECTION			£ 4020
							+ FITTING
							£ 4422

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

It is our responsibility to supply you with goods that meet your consumer rights. If you have any concerns that we have not met our legal obligations please contact us. Unless stated, goods and installation service come with 12 month warranty. Full T's & C's on our website.

I have ordered the above goods and agree to pay 50% deposit and the remaining balance when confirming fitting appointment. If payment is not made in full at that time Rainbow Blinds has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 4422
DEPOSIT	£ 2211
BALANCE	£ 2211

PO 2404 VISA
 PRICE ACCEPTANCE Customer's Signature

Patricia A Crozier

ORDER BALANCE TO BE PAID FOR AT FITTING CONFIRMATION

CASH	CHEQUE	CARD
------	--------	------



Gutter Bracket

Customer Name & Tel N°

Customer Ref (If known)

Date of Order

Colour

Number required

Awning Manufacturer

Model Number or Name

Size of Awning Length Projection

Building Substrate
Brick, concrete block etc.

Dimensions;

A: STANDARD


B: Please provide the required dimension in mm.
FIXING PLATE IN CENTRE.

C: Standard 250mm if different required enter in mm.

Material Section:
Max Stand Off per section.

Bracket Material:
Mild Steel or Stainless Steel

Method of Payment; Credit Card Cheque with Invoice Account Customer



Note: The prices quoted on the website are for standard size brackets in 60 x 40 section

Unless specified our default bracket manufacture is in Mild Steel

TEL: 01794 367 286

Please send to:

order@markilux.com

Your contact	Reference	Customer no.	Order date	Requested delivery date (despatch date)
GREN	RAIN 8062 CREZIER	55830	26-04-24	ASAP

On the basis of your terms and conditions for markilux awnings we hereby place the following order:

Model	Quantity	Overall awning width M [cm]	Extension H [cm]					Frame colour	Front panel colour ¹⁾	K
			150	200	250	300	350			
markilux MX-2			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>
markilux MX-3	1	3700	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	9016	9016	<input type="radio"/>
markilux 970			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>

1) If left blank: supplied in the frame colour. The standard colours and additional colours can be combined as shown in the sales manual. In the case of the markilux MX-3 the front panel colour and end cap styling colour are always the same.

K Improved corrosion protection

Fabric pattern Operation side (as viewed from the outside) left right Radio-controlled motor 868 Mhz io 433 Mhz RTS Radio remote control 1 channel 5 channels

(io: markilux io-designcontrol / RTS: Situo RTS Pure)

radio control light sensor Sunis WireFree II io 8272086 radio control wind sensor Eolis WireFree io 8272193 radio control wind sensor Eolis io with connection for rain sensor OI 8272328 radio control light and wind sensor Soliris Sensor RTS 8272089 radio control light and wind sensor Soliris Sensor RTS 8272127

with rain sensor connection

radio control wind sensor Eolis Sensor RTS 8272090 rain sensor Ondeis 230 V 8272065 Wind sensor markilux vibrabox RAL 7043 RAL 9016
(io/RTS) (8272366 / 8272364) (8272367 / 8272365)Hard-wired motor Power supply cable with Hirschmann plug connector 5m 10m ²⁾ ²⁾ only available for radio-controlled motors

Manual operation

Crank handle length 110 cm 140 cm 160 cm 180 cm 220 cm spring-assisted operation

Notes

Shadeplus markilux 970

(height 170 cm; maximum awning size 500 x 300 cm / 600 x 250 cm)

Gearbox operation Motor (io / RTS / hard-wired) Operation side (in case of differing) left right shadeplus fabric pattern (if it differs from the awning):
plain material, transolair, vuscreen or Soltis Perform 92

Fixture

Face fixture bracket face fixture bracket with spreader plate A face fixture bracket with spreader plate B face fixture using spreader plate C (only for the markilux 970) markilux panel 250 mm continuous top fixture brackets eaves fixture brackets 150 mm 270 mm additional spreader / backing plate for eaves fixture (75383.) Supply brackets in advance

LED lighting (radio-controlled operation: on / off / dimmable)

LED Line in the cassette LED Spots underneath the cassette Wall sealing profile MX-3 in the same width as the awning ³⁾ Wall sealing profile MX-3 in standard width = M - 311 mm

Accessories (please refer to the sales manual / price list) Order no. Quantity

³⁾ On-site width correction necessary in accordance with the actual bracket position!

N.B! Please check your order confirmation! We deliver as confirmed, complaints will not be accepted at a later date!

9915 / 9910

211217