

TEL: 01698 351888  
 enquiries@rainbow-blinds.com  
 rainbow-blinds-and-interiors.co.uk

Customer's Name Thompson  
 Address 5 BUNKLE GARDENS  
NEWMAINS  
 Post Code ML2 9AN

Tel. home 01698-223891  
 Tel. work  
 mobile 07450-012532  
 email

DATE MEASURED/ORDERED  
14 / 6 / 24  
 Measured By:  
GARY

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

**SPECIAL INSTRUCTIONS**

GUTTER BRACKET  
 CUSTOMER AWARE  
 PITCH WOULD RUN  
 DOWN OFF AWNING.

8148

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitters Req.	Est. Time	Special RA (separate Sheet)

alum	anthracite	black	brown	champ-gold	chrome	silver	white	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
PATIO	5300	2000	AWNING	Mx3 5229 4111 1x SITOU 1	L/E		3789
							101
6				<del>SPREADER</del> GUTTER BRACKETS			915
							£4839
							+ VAT
							£5806
							+ Fitting
							£6676

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

It is our responsibility to supply you with goods that meet your consumer rights. If you have any concerns that we have not met our legal obligations please contact us. Unless stated, goods and installation service come with 12 month warranty. Full T's & C's on our website. I have ordered the above goods and agree to pay 50% deposit and the remaining balance when confirming fitting appointment. If payment is not made in full at that time Rainbow Blinds has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 6676  
 DEPOSIT £ 3338  
 BALANCE £ 3338

PD 1406 VISA  
**PRICE ACCEPTANCE** Customer's Signature  
Shelen Thompson

**ORDER BALANCE TO BE PAID FOR AT FITTING CONFIRMATION**

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------



Please send to:

order@markilux.com

Your contact: **Rainbow Blinds Rain** Reference: **8148 THOMPSON** Customer no.: **55830** Order date: **14-06-24** Requested delivery date (despatch date): **ASAP**

On the basis of your terms and conditions for markilux awnings we hereby place the following order:

Model	Quantity	Overall awning width M [cm]	Extension H [cm]					Frame colour	Front panel colour <sup>1)</sup>	K
			150	200	250	300	350			
markilux MX-2			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>
markilux MX-3	1	530	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5229	5229	<input type="radio"/>
markilux 970			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			<input type="radio"/>

1) If left blank: supplied in the frame colour. The standard colours and additional colours can be combined as shown in the sales manual. In the case of the markilux MX-3 the front panel colour and end cap styling colour are always the same.

K Improved corrosion protection

## Fabric pattern

Operation side (as viewed from the outside) left  right

Radio-controlled motor 868 Mhz io  433 Mhz RTS

Radio remote control 1 channel  5 channels

(io: markilux io-designcontrol / RTS: Situo RTS Pure)

radio control light sensor Sunis WireFree II io 8272086

radio control wind sensor Eolis WireFree io 8272193

radio control wind sensor Eolis io with connection for rain sensor OI 8272328

radio control light and wind sensor Soliris Sensor RTS 8272089

radio control light and wind sensor Soliris Sensor RTS 8272127

with rain sensor connection

radio control wind sensor Eolis Sensor RTS 8272090

rain sensor Ondeis 230 V 8272065

Wind sensor markilux vibrabox RAL 7043  RAL 9016

(io/RTS) (8272366 / 8272364) (8272367 / 8272365)

Hard-wired motor

Power supply cable with Hirschmann plug connector 5m  10m <sup>2)</sup>

2) only available for radio-controlled motors

## Manual operation

Crank handle length 110 cm  140 cm  160 cm  180 cm  220 cm

spring-assisted operation

## Notes

## Shadeplus markilux 970

(height 170 cm; maximum awning size 500 x 300 cm / 600 x 250 cm)

Gearbox operation  Motor (io / RTS / hard-wired)

Operation side (in case of differing) left  right

shadeplus fabric pattern (if it differs from the awning):  
plain material, transalair, vuscreen or Soltis Perform 92

## Fixture

Face fixture bracket

face fixture bracket with spreader plate A

face fixture bracket with spreader plate B

face fixture using spreader plate C (only for the markilux 970)

markilux panel 250 mm  continuous

top fixture brackets

eaves fixture brackets 150 mm  270 mm

additional spreader / backing plate for eaves fixture (75383.)

Supply brackets in advance

LED lighting (radio-controlled operation: on / off / dimmable)

LED Line in the cassette

LED Spots underneath the cassette

Wall sealing profile MX-3 in the same width as the awning <sup>3)</sup>

Wall sealing profile MX-3 in standard width = M - 311 mm

Accessories (please refer to the sales manual / price list) Order no. Quantity

3) On-site width correction necessary in accordance with the actual bracket position!

N.B! Please check your order confirmation! We deliver as confirmed, complaints will not be accepted at a later date!

9915 / 9910

211217

Folding-arm cassette awning | markilux MX-2 / MX-3 / 970



Specialists in Awnings Brackets & Fixings

# Gutter Bracket

Customer Name & Tel N°

Customer Ref (If known)

Date of Order

Colour

Number required

Awning Manufacturer

Model Number or Name

Size of Awning Length  Projection

Building Substrate   
Brick, concrete block etc.

**Dimensions;**

A: STANDARD


B: Please provide the required dimension in mm.

C: Standard 250mm   
if different required enter in mm.

Material Section:  
Max Stand Off per section.

Bracket Material:  
Mild Steel or Stainless Steel    
 Mild Steel  Stainless Steel

Method of Payment;  Credit Card  Cheque with Invoice  Account Customer



Note: The prices quoted on the website are for standard size brackets in 60 x 40 section

Unless specified our default bracket manufacture is in Mild Steel

**TEL: 01794 367 286**



Specialists in Awnings Brackets & Fixings

# Customer Address Details

Customer Name & Tel N°

Customer Ref (If known)

Date of Order

Invoice Address

Post Code:

Delivery Address if Different

Post Code:

Signature

Position in business