

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
1	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-04 • Quantity: 1 • Sizes given: Blind size • Width: 3255 • Drop: 2490 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Reverse • Rollup diameter: 78.41 • Max rollup diameter: 108 • Tube deflection: 2.18 	453.84	453.84
2	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-05 • Quantity: 1 • Sizes given: Blind size • Width: 1805 • Drop: 2490 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 63.81 • Max rollup diameter: 78 • Tube deflection: 0.77 	314.77	314.77

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
3	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-06 • Quantity: 1 • Sizes given: Blind size • Width: 1697 • Drop: 2490 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 63.81 • Max rollup diameter: 78 • Tube deflection: 0.6 	309.34	309.34
4	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-07 • Quantity: 1 • Sizes given: Blind size • Width: 2424 • Drop: 2480 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Reverse • Rollup diameter: 68.7 • Max rollup diameter: 78 • Tube deflection: 1.33 	354.98	354.98

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
5	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD01.01/LH • Quantity: 1 • Sizes given: Blind size • Width: 2645 • Drop: 2480 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Reverse • Rollup diameter: 68.7 • Max rollup diameter: 78 • Tube deflection: 1.89 	366.94	366.94
6	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD01.02 • Quantity: 1 • Sizes given: Blind size • Width: 2608 • Drop: 2480 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Reverse • Rollup diameter: 68.7 • Max rollup diameter: 78 • Tube deflection: 1.78 	364.93	364.93

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
7	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD01.03/RH • Quantity: 1 • Sizes given: Blind size • Width: 2654 • Drop: 2480 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Reverse • Rollup diameter: 68.7 • Max rollup diameter: 78 • Tube deflection: 1.91 	367.42	367.42
8	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-02.01/ LH • Quantity: 1 • Sizes given: Blind size • Width: 2555 • Drop: 4900 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Reverse • Rollup diameter: 91.39 • Max rollup diameter: 108 • Tube deflection: 1.08 	491.69	491.69

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
9	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-02.02 • Quantity: 1 • Sizes given: Blind size • Width: 2467 • Drop: 4900 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Reverse • Rollup diameter: 91.39 • Max rollup diameter: 108 • Tube deflection: 0.94 	483.44	483.44
10	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-02.03 • Quantity: 1 • Sizes given: Blind size • Width: 2507 • Drop: 4900 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Reverse • Rollup diameter: 91.39 • Max rollup diameter: 108 • Tube deflection: 1 	487.20	487.20

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
11	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-02.04 • Quantity: 1 • Sizes given: Blind size • Width: 2507 • Drop: 4900 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Reverse • Rollup diameter: 91.39 • Max rollup diameter: 108 • Tube deflection: 1 	487.20	487.20
12	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-02.05/RH • Quantity: 1 • Sizes given: Blind size • Width: 2432 • Drop: 4900 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Reverse • Rollup diameter: 91.39 • Max rollup diameter: 108 • Tube deflection: 0.89 	480.17	480.17

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
13	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-10 • Quantity: 1 • Sizes given: Blind size • Width: 1452 • Drop: 1960 • Fabric: Pluto • Color: 162 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 65.83 • Max rollup diameter: 78 • Tube deflection: 0.34 	296.64	296.64
14	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-03 • Quantity: 1 • Sizes given: Blind size • Width: 1548 • Drop: 2390 • Fabric: Pluto • Color: 162 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 55.14 • Max rollup diameter: 78 • Tube deflection: 0.13 	313.58	313.58

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
15	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-04.1 • Quantity: 1 • Sizes given: Blind size • Width: 2317 • Drop: 2520 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.05 • Max rollup diameter: 78 • Tube deflection: 2.09 	341.58	341.58
16	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-04.2 • Quantity: 1 • Sizes given: Blind size • Width: 2333 • Drop: 2520 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.05 • Max rollup diameter: 78 • Tube deflection: 2.15 	342.39	342.39

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
17	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-04.3 • Quantity: 1 • Sizes given: Blind size • Width: 2333 • Drop: 2520 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.05 • Max rollup diameter: 78 • Tube deflection: 2.15 	342.39	342.39
18	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-24 • Quantity: 1 • Sizes given: Blind size • Width: 1376 • Drop: 2520 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.05 • Max rollup diameter: 78 • Tube deflection: 0.26 	293.79	293.79

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
19	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-25 • Quantity: 1 • Sizes given: Blind size • Width: 2318 • Drop: 2520 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.05 • Max rollup diameter: 78 • Tube deflection: 2.1 	341.62	341.62
20	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-26 • Quantity: 1 • Sizes given: Blind size • Width: 807 • Drop: 2520 • Fabric: Pluto • Color: 162 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 72.07 • Max rollup diameter: 78 • Tube deflection: 0.04 	272.55	272.55

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
21	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-21 • Quantity: 1 • Sizes given: Blind size • Width: 805 • Drop: 2520 • Fabric: Pluto • Color: 162 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 72.07 • Max rollup diameter: 78 • Tube deflection: 0.04 	272.44	272.44
22	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-19 • Quantity: 1 • Sizes given: Blind size • Width: 1100 • Drop: 2540 • Fabric: Pluto • Color: 162 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 72.29 • Max rollup diameter: 78 • Tube deflection: 0.13 	290.62	290.62

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
23	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-17 • Quantity: 1 • Sizes given: Blind size • Width: 1645 • Drop: 2540 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.21 • Max rollup diameter: 78 • Tube deflection: 0.53 	307.93	307.93
24	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-16 • Quantity: 1 • Sizes given: Blind size • Width: 1985 • Drop: 2540 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.21 • Max rollup diameter: 78 • Tube deflection: 1.13 	325.30	325.30

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
25	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-15 • Quantity: 1 • Sizes given: Blind size • Width: 1085 • Drop: 2040 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 60.23 • Max rollup diameter: 78 • Tube deflection: 0.09 	271.33	271.33
26	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-14 • Quantity: 1 • Sizes given: Blind size • Width: 628 • Drop: 1630 • Fabric: Pluto • Color: 162 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 62.16 • Max rollup diameter: 78 • Tube deflection: 0.01 	251.57	251.57

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
27	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: EXT-02 • Quantity: 1 • Sizes given: Blind size • Width: 854 • Drop: 2490 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 63.81 • Max rollup diameter: 78 • Tube deflection: 0.04 	266.89	266.89
28	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-08 • Quantity: 1 • Sizes given: Blind size • Width: 632 • Drop: 2490 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 63.81 • Max rollup diameter: 78 • Tube deflection: 0.01 	255.71	255.71

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
29	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: SD-05 • Quantity: 1 • Sizes given: Blind size • Width: 1447 • Drop: 2800 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 66.28 • Max rollup diameter: 78 • Tube deflection: 0.34 	303.35	303.35
30	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-27 • Quantity: 1 • Sizes given: Blind size • Width: 2272 • Drop: 2600 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.69 • Max rollup diameter: 78 • Tube deflection: 1.97 	341.96	341.96

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
31	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: EXT-09 • Quantity: 1 • Sizes given: Blind size • Width: 874 • Drop: 2600 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.69 • Max rollup diameter: 78 • Tube deflection: 0.04 	269.32	269.32
32	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: EXT-08 • Quantity: 1 • Sizes given: Blind size • Width: 868 • Drop: 2600 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.69 • Max rollup diameter: 78 • Tube deflection: 0.04 	269.00	269.00

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
33	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: EXT-06 • Quantity: 1 • Sizes given: Blind size • Width: 868 • Drop: 2540 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.21 • Max rollup diameter: 78 • Tube deflection: 0.04 	268.23	268.23
34	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-22 • Quantity: 1 • Sizes given: Blind size • Width: 2278 • Drop: 2540 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.21 • Max rollup diameter: 78 • Tube deflection: 1.96 	340.27	340.27

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
35	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: EXT-05 • Quantity: 1 • Sizes given: Blind size • Width: 852 • Drop: 2540 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.21 • Max rollup diameter: 78 • Tube deflection: 0.04 	267.41	267.41
36	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-20 • Quantity: 1 • Sizes given: Blind size • Width: 2311 • Drop: 2540 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.21 • Max rollup diameter: 78 • Tube deflection: 2.08 	341.96	341.96

QUOTE

Job Ref No: UMB11270

Customer: Hampshire Light

Quote Date: 24-07-2025

Customer Ref.: Stockers Farm

Contact Name:

Total Quantity: 37

Total Price: £ 12,440.73

Ref No.	Qty	System	Description	Unit price	Total Price
37	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: W-18 • Quantity: 1 • Sizes given: Blind size • Width: 956 • Drop: 2540 • Fabric: Helix 5% • Color: 352 • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCM 240v Somfy Sonesse 40 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Reverse • Rollup diameter: 64.21 • Max rollup diameter: 78 • Tube deflection: 0.06 	272.73	272.73

Standard Next Day Delivery: £ 18.25

Grand Total: £ 12,440.73

Special Notes

Spectrum Supply Ltd t/a Umbra Shading, 31 Ystrad Road, SA5 4BT

The above pricing excludes VAT

Tel: 01792 562015 Email: sales@umbrashading.co.uk

Please note that the above pricing is based on this quotation being ordreed in full on a single purchase order. Should you require these blinds in phases please discuss this