

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
1	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 1 • Quantity: 1 • Sizes given: Blind size • Width: 3122 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.29 	724.99	724.99
2	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 2 • Quantity: 1 • Sizes given: Blind size • Width: 3370 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 75mm Tube • Orientation: Standard • Rollup diameter: 92.23 • Max rollup diameter: 108 • Tube deflection: 1.98 	779.13	779.13

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
3	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 3 • Quantity: 1 • Sizes given: Blind size • Width: 1186 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.1 	478.57	478.57
4	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 4 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
5	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 5 • Quantity: 1 • Sizes given: Blind size • Width: 3810 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 75mm Tube • Orientation: Standard • Rollup diameter: 92.23 • Max rollup diameter: 108 • Tube deflection: 3.23 	833.29	833.29
6	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 6 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
7	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 7 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
8	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 8 • Quantity: 1 • Sizes given: Blind size • Width: 1270 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.13 	486.67	486.67

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
9	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 9 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
10	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 10 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
11	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 11 • Quantity: 1 • Sizes given: Blind size • Width: 3810 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 75mm Tube • Orientation: Standard • Rollup diameter: 92.23 • Max rollup diameter: 108 • Tube deflection: 3.23 	833.29	833.29
12	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 12 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
13	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 13 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
14	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 14 • Quantity: 1 • Sizes given: Blind size • Width: 1270 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.13 	486.67	486.67

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
15	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 15 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
16	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 16 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
17	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 17 • Quantity: 1 • Sizes given: Blind size • Width: 3810 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 75mm Tube • Orientation: Standard • Rollup diameter: 92.23 • Max rollup diameter: 108 • Tube deflection: 3.23 	833.29	833.29
18	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 18 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
19	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 19 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	1,055.68	1,055.68
20	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 20 • Quantity: 1 • Sizes given: Blind size • Width: 1270 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.13 	486.67	486.67

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
21	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 21 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
22	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 22 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
23	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 23 • Quantity: 1 • Sizes given: Blind size • Width: 3810 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 75mm Tube • Orientation: Standard • Rollup diameter: 92.23 • Max rollup diameter: 108 • Tube deflection: 3.23 	833.29	833.29
24	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 24 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
25	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 25 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
26	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 26 • Quantity: 1 • Sizes given: Blind size • Width: 1270 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.13 	486.67	486.67

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
27	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 27 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
28	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 28 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
29	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 29 • Quantity: 1 • Sizes given: Blind size • Width: 3810 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 75mm Tube • Orientation: Standard • Rollup diameter: 92.23 • Max rollup diameter: 108 • Tube deflection: 3.23 	833.29	833.29
30	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 30 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
31	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 31 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
32	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 32 • Quantity: 1 • Sizes given: Blind size • Width: 1270 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.13 	486.67	486.67

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
33	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 33 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
34	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 34 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
35	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 35 • Quantity: 1 • Sizes given: Blind size • Width: 3810 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 75mm Tube • Orientation: Standard • Rollup diameter: 92.23 • Max rollup diameter: 108 • Tube deflection: 3.23 	833.29	833.29
36	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 36 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
37	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 37 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
38	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 38 • Quantity: 1 • Sizes given: Blind size • Width: 1270 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.13 	486.67	486.67

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
39	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 39 • Quantity: 1 • Sizes given: Blind size • Width: 3022 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.01 	713.43	713.43
40	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 40 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
41	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 41 • Quantity: 1 • Sizes given: Blind size • Width: 3810 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 75mm Tube • Orientation: Standard • Rollup diameter: 92.23 • Max rollup diameter: 108 • Tube deflection: 3.23 	833.29	833.29
42	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 42 • Quantity: 1 • Sizes given: Blind size • Width: 1752 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.47 	533.09	533.09

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
43	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 43 • Quantity: 1 • Sizes given: Blind size • Width: 1186 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 76.85 • Max rollup diameter: 78 • Tube deflection: 0.1 	478.57	478.57
44	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 44 • Quantity: 1 • Sizes given: Blind size • Width: 3370 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 75mm Tube • Orientation: Standard • Rollup diameter: 92.23 • Max rollup diameter: 108 • Tube deflection: 1.98 	779.13	779.13

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
45	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 45 • Quantity: 1 • Sizes given: Blind size • Width: 3132 • Drop: 3500 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 84.88 • Max rollup diameter: 108 • Tube deflection: 2.32 	726.14	726.14
46	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 46 • Quantity: 1 • Sizes given: Blind size • Width: 2400 • Drop: 2700 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 71.17 • Max rollup diameter: 78 • Tube deflection: 1.45 	530.77	530.77

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
47	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 47 • Quantity: 1 • Sizes given: Blind size • Width: 2376 • Drop: 2700 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 71.17 • Max rollup diameter: 78 • Tube deflection: 1.39 	528.87	528.87
48	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 48 • Quantity: 1 • Sizes given: Blind size • Width: 2276 • Drop: 2700 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 66.65 • Max rollup diameter: 78 • Tube deflection: 2.27 	510.62	510.62

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
49	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 49 • Quantity: 1 • Sizes given: Blind size • Width: 2400 • Drop: 2700 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 71.17 • Max rollup diameter: 78 • Tube deflection: 1.45 	530.77	530.77
50	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 50 • Quantity: 1 • Sizes given: Blind size • Width: 2326 • Drop: 2700 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 71.17 • Max rollup diameter: 78 • Tube deflection: 1.28 	524.90	524.90

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
51	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 51 • Quantity: 1 • Sizes given: Blind size • Width: 1544 • Drop: 2700 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 66.65 • Max rollup diameter: 78 • Tube deflection: 0.48 	455.98	455.98
52	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 52 • Quantity: 1 • Sizes given: Blind size • Width: 2923 • Drop: 2700 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Extended • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 80.34 • Max rollup diameter: 108 • Tube deflection: 1.58 	586.00	586.00

QUOTE

Job Ref No: UMB11489

Customer: HAS Integration

Quote Date: 20-08-2025

Customer Ref.: 20.08.25 - Nice Action

Contact Name: 0818 555 544

Total Quantity: 54

Total Price: £ 33,326.16

Ref No.	Qty	System	Description	Unit price	Total Price
53	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: 53 • Quantity: 1 • Sizes given: Blind size • Width: 2400 • Drop: 2700 • Fabric: Spectrum 5010 3% • Color: Cornsilk • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: WCE 240v Nice E Action SI 6 20 • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 71.17 • Max rollup diameter: 78 • Tube deflection: 1.45 	530.77	530.77
54	1	Accessories	<ul style="list-style-type: none"> • Quantity: 1 • Category: Controls • Brand: Nice • Nice Controls: Nice TTU Setting Tool for WCE Motors • Reference: 1 	22.98	22.98

Standard Next Day Delivery: £ 18.25

Grand Total: £ 33,326.16

Special Notes

Spectrum Supply Ltd t/a Umbra Shading, 31 Ystrad Road, SA5 4BT

The above pricing excludes VAT

Tel: 01792 562015 Email: sales@umbrashading.co.uk

Please note that the above pricing is based on this quotation being ordreed in full on a single purchase order. Should you require these blinds in phases please discuss this