

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
1	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 1 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1050</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.05</li> </ul>	376.15	376.15
2	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 1 - Middle</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: Middle slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.22</li> </ul>	250.58	250.58

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
3	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 1 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1035</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.05</li> </ul>	194.13	194.13
4	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 2</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2270</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 1.18</li> </ul>	524.46	524.46

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
5	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 3</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2500</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 1.74</li> </ul>	552.42	552.42
6	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 4</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2500</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 1.74</li> </ul>	552.42	552.42

## QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
7	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 5</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2500</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 1.74</li> </ul>	552.42	552.42
8	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 6 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1155</li> <li>• Drop: 2450</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 54.63</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.08</li> </ul>	383.32	383.32

## QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
9	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 6 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2450</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 54.63</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.22</li> </ul>	243.22	243.22
10	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 7 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1155</li> <li>• Drop: 2450</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 54.63</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.08</li> </ul>	383.32	383.32

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
11	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 7 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2450</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 54.63</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.22</li> </ul>	243.22	243.22
12	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 8 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1585</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.28</li> </ul>	441.27	441.27

## QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
13	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 8 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1570</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.27</li> </ul>	259.08	259.08
14	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 9 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1035</li> <li>• Drop: 2450</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 54.63</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.05</li> </ul>	369.32	369.32

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
15	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 9 - Middle</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2450</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: Middle slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 54.63</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.22</li> </ul>	243.22	243.22
16	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 9 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1035</li> <li>• Drop: 2450</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 54.63</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.05</li> </ul>	189.05	189.05

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
17	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 10</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1585</li> <li>• Drop: 2580</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.2</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.28</li> </ul>	441.27	441.27
18	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 11</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2580</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 2.02</li> </ul>	580.66	580.66

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
19	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 12 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 880</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.03</li> </ul>	361.78	361.78
20	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 12 - Middle</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: Middle slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.23</li> </ul>	261.35	261.35

## QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
21	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 12 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 880</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.03</li> </ul>	181.51	181.51
22	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 13</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2600</li> <li>• Drop: 2700</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 55.72</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 2.06</li> </ul>	576.37	576.37

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
23	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 14</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2600</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 2.08</li> </ul>	583.25	583.25
24	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 15</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2600</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 2.08</li> </ul>	583.25	583.25

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
25	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 16</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2600</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 2.08</li> </ul>	583.25	583.25
26	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 17</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2600</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 2.08</li> </ul>	583.25	583.25

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
27	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 18</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 2600</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 2.08</li> </ul>	583.25	583.25
28	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 19 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1085</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.06</li> </ul>	388.26	388.26

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
29	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 19 - Middle</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: Middle slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.23</li> </ul>	261.35	261.35
30	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 19 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1085</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.06</li> </ul>	207.99	207.99

## QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
31	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 20 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1150</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.08</li> </ul>	396.55	396.55
32	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 20 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.23</li> </ul>	261.35	261.35

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
33	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 21 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1150</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.08</li> </ul>	396.55	396.55
34	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 21 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.23</li> </ul>	261.35	261.35

## QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
35	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 22 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1150</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.08</li> </ul>	396.55	396.55
36	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 22 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.23</li> </ul>	261.35	261.35

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
37	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 23 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1150</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.08</li> </ul>	396.55	396.55
38	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 23 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.23</li> </ul>	261.35	261.35

## QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
39	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 24 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1000</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.05</li> </ul>	377.23	377.23
40	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 24 - Middle</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: Middle slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.23</li> </ul>	261.35	261.35

# QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
41	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 24 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1000</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.05</li> </ul>	196.96	196.96
42	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 25 - Drive</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1000</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: RF 240v Somfy Sonesse 40 6 20</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.05</li> </ul>	377.23	377.23

## QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
43	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 25 - Middle</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1500</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: Middle slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.23</li> </ul>	261.35	261.35

## QUOTE

Job Ref No: UMB12055

Customer: Light Control Systems (UK) Ltd

Quote Date: 07-11-2025

Customer Ref.: Arke Iconiq

Contact Name:

Total Quantity: 44

Total Price: £ 16,255.32

Ref No.	Qty	System	Description	Unit price	Total Price
44	1	Evolve	<ul style="list-style-type: none"> <li>• Unit Type: mm</li> <li>• Blind reference: 25 - End</li> <li>• Quantity: 1</li> <li>• Sizes given: Blind size</li> <li>• Width: 1000</li> <li>• Drop: 2770</li> <li>• Fabric: Wilde</li> <li>• Color: 247</li> <li>• Hembar: Luxury 35</li> <li>• Hembar colour: White</li> <li>• Top treatment: None</li> <li>• Bracket colour: White</li> <li>• Bracket type: Standard</li> <li>• Control type: End slave unit</li> <li>• Coupled blind drive unit: No</li> <li>• Tube diameter: 44mm Tube</li> <li>• Orientation: Standard</li> <li>• Rollup diameter: 56.02</li> <li>• Max rollup diameter: 78</li> <li>• Tube deflection: 0.05</li> </ul>	196.96	196.96

Standard Next Day Delivery: £ 18.25

Grand Total: £ 16,255.32

Special Notes

Spectrum Supply Ltd t/a Umbra Shading, 31 Ystrad Road, SA5 4BT

The above pricing excludes VAT

Tel: 01792 562015 Email: sales@umbrashading.co.uk

Please note that the above pricing is based on this quotation being ordreed in full on a single purchase order. Should you require these blinds in phases please discuss this