

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
1	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: E • Quantity: 1 • Sizes given: Blind size • Width: 1023 • Drop: 2185 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 55.38 • Max rollup diameter: 78 • Tube deflection: 0.08 	163.55	163.55
2	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: F • Quantity: 1 • Sizes given: Blind size • Width: 1023 • Drop: 3160 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 60.46 • Max rollup diameter: 78 • Tube deflection: 0.1 	194.12	194.12

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
3	13	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: G • Quantity: 13 • Sizes given: Blind size • Width: 1248 • Drop: 3160 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 60.46 • Max rollup diameter: 78 • Tube deflection: 0.22 	207.12	2,692.52
4	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: H • Quantity: 1 • Sizes given: Blind size • Width: 1360 • Drop: 3160 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 60.46 • Max rollup diameter: 78 • Tube deflection: 0.32 	213.58	213.58

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
5	4	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: J • Quantity: 4 • Sizes given: Blind size • Width: 1923 • Drop: 3160 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 60.46 • Max rollup diameter: 78 • Tube deflection: 1.26 	246.04	984.14
6	6	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: K • Quantity: 6 • Sizes given: Blind size • Width: 2148 • Drop: 2410 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 56.55 • Max rollup diameter: 78 • Tube deflection: 1.69 	219.66	1,317.98

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
7	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: L • Quantity: 1 • Sizes given: Blind size • Width: 2148 • Drop: 3160 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 60.46 • Max rollup diameter: 78 • Tube deflection: 1.97 	259.03	259.03
8	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: M • Quantity: 2 • Sizes given: Blind size • Width: 2485 • Drop: 3160 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 65.93 • Max rollup diameter: 78 • Tube deflection: 1.79 	287.04	574.09

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
9	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: N • Quantity: 1 • Sizes given: Blind size • Width: 2548 • Drop: 3160 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 65.93 • Max rollup diameter: 78 • Tube deflection: 1.98 	290.92	290.92
10	13	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: P (less HALL & DRAMA) • Quantity: 13 • Sizes given: Blind size • Width: 1248 • Drop: 2110 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 44mm Tube • Orientation: Standard • Rollup diameter: 54.99 • Max rollup diameter: 78 • Tube deflection: 0.18 	172.07	2,236.85

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
11	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: Q • Quantity: 1 • Sizes given: Blind size • Width: 2598 • Drop: 2485 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 52mm Tube • Orientation: Standard • Rollup diameter: 62.95 • Max rollup diameter: 78 • Tube deflection: 1.92 	252.59	252.59
12	12	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: R • Quantity: 12 • Sizes given: Blind size • Width: 2700 • Drop: 2110 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 72.44 • Max rollup diameter: 78 • Tube deflection: 1.05 	253.06	3,036.70

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
13	36	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Blind reference: S • Quantity: 36 • Sizes given: Blind size • Width: 2710 • Drop: 2110 • Fabric: PVC - 3m • Color: White • Hembar: Ellipse 43 • Top treatment: None • Bracket colour: White • Bracket type: Standard • Control type: Fixed crank • Coupled blind drive unit: No • Tube diameter: 65mm Tube • Orientation: Standard • Rollup diameter: 72.44 • Max rollup diameter: 78 • Tube deflection: 1.07 	253.56	9,128.00
14	12	KuroLok	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 12 • Width: 1248 • Drop: 2110 • Fabric: PVC - 3m • Color: White • Hembar: Luxury 46 • Control type: RF 240v Somfy Sonesse 40 6 20 • Orientation: Standard • Hardware colour: White • Sizes given: Blind size • Side channel size: 35mm Channel • Tube deflection: 0.07 • Tube diameter: 65mm Tube • Cassette size: Cassette 100 • Blind reference: P (HALL & DRAMA) • Bottom angle: No 	475.20	5,702.41
15	2	KuroLok	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1110 • Drop: 2100 • Fabric: PVC - 3m • Color: White • Hembar: Luxury 46 • Control type: RF 240v Somfy Sonesse 40 6 20 • Orientation: Standard • Hardware colour: White • Sizes given: Blind size • Side channel size: 35mm Channel • Tube deflection: 0.05 • Tube diameter: 65mm Tube • Cassette size: Cassette 100 • Blind reference: T • Bottom angle: No 	462.60	925.21

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
16	1	KuroLok	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1965 • Drop: 2100 • Fabric: PVC - 3m • Color: White • Hembar: Luxury 46 • Control type: RF 240v Somfy Sonesse 40 6 20 • Orientation: Standard • Hardware colour: White • Sizes given: Blind size • Side channel size: 35mm Channel • Tube deflection: 0.45 • Tube diameter: 65mm Tube • Cassette size: Cassette 100 • Blind reference: U • Bottom angle: No 	538.10	538.10
17	1	KuroLok RL	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1000 • Drop: 1400 • Fabric: PVC - 3m • Color: White • Cassette size: Cassette 100 • Sizes given: Recess size • Cable exit: Blank • Shelving: Yes • Control type: WCE 240v Nice Era Star ST 10 11 • Orientation: Standard • Hardware colour: White • Hembar: Type Z • Side channel size: 35mm Channel • Blind reference: V • Top shelf length: 1000 • Bottom shelf length: 1000 • Left shelf length: 1146 • Right shelf length: 1146 • Side channel bracket: Yes • Hembar closure profile: No 	717.12	717.12

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
18	2	KuroLok RL	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1000 • Drop: 1600 • Fabric: PVC - 3m • Color: White • Cassette size: Cassette 100 • Sizes given: Recess size • Cable exit: Blank • Shelving: Yes • Control type: WCE 240v Nice Era Star ST 10 11 • Orientation: Standard • Hardware colour: White • Hembar: Type Z • Side channel size: 35mm Channel • Blind reference: A • Top shelf length: 1000 • Bottom shelf length: 1000 • Left shelf length: 1346 • Right shelf length: 1346 • Side channel bracket: Yes • Hembar closure profile: No 	731.74	1,463.47

QUOTE

Job Ref No: UMB12501

Customer: Interlace

Quote Date: 03-02-2026

Customer Ref.: 52000 - Option 2

Contact Name:

Total Quantity: 121

Total Price: £ 38,774.78

Ref No.	Qty	System	Description	Unit price	Total Price
19	11	KuroLok RL	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 11 • Width: 1200 • Drop: 1200 • Fabric: PVC - 3m • Color: White • Cassette size: Cassette 100 • Sizes given: Recess size • Cable exit: Blank • Shelving: Yes • Control type: WCE 240v Nice Era Star ST 10 11 • Orientation: Standard • Hardware colour: White • Hembar: Type Z • Side channel size: 35mm Channel • Blind reference: B • Top shelf length: 1200 • Bottom shelf length: 1200 • Left shelf length: 946 • Right shelf length: 946 • Side channel bracket: Yes • Hembar closure profile: No 	733.29	8,066.15

Standard Next Day Delivery: £ 18.25

Grand Total: £ 38,774.78

Special Notes

Spectrum Supply Ltd t/a Umbra Shading, 31 Ystrad Road, SA5 4BT

The above pricing excludes VAT

Tel: 01792 562015 Email: sales@umbrashading.co.uk

Please note that the above pricing is based on this quotation being ordreed in full on a single purchase order. Should you require these blinds in phases please discuss this