

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
1	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2300 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 1 • Rollup diameter: 58.47 • Tube deflection: 1.89 • Max rollup diameter: 78 • Coupled blind drive unit: No 	361.13	361.13
2	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1500 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 2 • Rollup diameter: 58.47 • Tube deflection: 0.34 • Max rollup diameter: 78 • Coupled blind drive unit: No 	321.96	321.96

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
3	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 3 • Rollup diameter: 74.79 • Tube deflection: 1.31 • Max rollup diameter: 78 • Coupled blind drive unit: No 	413.49	413.49
4	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 4 • Rollup diameter: 58.47 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	283.26	283.26

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
5	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 5 • Rollup diameter: 74.79 • Tube deflection: 1.31 • Max rollup diameter: 78 • Coupled blind drive unit: No 	413.49	413.49
6	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 6 • Rollup diameter: 58.47 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	283.26	283.26

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
7	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 7 • Rollup diameter: 74.79 • Tube deflection: 1.31 • Max rollup diameter: 78 • Coupled blind drive unit: No 	413.49	413.49
8	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 8 • Rollup diameter: 58.47 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	283.26	283.26

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
9	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 9 • Rollup diameter: 74.79 • Tube deflection: 1.31 • Max rollup diameter: 78 • Coupled blind drive unit: No 	413.49	413.49
10	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 10 • Rollup diameter: 58.47 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	283.26	283.26

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
11	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 11 • Rollup diameter: 74.79 • Tube deflection: 1.31 • Max rollup diameter: 78 • Coupled blind drive unit: No 	413.49	413.49
12	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 12 • Rollup diameter: 58.47 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	283.26	283.26

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
13	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 13 • Rollup diameter: 74.79 • Tube deflection: 1.31 • Max rollup diameter: 78 • Coupled blind drive unit: No 	413.49	413.49
14	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 14 • Rollup diameter: 58.47 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	283.26	283.26

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
15	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 15 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.44	692.89
16	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 16 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.44	692.89

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
17	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 17 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.44	692.89
18	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 450 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: Chain • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 18 • Rollup diameter: 58.47 • Max rollup diameter: 78 • Coupled blind drive unit: No 	97.78	97.78

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
19	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1500 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 19 • Rollup diameter: 58.47 • Tube deflection: 0.34 • Max rollup diameter: 78 • Coupled blind drive unit: No 	321.95	643.90
20	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 450 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: Chain • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 20 • Rollup diameter: 58.47 • Max rollup diameter: 78 • Coupled blind drive unit: No 	97.78	97.78

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
21	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 21 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45
22	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 22 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
23	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 23 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45
24	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 24 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
25	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 25 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45
26	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 450 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: Chain • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 26 • Rollup diameter: 58.47 • Max rollup diameter: 78 • Coupled blind drive unit: No 	97.78	97.78

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
27	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1500 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 27 • Rollup diameter: 58.47 • Tube deflection: 0.34 • Max rollup diameter: 78 • Coupled blind drive unit: No 	321.95	643.90
28	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 450 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: Chain • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 28 • Rollup diameter: 58.47 • Max rollup diameter: 78 • Coupled blind drive unit: No 	97.78	97.78

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
29	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 29 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45
30	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 30 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
31	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 31 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45
32	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 32 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
33	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 450 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: Chain • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 33 • Rollup diameter: 58.47 • Max rollup diameter: 78 • Coupled blind drive unit: No 	97.78	97.78
34	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1500 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 34 • Rollup diameter: 58.47 • Tube deflection: 0.34 • Max rollup diameter: 78 • Coupled blind drive unit: No 	321.95	643.90

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
35	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 450 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: Chain • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 35 • Rollup diameter: 58.47 • Max rollup diameter: 78 • Coupled blind drive unit: No 	97.78	97.78
36	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 36 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
37	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 37 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45
38	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 38 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
39	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 39 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45
40	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 40 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
41	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 41 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45
42	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 42 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
43	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2000 • Drop: 2000 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 43 • Rollup diameter: 58.47 • Tube deflection: 1.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.45	346.45
44	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1000 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 44 • Rollup diameter: 66.42 • Tube deflection: 0.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	334.48	334.48

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
45	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 45 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.90	773.81
46	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2400 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 52mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 46 • Rollup diameter: 70.97 • Tube deflection: 1.44 • Max rollup diameter: 78 • Coupled blind drive unit: No 	439.12	439.12

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
47	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2400 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 52mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 47 • Rollup diameter: 70.97 • Tube deflection: 1.44 • Max rollup diameter: 78 • Coupled blind drive unit: No 	439.12	439.12
48	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 48 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.90	773.81

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
49	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1000 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 49 • Rollup diameter: 66.42 • Tube deflection: 0.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	334.48	334.48
50	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1000 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 50 • Rollup diameter: 66.42 • Tube deflection: 0.08 • Max rollup diameter: 78 • Coupled blind drive unit: No 	334.48	334.48

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
51	3	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 3 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 51 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	1,160.73
52	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 52 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	386.91

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
53	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1175 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 53 • Rollup diameter: 66.42 • Tube deflection: 0.16 • Max rollup diameter: 78 • Coupled blind drive unit: No 	346.40	692.79
54	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1300 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 54 • Rollup diameter: 66.42 • Tube deflection: 0.24 • Max rollup diameter: 78 • Coupled blind drive unit: No 	354.91	354.91

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
55	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1500 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 55 • Rollup diameter: 63.53 • Tube deflection: 0.39 • Max rollup diameter: 78 • Coupled blind drive unit: No 	340.20	340.20
56	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Extended • Sizes given: Blind size • Blind reference: 56 • Rollup diameter: 78.22 • Tube deflection: 1.44 • Max rollup diameter: 108 • Coupled blind drive unit: No 	448.76	448.76

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
57	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 57 • Rollup diameter: 63.53 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	291.89	291.89
58	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Extended • Sizes given: Blind size • Blind reference: 58 • Rollup diameter: 78.22 • Tube deflection: 1.44 • Max rollup diameter: 108 • Coupled blind drive unit: No 	448.76	448.76

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
59	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 59 • Rollup diameter: 63.53 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	291.89	291.89
60	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Extended • Sizes given: Blind size • Blind reference: 60 • Rollup diameter: 78.22 • Tube deflection: 1.44 • Max rollup diameter: 108 • Coupled blind drive unit: No 	448.76	448.76

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
61	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 61 • Rollup diameter: 63.53 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	291.89	291.89
62	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Extended • Sizes given: Blind size • Blind reference: 62 • Rollup diameter: 78.22 • Tube deflection: 1.44 • Max rollup diameter: 108 • Coupled blind drive unit: No 	448.76	448.76

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
63	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 63 • Rollup diameter: 63.53 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	291.89	291.89
64	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Extended • Sizes given: Blind size • Blind reference: 64 • Rollup diameter: 78.22 • Tube deflection: 1.44 • Max rollup diameter: 108 • Coupled blind drive unit: No 	448.76	448.76

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
65	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 65 • Rollup diameter: 63.53 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	291.89	291.89
66	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 2900 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 65mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Extended • Sizes given: Blind size • Blind reference: 66 • Rollup diameter: 78.22 • Tube deflection: 1.44 • Max rollup diameter: 108 • Coupled blind drive unit: No 	448.76	448.76

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
67	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 710 • Drop: 2700 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 67 • Rollup diameter: 63.53 • Tube deflection: 0.02 • Max rollup diameter: 78 • Coupled blind drive unit: No 	291.89	291.89
68	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 2250 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 68 • Rollup diameter: 66.42 • Tube deflection: 2.14 • Max rollup diameter: 78 • Coupled blind drive unit: No 	419.60	839.19

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
69	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1750 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 69 • Rollup diameter: 66.42 • Tube deflection: 0.78 • Max rollup diameter: 78 • Coupled blind drive unit: No 	385.54	771.09
70	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1850 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 70 • Rollup diameter: 66.42 • Tube deflection: 0.98 • Max rollup diameter: 78 • Coupled blind drive unit: No 	392.35	784.70

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
71	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 71 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	386.91
72	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 72 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	386.91

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
73	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 73 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	386.91
74	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 74 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	386.91

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
75	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 75 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	386.91
76	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 76 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	386.91

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
77	2	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 2 • Width: 1850 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 77 • Rollup diameter: 66.42 • Tube deflection: 0.98 • Max rollup diameter: 78 • Coupled blind drive unit: No 	392.35	784.70
78	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 78 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	386.91

QUOTE

Job Ref No: UM10277

Customer: Stansons Group

Quote Date: 03-04-2025

Customer Ref.: 56233 - Option 2

Contact Name:

Total Quantity: 94

Total Price: £ 32,452.24

Ref No.	Qty	System	Description	Unit price	Total Price
79	1	Evolve	<ul style="list-style-type: none"> • Unit Type: mm • Quantity: 1 • Width: 1770 • Drop: 3100 • Fabric: Vantage 3% • Color: 112 • Hembar: Ellipse 43 • Control type: RF 240v Somfy Sonesse 40 6 20 • Tube diameter: 44mm Tube • Top treatment: None • Orientation: Standard • Bracket colour: White • Bracket type: Standard • Sizes given: Blind size • Blind reference: 79 • Rollup diameter: 66.42 • Tube deflection: 0.82 • Max rollup diameter: 78 • Coupled blind drive unit: No 	386.91	386.91

Standard Next Day Delivery: £ 18.25

Grand Total: £ 32,452.24

Special Notes

Spectrum Supply Ltd t/a Umbra Shading, 31 Ystrad Road, SA5 4BT

The above pricing excludes VAT

Tel: 01792 562015 Email: sales@umbrashading.co.uk

Please note that the above pricing is based on this quotation being ordreed in full on a single purchase order. Should you require these blinds in phases please discuss this